



02530008

EMENTING, INC.



1125 W. Wynkoop St., Ste 102
 Denver, Colorado 80202
 Phone: 303-296-3010
 Fax: 303-296-8143
 E-mail: nisonoil1@qwestoffice.net

RECEIVED

SEP 10 2010

COGCC

REF INVOICE # 8969

LOCATION WCR 50+43

FOREMAN CALVIN REIMERS

TREATMENT REPORT

DATE 4-13-10	WELL NAME ROMERO G 03-29D	SECTION 3	TWP 4N	RGE 65W	COUNTY Weld	FORMATION
CHARGE TO Noble		OWNER				
MAILING ADDRESS		OPERATOR Noble				
CITY		CONTRACTOR Ensign Rig 136				
STATE ZIP CODE		DISTANCE TO LOCATION				
TIME ARRIVED ON LOCATION 4:10pm		TIME LEFT LOCATION 8:15pm				

WELL DATA			PRESSURE LIMITATIONS		
HOLE SIZE 12 1/4	TUBING SIZE	PENFORATIONS	THEORETICAL		INSTRUCTED
TOTAL DEPTH 563.2	TUBING DEPTH	SHOTS/FT	SURFACE PIPE ANNULUS LONG		
PRTD 514.28	TUBING WEIGHT	OPEN HOLE	STRONG		
CASING SIZE 8 7/8	TUBING CONDITION		TUBING		
CASING DEPTH 555.21		TREATMENT VIA	TYPE OF TREATMENT		TREATMENT RATE
CASING WEIGHT 32 lb	PACKER DEPTH		X SURFACE PIPE		BREAKDOWN BPM
CASING CONDITION Good			[] PRODUCTION CASING		INITIAL BPM
			[] SQUEEZE CEMENT		FINAL BPM
			[] ACID BREAKDOWN		MINIMUM BPM
			[] ACID STIMULATION		MAXIMUM BPM
			[] ACID SPOTTING		AVERAGE BPM
			[] MISC PUMP		
			[] OTHER		HYD MW = RATE X PRESSURE X 42.8

PRESSURE SUMMARY

BREAKDOWN or CIRCULATING	psi	AVERAGE	psi
FINAL DISPLACEMENT	psi	ISIP	psi
ANNULUS	psi	5 MIN SP	psi
MAXIMUM	psi	15 MIN SP	psi
MINIMUM	psi		

INSTRUCTIONS PRIOR TO JOB Rigup, Safety meeting, per company Man. Circ 30 bbls H₂O with KCL + Dye in 2" P.I.T.,
 No new No Max, Mix pump, tell Dye is seen then pump tub 10 bbls slurry at 152 lbs 127 gals, Drop
 plug, Displace 31.3 bbls H₂O, Bump plug at no more than 150 Psi over Lift Psi, Wait 5 min
 Then bleed off Psi, Washup, Rig down, H₂O tested good, WE have 700 sacks cement, 32
 oz Dye, 10 qts KCL,

JOB SUMMARY

DESCRIPTION OF JOB EVENTS Safety meeting 6:30pm, Circ 6:56pm, Cement 7:04pm
 Drop plug 7:26pm, Displace 7:27pm

10 bbls 390 Psi 7:31pm 7.0 bbls/j
 20 bbls 440 Psi 7:32pm 7.0 bbls/j
 30 bbls 240 Psi 7:35pm 1.0 bbls/j
 21.3 bbls 240 Psi 7:38pm .8 bbls/j

Bump Plug 380 Psi at 7:38pm Hold 380 Psi for 5 min.
 USED 95% EXCESS = 357 SACKS CEMENT, 80.74 bbls slurry
 left with 343 sacks cement, 22 oz Dye, 7 qts KCL
 15 bbls slurry to the P.I.T

[Signature]
 AUTHORIZED TO PROCEED

TITLE

4-13-10

DATE