

Comments:

Encana 2008 Price book, 0% discount, follow pricing checklist and proposal in packet

Fluid Systems:

Sugar

100lbs

Density: Thickening Time:
 Yield: ft³/sk
 H2O Mix: 0
 H2O: 0 Eq. Sack Weight: 0 lb
 Total Blend: 0 sacks

Dowell Code	Conc/ Amount	Total Quantity
-------------	--------------	----------------

Lead

G + 0.2% D046 + 2% D079 + 0.25#/sk D029

Density: 12.5 lb/gal Thickening Time: 3:20
 Yield: 2.08 ft³/sk
 H2O Mix: 11.833 gal/sk
 H2O: 3336.90 gal Eq. Sack Weight: 94 lb
 Total Blend: 282 sacks

Dowell Code	Conc/ Amount	Total Quantity
D079	1.88 lbs/sk	530.16
D907	94 lbs/sk	26508
D046	0.188 lbs/sk	53.016
D029	0.25 lbs/sk	70.5

Tail

G + 1% D079 + 0.2% D046 + 0.25#/sk D029

Density: 14.0 lb/gal Thickening Time: 2:00
 Yield: 1.52 ft³/sk
 H2O Mix: 7.668 gal/sk
 H2O: 1065.85 gal Eq. Sack Weight: 94 lb
 Total Blend: 139 sacks

Dowell Code	Conc/ Amount	Total Quantity
D046	0.188 lbs/sk	26.132
D029	0.25 lbs/sk	34.75
D079	0.94 lbs/sk	130.66
D907	94 lbs/sk	13066

Top Plug

9 5/8in Top Plug

Density: lb/gal Thickening Time:
 Yield: ft³/sk
 H2O Mix: 0 gal/sk
 H2O: 0 gal Eq. Sack Weight: 0 lb
 Total Blend: 0 sacks

Dowell Code	Conc/ Amount	Total Quantity
56702095	1	1