



Before P&A Schematic:



Perforation Data		
Zone	Top (ft)	Bottom (ft)
Niobrara	6304	6366
Codell	6480	6492

After P&A Schematic:

8 5/8" 24# J-55 Surface
Set @ 668' MD



Surface Plug
10 sx, 1.15 Yield, 14.8 ppg cement at surface

5 sx, 1.15 Yield, 14.8 ppg cement on top of CICR

Perf @ 720'
CICR Set @ 620'
Squeeze 155 sx, 1.15 Yield, 14.8 ppg cement behind 4-1/2" csg
Leave 8 sx, 1.15 Yield, 14.8 ppg cement inside 4-1/2" csg f/ CICR to perfs

Production TOC @ 5,624' MD
determined by CBL

5 sx, 1.15 Yield, 14.8 ppg cement on top of CIBP @ 6,250' MD

5 sx, 1.15 Yield, 14.8 ppg cement on top of CIBP @ 6,430' MD

4 1/2" 11.6# Production
Set @ 7,100' MD

Perforation Data		
Zone	Top (ft)	Bottom (ft)
Niobrara	6304	6366
Codell	6480	6492