


After P&A Schematic:

8 5/8" 24# J-55 Surface
Set @ 668' MD

Production TOC @ 5,615' MD
determined by CBL

4 1/2" 11.6# Production
Set @ 7,135' MD



Surface Plug
10 sx, 1.15 Yield, 14.8 ppg cement at
surface

5 sx, 1.15 Yield, 14.8 ppg cement on
top of CICR

Perf @ 718'
CICR Set @ 618'
Squeeze 160 sx, 1.15 Yield, 14.8 ppg cement behind 4-1/2" csg
Leave 8 sx, 1.15 Yield, 14.8 ppg cement inside 4-1/2" csg f/
CICR to perfs

2 sx cement placed on top of CIBP @
6,214' MD

2 sx cement placed on top of CIBP @
6,466' MD

2 sx cement placed on top of CIBP @
6,930' MD (P&A by TARC 8/26/2009)

Perforation Data

Zone	Top (ft)	Bottom (ft)
Niobrara A	6264	6272
Niobrara B	6340	6358
Niobrara C	6404	6416
Codell	6516	6530
J Sand	6977	7010