

Current COGCC approved Casing Program

<u>Casing Type</u>	<u>Size Hole</u>	<u>Size Csg</u>	<u>Wt/Ft</u>	<u>Csg/Lnr Top</u>	<u>Set Depth</u>	<u>Sacks Cmt</u>	<u>Cmt Btm</u>	<u>Cmt Top</u>
Conductor	20	16	40	0	40	50	40	0
Surface	12+1/4	8+5/8	36	0	750	342	750	0
Production	7+7/8	4+1/2	11.6	0	9101	1201	9101	1201

Requested changes in RED below. All in black are the same and already approved.

<u>Casing Type</u>	<u>Size Hole</u>	<u>Size Csg</u>	<u>Wt/Ft</u>	<u>Csg/Lnr Top</u>	<u>Set Depth</u>	<u>Sacks Cmt</u>	<u>Cmt Btm</u>	<u>Cmt Top</u>
Conductor	20	16	40	0	40	50	40	0
Surface	12+1/4	9+5/8	36	0	750	242	750	0
Production	8+3/4	7	26	0	9101	819	9101	0

Cement Program will be modified and cemented by BJ Baker to bring cement to surface + 20% to 30% excess casings. DV tool at 6000'.