

# Speed Goat Fed 3432-04H



DESCRIPTION	DEPTH	WELLBORE	DRILLING DEPTHS																																																													
				<b>Date</b> 1/22/2025																																																												
<b>WELL:</b> Speed Goat Fed 3432-04H <b>LOCATION:</b> NENE 34 9N 58W 6 279 FNL 961 FEL <b>County:</b> Weld <b>FORMATION:</b> Nio C <b>API #:</b> 05-123-52494 <b>Field:</b> DJ Horizontal NBRR-FH-CODL-CL <b>Spud:</b> 04/15/24 <b>Current Status:</b> Producing <b>Well Type</b> Horizontal <b>Well Length</b> XXRL																																																																
<b>Casing and Tubular Data</b>																																																																
		KOP	5,433'																																																													
9-5/8" Surface Casing:	1,561'																																																															
<table border="1"> <thead> <tr> <th>Type</th> <th>Hole Size</th> <th>Pipe Size</th> <th>Grade</th> <th>Weight</th> <th>Pipe Top</th> <th>Setting Dep</th> <th>Sacks Cmt</th> <th>Cmt Btm</th> <th>Cmt Top</th> <th>Slurry Yield</th> <th>Slurry Weight</th> </tr> </thead> <tbody> <tr> <td>Conductor</td> <td>26</td> <td>16</td> <td>ASTM</td> <td>65.0 ppf</td> <td>0'</td> <td>80'</td> <td>92</td> <td>80'</td> <td>0'</td> <td>2. ft3/sack</td> <td>14.0 ppg</td> </tr> <tr> <td>Surface</td> <td>13 1/2</td> <td>9 5/8</td> <td>J55</td> <td>36.0 ppf</td> <td>0'</td> <td>1,561'</td> <td>698</td> <td>1,561'</td> <td>0'</td> <td>1.6 ft3/sack</td> <td>13.9 ppg</td> </tr> <tr> <td>Production</td> <td>8 1/2</td> <td>5 1/2</td> <td>P110</td> <td>20.0 ppf</td> <td>0'</td> <td>19,467'</td> <td>2,825</td> <td>19,467'</td> <td>1,355'</td> <td>1.6 ft3/sack</td> <td>13.2 ppg</td> </tr> <tr> <td>Tubing</td> <td>n/a</td> <td>2 3/8</td> <td>n/a</td> <td>4.6 ppf</td> <td>n/a</td> <td>n/a</td> <td>n/a</td> <td>n/a</td> <td>n/a</td> <td>n/a</td> <td>n/a</td> </tr> </tbody> </table>				Type	Hole Size	Pipe Size	Grade	Weight	Pipe Top	Setting Dep	Sacks Cmt	Cmt Btm	Cmt Top	Slurry Yield	Slurry Weight	Conductor	26	16	ASTM	65.0 ppf	0'	80'	92	80'	0'	2. ft3/sack	14.0 ppg	Surface	13 1/2	9 5/8	J55	36.0 ppf	0'	1,561'	698	1,561'	0'	1.6 ft3/sack	13.9 ppg	Production	8 1/2	5 1/2	P110	20.0 ppf	0'	19,467'	2,825	19,467'	1,355'	1.6 ft3/sack	13.2 ppg	Tubing	n/a	2 3/8	n/a	4.6 ppf	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
Type	Hole Size	Pipe Size	Grade	Weight	Pipe Top	Setting Dep	Sacks Cmt	Cmt Btm	Cmt Top	Slurry Yield	Slurry Weight																																																					
Conductor	26	16	ASTM	65.0 ppf	0'	80'	92	80'	0'	2. ft3/sack	14.0 ppg																																																					
Surface	13 1/2	9 5/8	J55	36.0 ppf	0'	1,561'	698	1,561'	0'	1.6 ft3/sack	13.9 ppg																																																					
Production	8 1/2	5 1/2	P110	20.0 ppf	0'	19,467'	2,825	19,467'	1,355'	1.6 ft3/sack	13.2 ppg																																																					
Tubing	n/a	2 3/8	n/a	4.6 ppf	n/a	n/a	n/a	n/a	n/a	n/a	n/a																																																					
<b>Perf Depths</b> 6,614' to 19,328'																																																																
<b>Formation Tops</b> Fox Hills 21 ft Niobrara 6,021 ft Codell n/a ft																																																																
2-3/8" Production Tubing:	n/a	Lateral	6,584'																																																													
<b>Additional Information</b> <b>Completion Type</b> Plug & Perf <b>Lift Type</b> Flowing <b>Last Workover</b> n/a																																																																
<b>Elevation Data</b> GL 4722 feet KB 4743 feet Difference 21 feet																																																																
PBTD 19419'																																																																
5-1/2" Production Casing :	19,467'	TVD MD	5,815' 19,482'																																																													
<b>Tubing BHA</b>																																																																