

BEFORE THE OIL AND GAS CONSERVATION COMMISSION  
OF THE STATE OF COLORADO

IN THE MATTER OF THE APPLICATION OF  
WILLIAMS PRODUCTION RMT COMPANY FOR  
AN ORDER ESTABLISHING SPACING AND WELL  
LOCATION RULES FOR THE WILLIAMS FORK  
FORMATION OF THE MESAVERDE GROUP FOR  
CERTAIN DESCRIBED LANDS IN THE RULISON,  
PARACHUTE AND GRAND VALLEY FIELD  
AREAS, GARFIELD COUNTY, COLORADO

CAUSE NO. 510

DOCKET NO. 0502-AW-07

**APPLICATION**

COMES NOW Williams Production RMT Company ("Applicant"), a Delaware corporation, by its attorneys, Gorsuch Kirgis LLP, and makes application to the Oil and Gas Conservation Commission of the State of Colorado for an order establishing spacing rules applicable to the drilling and producing of wells from the Williams Fork Formation of the Mesaverde Group covering certain described lands in the Rulison, Parachute and Grand Valley Field areas, Garfield County, Colorado and in support of its application states and alleges as follows:

1. That Applicant is a corporation duly authorized to conduct business in the State of Colorado.
2. That Applicant owns a leasehold interest in all or a portion of the following described lands:

BOSELY'S SPRING CREEK RANCH

Township 7 South, Range 96 West, 6th P.M.

Section 27: Lots 3(16.10), 4(43.00), and a parcel of land being that part of the SE/4 and the SE/4NE/4 lying South and East of the centerline of the Colorado River, described as follows:

Beginning at the meander corner on the East line of Section 27;  
thence S. 34°00' W. 3304.62 feet;  
thence N. 8°05' E. 550.00 feet;  
thence N. 13°20' E. 800.00 feet;  
thence N. 14°0' E. 760.00 feet;  
thence N. 35°0' E. 710.00 feet;  
thence N. 48°30' E. 880.00 feet;  
thence N. 30°45' E. 656.90 feet;

thence South 1050.00 feet to the Point of Beginning, said parcel containing 47.00 acres, more or less.

Section 34: E/2NE/4

Section 35: A parcel of land situated in the SW/4 of Section 35 more particularly described as:

Commencing at the Southwest Corner of Section 35, said Corner being lava stone found in place; thence N. 00°29'48" W. along the westerly line of said Section 35 a distance of 1384.51 feet being the South 1/16 Corner of Section 34 and 35, a 3/4" x 30" bar and 3-1/4" cap L.S. #19598 set in place, the true point of beginning; thence N. 00°29'48" W. along the westerly line of said Section 35 a distance of 1384.52 feet to the West Quarter Corner of said Section 35; thence leaving said westerly line S. 89°50'50" E. along the northerly line of SW/4 of said Section 35 a distance of 906.36 feet to the West-Center Sixteenth Corner of said Section 35, a 3/4" x 30" bar & 3-1/4" Cap L.S. #19598; thence leaving said northerly line S. 10°40'42" E. a distance of 1591.50 feet to a point, said point being a rebar & 3-1/4" cap L.S. #19598; thence N. 81°18'14" W. a distance of 1203.09 feet to the true point of beginning; said parcel containing 35.136 acres, more or less.

All of the above containing 221.236 acres, more or less.

#### BOSELY'S STRAIT BOTTOM RANCH

##### PARCEL 1:

A tract in the SW/4NE/4 (Lot 3) of Section 23 more fully described as follows:

Beginning at a point 1683.44 feet 35°43' southeast of the northwest corner of the NE/4 of said Section 23; thence 761 feet 38°20' southwest; thence 328.2 feet northwest 55°04'; thence 489.9 feet 34°56' northeast; thence 455.4 feet east to the POINT OF BEGINNING.

containing 5.00 acres, more or less

##### PARCEL 2:

A parcel of land situated in Section 23 and Section 26; said parcel being situated southeasterly and adjacent to the southeasterly right of way of the Denver and Rio Grande Railroad right of way and being more particularly described as follows:

Commencing at the South Quarter Corner of said Section 23, a B.L.M. aluminum cap standard monument in place, said Quarter Corner also being a Meander

Corner along the westerly meander line of the Colorado River as established by existing meander corners found in place and the 1889 G.L.O. Plat of Township 7 South, Range 96 West, 6th P.M.; then S. 20°18'39" W. along said meander line 456.42 feet to the True Point of Beginning;

then continuing along said meander line the following three (3) courses:

- 1.) S. 20°18'39" W. 185.57 feet;
  - 2.) N. 69°41'21" W. 1091.38 feet;
  - 3.) S. 69°39'39" W. 1553.89 feet to a point on the southeasterly right of way of the Denver and Rio Grande Railroad right of way;
- then N. 39°17'37" E. along said right of way 5477.19 feet to a point on said westerly meander line;
- then S. 12°25'06" W. along said meander line 866.39 feet to the centerline of the Colorado River;

then the following six (6) courses along said river:

- 1.) S. 18°32'48" E. 1157.33 feet;
- 2.) S. 00°53'55" E. 227.00 feet;
- 3.) S. 26° 03'12" W. 863.17;
- 4.) S. 00°17'34" E. 705.07 feet;
- 5.) S. 46°14'52" W. 258.31 feet;
- 6.) S. 87°28'52" W. 548.32 feet to the True Point of Beginning.

Bearings referenced hereon are relative to a bearing of N. 00°06'00" E. between the Center of Section 23, a B.L.M. aluminum cap standard monument, and the North Quarter Corner of Section 23, a G.L.O. brass cap standard monument.

### PARCEL 3

A parcel of land situated in Lots 3 and 6, and the E/2SW/4 of Section 23, and Lots 2 and 3 of Section 26; said parcel being more particularly described as follow:

Commencing at the Southwest Corner of said Section 23, a G.L.O. brass cap in place, the True Point of Beginning; thence S. 86°45'50" E. along the southerly line of said Section 23 1400.34 feet to the Southwest Corner of the E/2SW/4 of said Section 23, a rebar and cap in place, L.S. #15651;

thence N. 00°50'34" E. along the westerly line of said E/2SW/4 2573.15 feet to the Northwest Corner of said E/2SW/4, a B.L.M. aluminum cap in place;

thence S. 88°13'00" E. along the northerly line of said E/2SW/4 of Section 23 1366.17 feet to the Center of said Section 23, a B.L.M. aluminum cap in place;

thence N. 00°06'00" E. along the westerly line of said Lot 3 of said Section 23 667.83 feet to a point on the easterly right of way of the Colorado Department of Highways;

thence N. 34°56'00" E. along said right of way 330.17 feet;

thence continuing along said right of way N. 61°49'03" E. 112.23 feet to a point on the southerly line of a parcel of land described in Reception No. 328642 of the Garfield County records;  
 thence S. 55°04'00" E. 277.45 feet to the southeast corner of said Reception No. 328642;  
 thence N. 38°20'00" E. along the easterly line of said Reception No. 328642 657.97 feet, also being a point on the northerly line of said Lot 3;  
 thence S. 86°52'50" E. along said northerly line 87.27 feet to a point of the westerly meander line of the Colorado River as established by existing meander corners found in place and the 1889 G.L.O. Plat of Township 7 South, Range 69 West, 6th P.M.;  
 thence continuing along said meander line the following five courses:  
 1.) S. 31°04'06" W. 447.51 feet;  
 2.) S. 12°25'06" W. 3655.26 feet to the square quarter corner of said Section 23, also being a meander corner, a B.L.M. aluminum cap in place;  
 3.) S. 20°18'39" W. 641.99 feet;  
 4.) N. 69°41'21" W. 1091.38;  
 5.) S. 69°39'39" W. 1660.83 feet to a meander corner on the westerly line of said Section 26, a B.L.M. aluminum cap;  
 thence N. 00°26'15" E. along said westerly line 958.27 feet to the True Point of Beginning;

EXCEPTING THEREFROM:

A parcel of land situated in Section 23 and Section 26; said parcel being situated southeasterly and adjacent to the southeasterly right of way of the Denver and Rio Grande Railroad right of way and being more particularly described as follows:

Commencing at the South Quarter Corner of said Section 23, a B.L.M. aluminum cap standard monument in place, said Quarter Corner also being a Meander Corner along the westerly meander line of the Colorado River as established by existing meander corners found in place and the 1889 G.L.O. Plat of Township 7 South, Range 96 West, 6th P.M.; then S. 20°18'39" W. along said meander line 456.42 feet to the True Point of Beginning;  
 then continuing along said meander line the following three (3) courses:  
 1.) S. 20°18'39" W. 185.57 feet;  
 2.) N. 69°41'21" W. 1091.38 feet;  
 3.) S. 69°39'39" W. 1553.89 feet to a point on the southeasterly right of way of the Denver and Rio Grande Railroad right of way;  
 then N. 39°17'37" E. along said right of way 5477.19 feet to a point on said westerly meander line;  
 then S. 12°25'06" W. along said meander line 866.39 feet to the centerline of the Colorado River;  
 then the following six (6) courses along said river:

- 1.) S. 18°32'48" E. 1157.33 feet;
- 2.) S. 00°53'55" E. 227.00 feet;
- 3.) S. 26° 03'12" W. 863.17;
- 4.) S. 00°17'34" E. 705.07 feet;
- 5.) S. 46°14'52" W. 258.31 feet;
- 6.) S. 87°28'52" W. 548.32 feet to the True Point of Beginning.

Bearings referenced hereon are relative to a bearing of N. 00°06'00" E. between the Center of Section 23, a B.L.M. aluminum cap standard monument, and the North Quarter Corner of Section 23, a G.L.O. brass cap standard monument.

The total acreage in Parcels 2 and 3 contains 184.013 acres, more or less.

#### BOSELY'S LEASED LANDS

Section 14: SW/4SE/4

Section 23: W/2SW/4

Section 27: Lot 1(20.50), N/2NE/4, SW/4NE/4

Excepting Therefrom: A tract of land situated in the W/2NE/4, Lot 1 & 2, Section 27, beginning at a point whence the north 1/4 corner of said Section 27 bears N. 2 degrees 48' west 285 feet; thence S. 1 degrees 15' east 3676 feet; thence N. 89 degrees 16' east 157 feet; thence N. 32 degrees 35' E. 400 feet; thence N. 38 degrees 07' E. 1143 feet; thence N. 44 degrees 28' E. 476 feet; thence N. 33 degrees 04' E. 76 feet; thence N. 55 degrees 19' E. 455 feet; thence N. 49 degrees 37' W. 176 feet; thence N. 74 degrees 13' W. 121 feet; thence N. 29 degrees 09' W. 228 feet; thence N. 47 degrees 47' W. 378 feet; thence N. 51 degrees 44' W. 545 feet; thence N. 63 degrees 54' W. 289 feet; thence N. 23 degrees 35' W. 290 feet; thence N. 87 degrees 46' W. 178 feet; thence N. 22 degrees 58' W. 285 feet; thence N. 59 degrees 35' W. 248 feet to the point of beginning.

Section 22: S/2SE/4

Section 23: Lot 2(37.50), E/2NW/4, SW/4NW/4

#### BOSELY'S SURFACE INTEREST LANDS

Section 22: Lots 6(39.62), 7(39.17), 8(40.23), 10(40.02), 11(40.01), N/2SE/4

Section 27: N/2NW/4

#### COTNER'S LANDS

Section 34 and 35: A parcel of land situated in the SE/4 of Section 34 and the SW/4 of Section 35, said parcel being more particularly described as follows:

Commencing at the Southwest Corner of Section 35, said corner being a Lava Stone found in place, the True Point of Beginning;  
 thence South 89°09'15" West along the Southerly line of said Section 34 153.83 feet;  
 thence leaving said Southerly line North 05°50'20" East 1393.96 feet to the South 1/16 Corner of Sections 34 & 35, a ¾" x 30" bar with ¾" cap set in place;  
 thence South 81°18'14" East a distance of 1203.08 feet to a rebar and cap L.S. No. 19598 set in place;  
 thence South 07°55'11" West a distance of 1205.83 feet to a point on the Southerly line of said Section 35, being a rebar and cap L.S. No. 19598 set in place;  
 thence South 89°32'00" West along said Southerly line, a distance of 1011.14 feet to the True Point of Beginning.

EXCEPT that portion of the above described parcel located in the SE/4 of Section 34, containing 2.445 acres, more or less.

Containing 32.719 acres, more or less.

#### GRUNSKA'S LANDS

Section 35: A parcel of land situated in the SW/4 and the SE/4NW/4 of Section 35, said parcel being more particularly described as follows:

Commencing at the Southwest Corner of Section 35, said Corner being a Lava Stone found in place;  
 thence North 00°29'48" West along the Westerly line of said Section 35 a distance of 1384.51 feet to the South Sixteenth Corner of Section 34 and 35, a ¾" x 30" bar and ¾" cap L.S. No. 19598 set in place;  
 thence leaving said Westerly line South 81°18'14" East a distance of 1203.08 feet to a rebar & cap L.S. No. 19598 set in place, the True Point of Beginning;  
 thence North 12°15'42" West a distance of 1600.57 feet to a point on the North line of the SW/4 of said Section 35, a rebar and cap L.S. No. 19598 set in place;  
 thence South 89°50'50" East along the Northerly line of the SW/4 of said Section 35 a distance of 448.97 feet to the West-Center Sixteenth Corner of said Section 35, a ¾" x 30" bar and ¾" cap L.S. No. 19598 set in place;  
 thence North 00°58'18" West along the Westerly line of the SE/4NW/4 of said Section 35 a distance of 505.93 feet to a point in the Centerline of an existing draw, said point being a rebar and cap L.S. No. 19598 set in place;  
 thence the following six (6) courses along the Centerline of said draw;

1. South 61°33'21" East 21.04 feet
2. South 43°21'09" East 218.50 feet
3. South 50°12'39" East 316.84 feet

4. South 47°27'34" East 283.63 feet
  5. South 43°52'19" East 334.29
  6. South 55°59'14" East 368.11 feet to a rebar & cap L.S. No. 19598 set in place;
- thence leaving said Centerline South 49°55'47" West a distance of 1644.16 feet to the True Point of Beginning, AKA Lot 4 Fyrwald Exemption Plat (Unrecorded).

Containing 35.294 acres, more or less.

#### McNEIL'S LANDS

Section 35: A parcel of land situated in the SW/4 and the NW/4SE/4 of Section 35, said parcel being more particularly described as follows:

Commencing at the South Quarter Corner of Section 35, said corner being a Lava Stone found in place; thence North 00°09'02" West along the North-South centerline of said Section 35 a distance of 963.56 feet to a rebar and cap L.S. No. 19598 set in place, the True Point of Beginning;

thence leaving said North-South centerline North 81°18'14" West a distance of 1440.57 feet to a rebar and cap L.S. No. 19598 in place;

thence North 49°55'47" East a distance of 1644.16 feet to a point in the centerline of an existing draw, said point being a rebar and cap L.S. No. 19598 set in place;

thence the following six (6) courses along the centerline of said draw:

1. South 55°59'14" East 118.60 feet
2. South 77°11'17" East 344.90 feet
3. South 61°23'11" East 409.84 feet
4. South 45°15'39" East 282.84 feet
5. South 47°15'11" East 394.08 feet
6. South 53°27'11" East 92.77 feet to a point on the South line of the NW/4SE/4 of said Section 35, a rebar and cap L.S. No. 19598 set in place;

thence leaving said centerline South 89°35'34" West along said Southerly line a distance of 1194.54 feet to the South-Center Sixteenth Corner of said Section 35, a  $\frac{3}{4}$ " x 30" bar and 3- $\frac{1}{4}$ " cap L.S. No. 19598 set in place;

thence South 00°09'02" East along the Easterly line of the SW/4 of said Section 35 a distance of 406.81 feet to the True Point of Beginning;

TOGETHER WITH a parcel of land being all that portion of Lot 2, Fyrwald Exemption lying Northerly of County Road No. 306; said parcel of land situated in the SW/4 of Section 35;

LESS a parcel of land being all that portion of Lot 3, Fyrwald Exemption lying Southerly of County Road No. 306; said parcel of land situated in the SW/4 of Section 35;

AKA Lot 3 of Fyrwald Exemption Plat as shown on the Fyrwald Exemption Plat by High Country Engineering, Inc., dated September 12, 1995.

Containing 35.944 acres, more or less.

#### RICHARDSON'S LANDS

Section 35: A parcel of ground situated in the SW/4 of Section 35 being described in Book 1116 at Page 146 of Garfield County Records and being additionally described as follows:

Beginning at the intersection of the South line of the SW/4 of said Section 35 and the East right-of-way line for County Road 306 as described in Book 1263 at Page 253, from whence the S1/4 Corner of said Section 35 bears North 89°32'00" East 134.83 feet and considering the South line of the SW1/4 of said Section 35 bears South 89°32'00" West, with all other bearings contained herein to be relative thereto;

thence along the South line of the SW/4 of said Section 35, South 89°32'00" West 40.48 feet to the center line of County Road 306; thence continuing along the South line of the SW/4 of said Section 35, South 89°32'00" West 1167.08 feet to the W1/16 corner along the South boundary of said Section 35; thence continuing along the South line of the SW/4 of said Section 35, South 89°32'00" West 290.83 feet to the SW corner of Lot 2 of Fyrwald Exemption Plat as recorded in Garfield County Records; thence along the West line of said Lot 2, North 07°55'11" East 1205.83 feet to the NW corner of said Lot 2; thence along the West line of Lot 3 of said Fyrwald Exemption Plat, North 49°55'47" East 184.75 feet to the South right-of-way line of said County Road 306; thence along said South right-of-way of County Road 306 the following three (3) courses;

(1) North 88°55'39" East 74.60 feet;

(2) thence 178.84 feet along a curve turning to the right with a radius of 228.46 feet and a chord that bears South 68°38'50" East 174.31 feet;

(3) thence South 46°13'19" East 197.31 feet to the North line of Lot 2 of Fyrwald Exemption Plat; thence along said North line of Lot 2, South 81°18'14" East 104.39 feet to the North right-of-way line of County Road 306; thence along said South right-of-way of County Road 306 the following three (3) courses;

(1) South 46°13'19" East 269.24 feet;

(2) thence 134.41 feet along a curve turning to the left with a radius of 184.91 feet and a chord that bears South 67°02'47" East 131.47 feet;

(3) thence South 87°52'16" East 291.80 feet;

(4) thence 182.46 feet along a curve turning to the right with a radius of 203.05 feet and a chord that bears South 62°07'43" East 176.38 feet;

(5) thence South 36°23'05" East 22.58 feet;

(6) thence 60.34 feet along a curve turning to the right with a radius of 140.21 feet and a chord that bears South 24°03'18" East 59.88 feet to the East line of said Lot



2 of Fyrwald Exemption Plat; thence along said East line of Lot 2, South 00°09'06" East 488.69 feet to the North property line described in Book 1263 at Page 253; thence along said North line South 89°32'00" West 225.57 feet to the East right-of-way line for County Road 306; thence along said right-of-way, 217.57 feet along a curve turning to the left with a radius of 315.89 feet and a chord that bears South 25°19'40" East 213.29 feet to the point of beginning,

Containing 35.083 acres, more or less.

(hereinafter collectively "Application Lands")

3. That the Application Lands are unspaced and subject to Rule 318 (formerly Rule 316) of the Commission as amended by the Commission's Order No. 510-1 in Cause No. 510 which allows permitted wells for the Williams Fork Formation of the Mesaverde Group to be located downhole no closer than 400 feet from the boundaries of any lease line and no closer than 800 feet from any existing Williams Fork well or wells.

4. That to promote efficient drainage within the Williams Fork Formation of the Mesaverde Group, the Commission should further amend its Rule 318 so that Williams Fork wells should be located downhole anywhere upon the Application Lands but no closer than 100 feet from the boundaries of any lease line unless such lease line abuts or corners lands in respect of which the Commission has not at the time of drilling permit application granted the right to drill 10 acre density wells in which event the wells should be drilled downhole no closer than 200 feet from the lease line which so abuts or corners the lands in respect of which 10 acre density downhole drilling for Williams Fork wells has not been ordered by the Commission.

5. That wells drilled under this Application will be drilled from the surface either vertically or directionally from no more than one pad located on a given quarter quarter section unless exception is granted by the Commission pursuant to application made requesting such exception.

6. The above-proposed well location rules will allow more efficient drainage of the Williams Fork Formation of the Mesaverde Group; will not promote waste; will not violate correlative rights and will assure the greatest ultimate recovery of gas and associated hydrocarbons from the reservoir.

7. That the names and addresses of the interested parties according to the information and belief of the Applicant are set forth in Exhibit A attached hereto and made a part hereof.

WHEREFORE, Applicant respectfully requests that this matter be set for hearing in February, 2005, that notice be given as required by law and that upon such hearing this Commission enter its order consistent with Applicant's proposals as set forth above.

Dated: December 22, 2004.

**GORSUCH KIRGIS LLP**

By:\_\_\_\_\_

William A. Keefe  
Tower 1, Suite 1000  
1515 Arapahoe Street  
Denver, Colorado 80202

STATE OF COLORADO )  
 )  
 ) ss.  
CITY AND COUNTY OF DENVER )

Chad E. Odegard, of lawful age, being first duly sworn upon oath, deposes and says that he is the Staff Petroleum Engineer for Williams Production RMT Company and that he has read the foregoing Application and that the matters therein contained are true to the best of his knowledge, information and belief.

Chad E. Odegard

Subscribed and sworn to before me this 22nd day of December, 2004.

Witness my hand and official seal.

My commission expires:\_\_\_\_\_

Notary Public

## EXHIBIT A

### 2005 10 ACRE APPLICATION NOTICE LIST BOSELY, ET AL

Mark Bean, Garfield County Planner  
Garfield County Building & Planning  
108 8th Street, Suite 201  
Glenwood Springs, Colorado 81601-3355

Bureau of Land Management  
Attn: Mr. Wayne Bankert  
2815 "H" Road  
Grand Junction, CO 81506

Puckett Land Company and Desert Resources  
5460 S. Quebec Street, Suite 250  
Greenwood Village, CO 80111

Petroleum Development Company  
Attn: Mr. Eric Stearns, Vice-President  
P.O. Box 26  
Bridgeport, WV 26330

ExxonMobil Oil Corporation  
and Exxon Mobil Corporation  
Attn: Mr. Brent Patterson  
16825 Northchase Drive, Suite 200  
Houston, TX 77060

ExxonMobil Oil Corporation  
and Exxon Mobil Corporation  
Attn: Mr. Christopher H. Dunbar  
396 West Greens Road  
Houston, TX 77067

Yates Petroleum Corporation; Yates Drilling Company;  
ABO Petroleum Corporation; MYCO Industries, Inc.  
105 S. Fourth St.  
Artesia, NM 88210

Union Pacific Real Estate Division  
Attn: Mr. Bill Ince  
1800 Farnam Street  
Omaha, Nebraska 68102

Colorado Department of Transportation  
Attn: Ms. Mike Verketis  
222 South 6th Street, Room 100  
Grand Junction, CO 81501

John W. Savage, Jr.; Marshall T. Savage; Daniel W.  
Savage; Roy E. Savage  
c/o John W. Savage, Jr.  
P.O. Box 1926  
Rifle, CO 81650  
Larry A. Klebold and Karen K. Klebold  
301 Himalaya Ave.  
Broomfield, CO 80020

Tom Brown, Inc. and EnCana Oil & Gas (USA) Inc.  
Attn: Mr. Dave Davenport, Landman  
370 17th Street, Suite 1700  
Denver, CO 80202

William R. Patterson  
668 – 26 Road  
Grand Junction, CO 81501-6895

Rodney C. Power  
668 – 26 Road  
Grand Junction, CO 81501-6895

Ronald E. Tipping and Marie E. Tipping  
668 – 26 Road  
Grand Junction, CO 81501-6895

Janet Smallwood  
2630 El Corona Dr.  
Grand Junction, CO 81501-6895

Joan Wright  
2630 El Corona Dr.  
Grand Junction, CO 81501-6895

Joseph Casteel  
2630 El Corona Dr.  
Grand Junction, CO 81501-6895

Steven W. Weller and Toni L. Weller  
1557 Ogden St. #300  
Denver, CO 80218

Wyotex Oil Company  
1557 Ogden St. #300  
Denver, CO 80218

B. Kole Killion  
1557 Ogden St. #300  
Denver, CO 80218

JLW Investment, LLC  
1557 Ogden St. #300  
Denver, CO 80218

Cypress Land Acquisitions, LLC  
1557 Ogden St. #300  
Denver, CO 80218

Excel Land Services, LLC  
1557 Ogden St. #300  
Denver, CO 80218

Charles F. Weller and Eva Charlene Weller  
1557 Ogden St. #300  
Denver, CO 80218

Apollo Energy LLC  
1557 Ogden St. #300  
Denver, CO 80218

Martha R. Berry and Robert H. Zeis  
P.O. Box 594  
Parachute, CO 81635

Larry D. Knox  
12865 6829 Road  
Montrose, CO 81401

James M. Larson  
P.O. Box 272  
Glenwood Springs, CO 81602-0272

Jean M. Larson  
Attn: James M. Larson  
P.O. Box 272  
Glenwood Springs, CO 81602-0272

Scott Ziegler  
P.O. Box 2467  
Vail, CO 81658-2467

Eugene Verkerk and Alice Fay  
5509 Highway 6 & 24  
Parachute, CO 81635-9737

Greg L. Cotner and Diane E. Cotner  
7817 County Road 306  
Parachute, CO 81635

Ray and Patricia Richardson  
49 Cedar Circle  
Parachute, CO 81635

Gerald R. Grunski  
7700 County Road 306  
Parachute, CO 81635

Frank and Yoneko McNeil  
7300 County Road 306  
Parachute, CO 81635

Mary Anne Bosely  
301 Liberty Lane  
Wood Creek, CO 81656

IN THE MATTER OF THE APPLICATION OF  
WILLIAMS PRODUCTION RMT COMPANY FOR  
AN ORDER ESTABLISHING SPACING AND WELL  
LOCATION RULES FOR THE WILLIAMS FORK  
FORMATION OF THE MESAVERDE GROUP FOR  
CERTAIN DESCRIBED LANDS IN THE RULISON,  
PARACHUTE AND GRAND VALLEY FIELD  
AREAS, GARFIELD COUNTY, COLORADO

DOCKET NO.

STATE OF COLORADO )  
 )  
 ) SS.  
CITY AND COUNTY OF DENVER )

That he is the attorney for Williams Production RMT Company, that on December \_\_, 2004, he caused a copy of the attached Application in the subject docket to be deposited in the United States Mail, postage prepaid, addressed to the parties listed on Exhibit A to the Application.