

SHEET 1 OF 2  
WELL NAME: ARENS G22-22D  
T4N, R65W, 6th P.M.  
SECTION 22: SE4NE4

## Map Unit Description

Weld County, Colorado, Southern Part

### 47 Olney fine sandy loam, 1 to 3 percent slopes

#### Setting

Elevation: 4600 to 5200 feet  
Mean annual precipitation: 11 to 15 inches  
Mean annual air temperature: 46 to 54 degrees F  
Frost-free period: 125 to 175 days

#### Composition

Olney and similar soils: 85 percent  
Minor components: 15 percent

#### Description of Olney

##### Setting

Landform: Plains  
Down-slope shape: Linear  
Across-slope shape: Linear  
Parent material: Mixed deposit outwash

##### Properties and Qualities

Slope: 1 to 3 percent  
Drainage class: Well drained  
Capacity of the most limiting layer to transmit water (Ksat): Moderately high or high (0.57 to 2.00 in/hr)  
Frequency of flooding: None  
Frequency of ponding: None  
Calcium carbonate maximum: 15 percent  
Gypsum maximum: 0 percent  
Available water capacity: Moderate (about 7.0 inches)

##### Interpretive Groups

Land capability classification (irrigated): 3e  
Land capability (non irrigated): 4c  
Ecological site: Sandy Plains (R067BY024CO)

##### Typical Profile

0 to 10 inches: fine sandy loam  
10 to 20 inches: sandy clay loam  
20 to 25 inches: sandy clay loam  
25 to 60 inches: fine sandy loam

#### Minor Components

##### Zigweid

Percent of map unit: 10 percent

##### Vona

Percent of map unit: 5 percent

SHEET 2 OF 2  
WELL NAME: ARENS G22-22D  
T 4 N, R 65 W, 6th. P.M.  
SECTION 22: SE 4 NE 4

## Map Unit Description

Weld County, Colorado, Southern Part

### 50 Otero sandy loam, 0 to 1 percent slopes

#### Setting

Elevation: 4700 to 5250 feet  
Mean annual precipitation: 12 to 15 inches  
Mean annual air temperature: 48 to 52 degrees F  
Frost-free period: 130 to 180 days

#### Composition

Otero and similar soils: 85 percent  
Minor components: 15 percent

#### Description of Otero

##### Setting

Landform: Plains  
Down-slope shape: Linear  
Across-slope shape: Linear  
Parent material: Eolian deposits and/or mixed outwash

##### Properties and Qualities

Slope: 0 to 1 percent  
Drainage class: Well drained  
Capacity of the most limiting layer to transmit water (Ksat): Moderately high or high (0.57 to 5.95 in/hr)  
Frequency of flooding: None  
Frequency of ponding: None  
Calcium carbonate maximum: 10 percent  
Gypsum maximum: 0 percent  
Available water capacity: Moderate (about 7.7 inches)

##### Interpretive Groups

Land capability classification (irrigated): 3e  
Ecological site: Sandy Plains (R067BY024CO)

##### Typical Profile

0 to 12 inches: sandy loam  
12 to 60 inches: fine sandy loam

#### Minor Components

##### Haverson

Percent of map unit: 8 percent

##### Kim

Percent of map unit: 7 percent