

**T7S, R95W, 6th P.M.**

**1325.63'**  
N89°04'09"E  
1982 BLM Alum. Cap

**1325.70'**  
N89°04'28"E  
1983 BLM Alum. Cap

**Brass Cap LS 15651**

**S89°42'28"E, 2653.61'**  
1983 Alum. Cap LS 27613

**S00°09'54"E, 2651.03'**

**WELL:**  
**WARREN 15-9BB (PI-15)**  
**ELEV. UNGRADED GROUND = 6675.7'**

**15**

**1983 BLM Alum. Cap**

**Top of Hole**

**629'**

**Bottom of Hole**

**460'**

**2582'**

**1650'**

**1328.65'**  
N02°33'47"W

**1327.57'**  
S02°18'09"E

**1983 BLM Alum. Cap**

**Calculated Corner**

**1912 G.L.O. Brass Cap**

**S89°09'29"E, 2595.75'**

**S89°12'25"E, 2600.36'**

**S00°38'14"W, 2753.78'**

**1912 G.L.O. Brass Cap**

**LEGEND**

- SECTION CORNER LOCATED
- WELL PAD LOCATION
- BOTTOM HOLE LOCATION
- RECORD LOCATION OF CORNER

**SCALE IN FEET**

**1000**  
**500**  
**0**  
**1000**

CERTIFICATE OF SURVEYOR

## NOTES

1. WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO SECTION LINES.
2. BASIS OF BEARING: GEODETIC- BASED ON GPS OBSERVATIONS.
3. ELEVATIONS BASED ON GPS OBSERVATIONS, NAVD 88 (GEOID 03), POST PROCESSED USING NGS OPUS.
4. THE BOTTOM HOLE BEARS S09°36'37"E, 947' FROM TOP OF HOLE.
5. SEE ADDENDUM TO LEGAL PLAT (1f) FOR VISIBLE IMPROVEMENTS WITHIN 400 FEET OF THE PROPOSED OIL AND GAS LOCATION.
6. CONTROL FOR SURVEY WAS ESTABLISHED USING DIFFERENTIALLY CORRECTED GPS FROM AN OPUS BASED CONTROL NETWORK. WELL LOCATION WAS ESTABLISHED USING NON-GPS CONVENTIONAL METHODS, THEREFORE NO PDOP READING WAS TAKEN.

**GARFIELD COUNTY, COLORADO**

<i>Location Plat</i>		Scale: 1" = 1000'	SHEET  1d  OF 10
Project No.	07-04-106	Date Surveyed: 9/27/07	
Date Drawn:	12/06/07	Latest Revision Date: 11/11/09	



**906 Main Street  
Evanston, Wyoming 82930  
Phone No. (307) 789-4545**