

Map Unit Description

Weld County, Colorado, Southern Part

57 Renohill clay loam, 3 to 9 percent slopes

Setting

Elevation: 4850 to 5200 feet
Mean annual precipitation: 11 to 16 inches
Mean annual air temperature: 46 to 48 degrees F
Frost-free period: 100 to 160 days

Composition

Renohill and similar soils: 85 percent
Minor components: 13 percent

Description of Renohill

Setting

Landform: Ridges, hills
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Residuum weathered from shale

Properties and Qualities

Slope: 3 to 9 percent
Depth to restrictive feature: 20 to 40 inches to Paralithic bedrock
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately low or moderately high (0.06 to 0.20 in/hr)
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate maximum: 5 percent
Gypsum maximum: 0 percent
Available water capacity: Low (about 5.6 inches)

Interpretive Groups

Land capability classification (irrigated): 4e
Land capability (non irrigated): 4e
Ecological site: Clayey Plains (R067BY042CO)

Typical Profile

0 to 9 inches: clay loam
9 to 32 inches: clay loam
32 to 36 inches: unweathered bedrock

Minor Components

Shingle

Percent of map unit: 8 percent

Ulm

Percent of map unit: 5 percent