

Company Petroleum Development Corporation		
Well Welp 24-24		
Field Beecher Island		
County Yuma	State	Colorado
Location		Other Services
658' FSL & 1974' FWL SE SW		None
Sec - 24, Twp - 2S, Rge - 44W		
Permanent Datum	GL	Elevation
Log Measured From	KB	K.B. 3720
Drilling Measured From	KB	D.F. 3720
		G.L. 3715
Date	June 05, 2005	
Run Number	1	
Depth Driller	2030	
Depth Logger	2031	
Bottom Logged Interval	2031	
Top Log Interval	Casing	
Casing Driller	255	
Casing Logger	255	
Bit Size	6-1/4"	
Type Fluid in Hole	Poly-Gel	
Density / Viscosity	8.5 / 31	
pH / Fluid Loss	7.0 / NA	
Source of Sample	Flowline	
Rm @ Meas. Temp	0.46 @ 75° F	
Rmf @ Meas. Temp		
Rmc @ Meas. Temp		
Source of Rmf / Rmc	Meas / Calc	
Rm @ BHT	0.34 @ 102° F	
Time Circulation Stopped	0200	
Time Logger on Bottom	0415	
Maximum Recorded Temperature	102° F	
Equipment Number	850	
Location	Brighton, CO	
Recorded By	Maciel Starnon	
Witnessed By	Bob Williamson	

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Phoenix Surveys.  
Encore # 234.  
API 05-125-09251-00

Database File:	5260.db
Dataset Pathname:	pass3
Presentation Format:	PDCE
Dataset Creation:	Sun Jun 05 04:15:04 2005 by Log Warrior Version 6.6
Charted by:	Depth in Feet scaled 1:240

4	Density Caliper (in)	14	1	Deep Resistivity (Ohm-m)	100	50	Density Porosity (pu)	1
0	Gamma Ray (GAPI)	200	1	Medium Resistivity (Ohm-m)	100	50	CN Porosity (pu)	1
0	SP (mV)	200	1	Shallow Resistivity (Ohm-m)	100			

