

Map Unit Description

Rifle Area, Colorado, Parts of Garfield and Mesa Counties

33 Ildefonso stony loam, 6 to 25 percent slopes

Setting

Elevation: 5000 to 6500 feet

Composition

Ildefonso and similar soils: 90 percent

Description of Ildefonso

Setting

Landform: Valley sides, benches, mesas

Down-slope shape: Convex, linear

Across-slope shape: Convex, linear

Parent material: Mixed alluvium derived from basalt

Properties and Qualities

Slope: 6 to 25 percent

Drainage class: Well drained

Capacity of the most limiting layer to transmit water (Ksat): Moderately high or high (0.60 to 6.00 in/hr)

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate maximum: 35 percent

Gypsum maximum: 0 percent

Available water capacity: Low (about 5.1 inches)

Interpretive Groups

Land capability (non irrigated): 6e

Typical Profile

0 to 8 inches: stony loam

8 to 60 inches: very stony loam

Map Unit Description

Rifle Area, Colorado, Parts of Garfield and Mesa Counties

68 Vale silt loam, 3 to 6 percent slopes

Setting

Elevation: 5000 to 7200 feet

Composition

Vale and similar soils: 90 percent

Description of Vale

Setting

Landform: Alluvial fans, terraces, mesas
Down-slope shape: Convex, linear
Across-slope shape: Convex, linear
Parent material: Calcareous eolian deposits

Properties and Qualities

Slope: 3 to 6 percent
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately high (0.20 to 0.60 in/hr)
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate maximum: 15 percent
Gypsum maximum: 0 percent
Available water capacity: High (about 10.5 inches)

Interpretive Groups

Land capability classification (irrigated): 3e
Land capability (non irrigated): 3e
Ecological site: Deep Loam (R048AY292CO)

Typical Profile

0 to 7 inches: silt loam
7 to 11 inches: silt loam
11 to 26 inches: silty clay loam
26 to 60 inches: silt loam

Map Unit Description

Rifle Area, Colorado, Parts of Garfield and Mesa Counties

66 Torriorthents-Camborthids-Rock outcrop complex, steep

Setting

Landscape: Foothills
Elevation: 5000 to 8500 feet
Mean annual precipitation: 10 to 15 inches
Mean annual air temperature: 39 to 46 degrees F
Frost-free period: 80 to 105 days

Composition

Torriorthents, steep, and similar soils: 45 percent
Camborthids, steep, and similar soils: 20 percent
Rock outcrop, steep: 15 percent

Description of Torriorthents, steep

Setting

Landform: Mountainsides
Landform position (two-dimensional): Foothillslope
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Stony, basaltic alluvium derived from sandstone and shale

Properties and Qualities

Slope: 15 to 70 percent
Depth to restrictive feature: 4 to 30 inches to Lithic bedrock
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately low or moderately high (0.06 to 0.20 in/hr)
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate maximum: 5 percent
Gypsum maximum: 0 percent
Available water capacity: Very low (about 2.4 inches)

Interpretive Groups

Land capability (non irrigated): 7e

Typical Profile

0 to 4 inches: variable
4 to 30 inches: fine sandy loam
30 to 34 inches: unweathered bedrock

Description of Camborthids, steep

Setting

Landform: Mountainsides
Landform position (two-dimensional): Foothillslope
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Stony, basaltic alluvium derived from sandstone and shale

Properties and Qualities

Slope: 15 to 65 percent
Depth to restrictive feature: 15 to 60 inches to Lithic bedrock
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately low or moderately high (0.06 to 0.20 in/hr)
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate maximum: 10 percent
Gypsum maximum: 2 percent
Available water capacity: Low (about 4.0 inches)

Interpretive Groups

Land capability (non irrigated): 7e

Typical Profile

0 to 4 inches: variable

Map Unit Description

Rifle Area, Colorado, Parts of Garfield and Mesa Counties

4 to 30 inches: clay loam
30 to 34 inches: unweathered bedrock

Description of Rock outcrop, steep

Setting

Landform: Mountainsides
Down-slope shape: Convex
Across-slope shape: Convex

Properties and Qualities

Slope: 15 to 70 percent
Depth to restrictive feature: 0 to 0 inches to Paralithic bedrock
Capacity of the most limiting layer to transmit water (Ksat): Very low or moderately high (0.00 to 0.20 in/hr)
Frequency of flooding: None
Available water capacity: Very low (about 0.0 inches)

Interpretive Groups

Land capability (non irrigated): 8s

Typical Profile

0 to 60 inches: unweathered bedrock