

PICEANCE VLY NAD 83

PA 14-07S-095W

SP 32-14 Pad

SP 341-14 - Slot B4

Wellbore #1

Plan: Design #1 25Jan10 kjs

Standard Planning Report - Geographic

04 May, 2010

Williams
Planning Report - Geographic

Database:	Compass R5000 WIN AUTH	Local Co-ordinate Reference:	Well SP 341-14 - Slot B4
Company:	PICEANCE VLY NAD 83	TVD Reference:	WELL @ 7662.0usft (Cyclone 30 (23'KB) JMS)
Project:	PA 14-07S-095W	MD Reference:	WELL @ 7662.0usft (Cyclone 30 (23'KB) JMS)
Site:	SP 32-14 Pad	North Reference:	True
Well:	SP 341-14	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1 25Jan10 kjs		

Project	PA 14-07S-095W, Garfield County, CO		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Central Zone		Using geodetic scale factor

Site	SP 32-14 Pad		
Site Position:		Northing:	1,593,867.70 usft
From:	Map	Easting:	2,303,941.70 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13.200 in
		Latitude:	39° 26' 16.834 N
		Longitude:	107° 57' 53.317 W
		Grid Convergence:	-1.555 °

Well	SP 341-14 - Slot B4		
Well Position	+N/-S	0.0 usft	Northing:
	+E/-W	0.0 usft	Easting:
Position Uncertainty	0.0 usft		Wellhead Elevation:
			Latitude:
			Longitude:
			Ground Level:

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2005-10	1/25/2010	10.486	65.746	52,377

Design	Design #1 25Jan10 kjs			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	42.70

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.000	
120.0	0.00	0.00	120.0	0.0	0.0	0.00	0.00	0.00	0.000	
949.7	24.89	42.70	923.8	130.4	120.3	3.00	3.00	0.00	42.698	
6,354.5	24.89	42.70	5,826.6	1,802.2	1,662.9	0.00	0.00	0.00	0.000	
7,613.9	6.00	42.70	7,035.0	2,047.6	1,889.4	1.50	-1.50	0.00	180.000	Top Gas (25' Radius)
8,013.9	0.00	0.00	7,434.3	2,063.0	1,903.6	1.50	-1.50	-10.67	180.000	
9,764.6	0.00	0.00	9,185.0	2,063.0	1,903.6	0.00	0.00	0.00	0.000	

Williams
Planning Report - Geographic

Database:	Compass R5000 WIN AUTH	Local Co-ordinate Reference:	Well SP 341-14 - Slot B4
Company:	PICEANCE VLY NAD 83	TVD Reference:	WELL @ 7662.0usft (Cyclone 30 (23'KB) JMS)
Project:	PA 14-07S-095W	MD Reference:	WELL @ 7662.0usft (Cyclone 30 (23'KB) JMS)
Site:	SP 32-14 Pad	North Reference:	True
Well:	SP 341-14	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1 25Jan10 kjs		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude	
0.0	0.00	0.00	0.0	0.0	0.0	1,593,914.30	2,303,879.70	39° 26' 17.277 N	107° 57' 54.123 W	
120.0	0.00	0.00	120.0	0.0	0.0	1,593,914.30	2,303,879.70	39° 26' 17.277 N	107° 57' 54.123 W	
Start Build 3.00										
949.7	24.89	42.70	923.8	130.4	120.3	1,594,041.36	2,304,003.49	39° 26' 18.566 N	107° 57' 52.590 W	
Hold 24.89 Inclination										
1,000.0	24.89	42.70	969.5	145.9	134.7	1,594,056.52	2,304,018.27	39° 26' 18.720 N	107° 57' 52.407 W	
9 5/8"										
3,916.4	24.89	42.70	3,615.0	1,048.1	967.1	1,594,935.71	2,304,874.81	39° 26' 27.636 N	107° 57' 41.796 W	
Top of "G" Sand										
4,026.7	24.89	42.70	3,715.0	1,082.2	998.5	1,594,968.94	2,304,907.19	39° 26' 27.973 N	107° 57' 41.395 W	
Base of "G" Sand										
6,198.4	24.89	42.70	5,685.0	1,754.0	1,618.4	1,595,623.63	2,305,545.01	39° 26' 34.612 N	107° 57' 33.494 W	
Mesaverde										
6,354.5	24.89	42.70	5,826.6	1,802.2	1,662.9	1,595,670.68	2,305,590.85	39° 26' 35.089 N	107° 57' 32.926 W	
Start Drop -1.50										
7,613.9	6.00	42.70	7,035.0	2,047.6	1,889.4	1,595,909.82	2,305,823.84	39° 26' 37.514 N	107° 57' 30.040 W	
Top Gas - Approx. Top Gas										
8,013.9	0.00	0.00	7,434.3	2,063.0	1,903.6	1,595,924.81	2,305,838.44	39° 26' 37.666 N	107° 57' 29.859 W	
Vertical										
8,634.6	0.00	0.00	8,055.0	2,063.0	1,903.6	1,595,924.81	2,305,838.44	39° 26' 37.666 N	107° 57' 29.859 W	
Cameo Coals										
9,614.6	0.00	0.00	9,035.0	2,063.0	1,903.6	1,595,924.81	2,305,838.44	39° 26' 37.666 N	107° 57' 29.859 W	
Rollins SS										
9,764.6	0.00	0.00	9,185.0	2,063.0	1,903.6	1,595,924.81	2,305,838.44	39° 26' 37.666 N	107° 57' 29.859 W	
TD										

Design Targets										
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
Top Gas (25' Radius) SF	0.00	0.00	7,035.0	2,057.5	1,897.7	1,595,919.50	2,305,832.40	39° 26' 37.612 N	107° 57' 29.934 W	
- plan misses target center by 12.9usft at 7614.6usft MD (7035.7 TVD, 2047.7 N, 1889.4 E)										
- Circle (radius 25.0)										

Casing Points						
Measured Depth (usft)	Vertical Depth (usft)	Name	Casing Diameter (in)	Hole Diameter (in)		
1,000.0	969.5	9 5/8"	9.625	12.250		

Williams
Planning Report - Geographic

Database:	Compass R5000 WIN AUTH	Local Co-ordinate Reference:	Well SP 341-14 - Slot B4
Company:	PICEANCE VLY NAD 83	TVD Reference:	WELL @ 7662.0usft (Cyclone 30 (23'KB) JMS)
Project:	PA 14-07S-095W	MD Reference:	WELL @ 7662.0usft (Cyclone 30 (23'KB) JMS)
Site:	SP 32-14 Pad	North Reference:	True
Well:	SP 341-14	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1 25Jan10 kjs		

Formations						
Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)	
3,916.4	3,615.0	Top of "G" Sand				
4,026.7	3,715.0	Base of "G" Sand				
6,198.4	5,685.0	Mesaverde				
7,613.9	7,035.0	Approx. Top Gas				
8,634.6	8,055.0	Cameo Coals				
9,614.6	9,035.0	Rollins SS				
9,764.6	9,185.0	TD				

Plan Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
120.0	120.0	0.0	0.0	Start Build 3.00	
949.7	923.8	130.4	120.3	Hold 24.89 Inclination	
6,354.5	5,826.6	1,802.2	1,662.9	Start Drop -1.50	
7,613.9	7,035.0	2,047.6	1,889.4	Top Gas	
8,013.9	7,434.3	2,063.0	1,903.6	Vertical	
9,764.6	9,185.0	2,063.0	1,903.6	TD at 9764.6	