**FORM** 2A

## State of Colorado Oil and Gas Conservation Commission

DE OE Document Number:

ES

04/01 1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894	4-2109 2094705 2094705			
Oil and Gas Location Assessment				
New Location				
Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a stand alone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approvalof this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at http://colorado.gov/cogcc/ for all accompanying information pertinent to this Oil and Gas Location Assessment.  Location ID:  417353  Expiration Date:  05/18/2013				
This location assessment is included as part of a permit application.				
1. CONSULTATION				
This location is included in a Comprehensive Drilling Plan. CDP #				
This location is in a sensitive wildlife habitat area.				
This location is in a wildlife restricted surface occupancy area.				
This location includes a Rule 306.d.(1)A.ii. variance request.				
2. Operator	3. Contact Information			
Operator Number: 100122	Name: LEE FYOCK			
Name: GUNNISON ENERGY CORPORATION	Phone: (303) 296-4222			
Address: 1601 FORUM PL STE 1400	Fax: (303) 296-4555			
City: WEST State: FL Zip: 33401  BEACH	email: LEE.FYOCK@OXBOW.COM			
4. Location Identification:				
Name: SPALDING PEAK UNIT COCKROFT 1294 Number: 23-41D				
County: DELTA				
QuarterQuarter: NENE Section: 23 Township: 12S Range: 94W Meridian: 6 Ground Elevation: 8536				
Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.				
Footage at surface: 1191 feet, from North or South section line: FNL and 1288 feet, from East or West section line: FEL				
Latitude: <u>38.999300</u> Longitude: <u>-107.858911</u> PDOP Reading: _	4.4 Date of Measurement: 11/17/2009			
5. Facilities (Indicate the number of each type of oil and gas facility planned on location):				
Special Purpose Pits: Drilling Pits: Wells: 1	Production Pits: Dehydrator Units:			
Condensate Tanks: 1 Water Tanks: Separators:	Electric Motors: Multi-Well Pits:			
Gas or Diesel Motors: Cavity Pumps: LACT Unit:	Pump Jacks: Pigging Station:			
Electric Generators: Gas Pipeline: Oil Pipeline	Water Pipeline: Flare:			
Gas Compressors: VOC Combustor:	Oil Tanks: Fuel Tanks:			
Other:				

6. Construction:  Date planned to commence construction: _06/01/2010_ Size of disturbed area during construction in acres: _2.00_				
Estimated date that interim reclamation will begin: 10/01/2010 Size of location after interim reclamation in acres: 1.50				
Estimated post-construction ground elevation: 8538 Will a closed loop system be used for drilling fluids: Yes				
Will salt sections be encountered during drilling: Yes □ No ☒ Is H2S anticipated? Yes □ No ☒				
Will salt (>15,000 ppm TDS CI) or oil based muds be used: Yes No 🗵				
Mud disposal: Offsite Onsite Method: Land Farming Land Spreading Disposal Facility				
Other: PIT				
7. Surface Owner:				
Name: Phone: 970-874-3280				
Address: Fax:				
Address: Email:				
City: State: Zip: Date of Rule 306 surface owner consultation:				
Surface Owner:				
Mineral Owner:				
The surface owner is:  the mineral owner	s lease			
is the executer of the oil and gas lease the applicant				
The right to construct the location is granted by:  oil and gas lease  Surface Use Agreement  Right of Way				
applicant is owner				
Surface damage assurance if no agreement is in place: \$2000 \$5000 Blanket Surety ID				
8. Reclamation Financial Assurance:				
Well Surety ID: 20090074 Gas Facility Surety ID: Waste Mgnt. Surety IE	D:			
1.0 Cultural:				
9. Cultural:				
Is the location in a high density area (Rule 603.b.): Yes No 🔀	ilit: 2980			
Is the location in a high density area (Rule 603.b.):  Ves No	ilit: <u>2980</u>			
Is the location in a high density area (Rule 603.b.): Yes No	ilit: <u>2980</u>			
Is the location in a high density area (Rule 603.b.): Yes No				
Is the location in a high density area (Rule 603.b.): Yes No	ilit: <u>2980</u> CRP			
Is the location in a high density area (Rule 603.b.): Yes No Roll No Recreational No Roll No R				
Is the location in a high density area (Rule 603.b.): Yes No				
Is the location in a high density area (Rule 603.b.): Yes No Roll No Recreational No Roll No R				
Is the location in a high density area (Rule 603.b.): Yes No Roll No Recreational No Roll No R				
Is the location in a high density area (Rule 603.b.): Yes No No No Distance, in feet, to nearest building: 462 , public road: 462 , public road: 462 , above ground utile , railroad: 68640 , property line: 470  10. Current Land Use (Check all that apply): Crop Land: Irrigated Dry land Improved Pasture Hay Meadow Non-Crop Land: Rangeland Timber Recreational Other (describe): Subdivided: Industrial Commercial Residential	CRP			
Is the location in a high density area (Rule 603.b.): Yes No No Distance, in feet, to nearest building: 462 , public road: 462 , public road: 462 , public road: 462 , property line: 470 , above ground utile , railroad: 68640 , property line: 470 . Current Land Use (Check all that apply): Crop Land: Irrigated Dry land Improved Pasture Hay Meadow Non-Crop Land: Rangeland Timber Recreational Other (describe): Subdivided: Industrial Commercial Residential . Residential . Timber Recreational Residential . Crop Land: Irrigated Dry land Improved Pasture Hay Meadow .	CRP			
Is the location in a high density area (Rule 603.b.): Yes No No Distance, in feet, to nearest building: 462 , public road: 462	CRP			
Is the location in a high density area (Rule 603.b.): Yes No No No Distance, in feet, to nearest building: 462 , public road: 462 , public road: 462 , property line: 470  10. Current Land Use (Check all that apply): Crop Land: Irrigated Dry land Improved Pasture Hay Meadow Non-Crop Land: Rangeland Timber Recreational Other (describe): Subdivided: Industrial Commercial Residential  11. Future Land Use (Check all that apply): Crop Land: Irrigated Dry land Improved Pasture Hay Meadow Non-Crop Land: Rangeland Timber Recreational Other (describe): Subdivided: Industrial Commercial Residential  12. Soils:	CRP			
Is the location in a high density area (Rule 603.b.): Yes No No No No Instance, in feet, to nearest building: 462 , public road: 462 , property line: 470 , property line: 470 . Current Land Use (Check all that apply): Crop Land: Irrigated Dry land Improved Pasture Hay Meadow Non-Crop Land: Rangeland Timber Recreational Other (describe): Subdivided: Industrial Commercial Residential . Commercial Residential . Crop Land: Rangeland Timber Recreational Other (describe): Subdivided: Irrigated Dry land Improved Pasture Hay Meadow Non-Crop Land: Rangeland Timber Recreational Other (describe): Subdivided: Industrial Commercial Residential . Residential . Commercial Residential . Subdivided: Industrial Commercial Residential . Residential . Commercial Residential . Soils: List all soil map units that occur within the proposed location. Attach the National Resource Conservation report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used.	CRP CRP			
Is the location in a high density area (Rule 603.b.): Yes No X Distance, in feet, to nearest building: 462 , public road: 462 , public road: 462 , public road: 462 , property line: 470  10. Current Land Use (Check all that apply): Crop Land: Irrigated Dry land Improved Pasture Hay Meadow Non-Crop Land: Rangeland Timber Recreational Other (describe): Subdivided: Industrial Commercial Residential  11. Future Land Use (Check all that apply): Crop Land: Irrigated Dry land Improved Pasture Hay Meadow Non-Crop Land: Rangeland Timber Recreational Other (describe): Residential  12. Soils: List all soil map units that occur within the proposed location. Attach the National Resource Conservation	CRP CRP			

The required information can be obtained from the NRCS web site at http://soildatamart.nrcs.usda.gov/ or from the COGCC web site GIS Online map page found at http://colorado.gov/cogcc. Instructions are provided within the COGCC web site help section.				
NRCS Map Unit Name: #25 - COCHETOPA STONY LOAM; 10-40% SLOPES				
NRCS Map Unit Name:				
NRCS Map Unit Name:				
13. Plant Community:				
Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.				
Are noxious weeds present: Yes No No				
Plant species from: NRCS or, Field observation Date of observation:				
List individual species:				
Check all plant communities that exist in the disturbed area.  Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)  Native Grassland (Bluestern, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)  Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)  Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)  Mountain Riparian (Cottonwood, Willow, Blue Spruce)  Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)  Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)  Alpine (above timberline)  Other (describe):				
14. Water Resources: Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.  Is this a sensitive area:  No X Yes Was a Rule 901.e. Sensitive Areas Determination performed: No Yes Distance (in feet) to nearest surface water:  318    , water well: 3375    , depth to ground water: 22  Is the location in a riparian area: No Yes Was an Army Corps of Engineers Section 404 permit filed No Yes Is the location within a Rule 317B Surface Water Suppl Area buffer zone:  No 0-300 ft. zone 301-500 ft. zone 501-2640 ft. zone  If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: No Yes				
14. Water Resources: Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.  Is this a sensitive area:  No  Yes  Was a Rule 901.e. Sensitive Areas Determination performed:  No  Yes  Distance (in feet) to nearest surface water:  318  , water well:  3375  , depth to ground water:  22  Is the location in a riparian area:  No  Yes  Was an Army Corps of Engineers Section 404 permit filed  No  Yes  Is the location within a Rule 317B Surface Water Suppl Area buffer zone:  No  0-300 ft. zone  If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles				
14. Water Resources: Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.  Is this a sensitive area:  No  Yes  Was a Rule 901.e. Sensitive Areas Determination performed:  No  Yes  Distance (in feet) to nearest surface water:  318  , water well:  3375  , depth to ground water:  22  Is the location in a riparian area:  No  Yes  Was an Army Corps of Engineers Section 404 permit filed  No  Yes  Is the location within a Rule 317B Surface Water Suppl Area buffer zone:  No  0-300 ft. zone  301-500 ft. zone  If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified:  No  Yes				
14. Water Resources: Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.  Is this a sensitive area: No Yes Was a Rule 901.e. Sensitive Areas Determination performed: No Yes Distance (in feet) to nearest surface water: 318 , water well: 3375 , depth to ground water: 22  Is the location in a riparian area: No Yes Was an Army Corps of Engineers Section 404 permit filed No Yes Is the location within a Rule 317B Surface Water Suppl Area buffer zone:  No 0-300 ft. zone 501-2640 ft. zone  If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: No Yes  15. Comments:				
14. Water Resources: Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.  Is this a sensitive area: No X Yes Was a Rule 901.e. Sensitive Areas Determination performed: No Yes Distance (in feet) to nearest surface water: 318 , water well: 3375 , depth to ground water: 22  Is the location in a riparian area: No Yes Was an Army Corps of Engineers Section 404 permit filed No Yes Is the location within a Rule 317B Surface Water Suppl Area buffer zone:  No 0-300 ft. zone 501-2640 ft. zone  If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: No Yes  15. Comments:				

COGCC Approved:		Director of COGCC	Date:	5/19/2010
CONDITIONS OF APPROVAL, IF ANY:				

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

Operator must implement best management practices to contain any unintentional release of fluids.

Location is in a sensitive area because of close surface water; therefore, operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations.

Location may be in a sensitive area due to shallow groundwater; therefore the drilling pit must be lined or a closed loop system must be used.

## **Attachment Check List**

Att Doc Num	Name	Doc Description
1791501	REFERENCE AREA MAP	LF@2438893 1791501
1791503	REFERENCE AREA MAP	LF@2440146 1791503
2032848	CORRESPONDENCE	LF@2414516 2032848
2109569	REFERENCE AREA MAP	LF@2281437 2109569
2585649	LOCATION DRAWING	LF@2281053 2585649
2585650	CONST. LAYOUT DRAWINGS	LF@2281058 2585650
2585651	ACCESS ROAD MAP	LF@2281442 2585651
2585652	REFERENCE AREA MAP	LF@2281433 2585652
2585653	HYDROLOGY MAP	LF@2281446 2585653
2585656	NRCS MAP UNIT DESC	LF@2281056 2585656
2585670	LOCATION PICTURES	LF@2280753 2585670
2585671	LOCATION PICTURES	LF@2280754 2585671
2585672	LOCATION PICTURES	LF@2280752 2585672
400031589	FORM 2A SUBMITTED	LF@2302017 400031589

Total Attach: 14 Files