

# Map Unit Description

Rifle Area, Colorado, Parts of Garfield and Mesa Counties

## 3 Arvada loam, 1 to 6 percent slopes

### Setting

Elevation: 5100 to 6200 feet

### Composition

Arvada and similar soils: 80 percent

Minor components: 5 percent

### Description of Arvada

#### Setting

Landform: Terraces, fans

Down-slope shape: Convex, linear

Across-slope shape: Convex, linear

Parent material: Highly saline alluvium derived from sandstone and shale

#### Properties and Qualities

Slope: 1 to 6 percent

Drainage class: Well drained

Capacity of the most limiting layer to transmit water (Ksat): Moderately low or moderately high (0.06 to 0.20 in/hr)

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate maximum: 10 percent

Gypsum maximum: 2 percent

Salinity maximum: Very slightly saline or moderately saline (4.0 to 16.0 mmhos/cm)

Sodium adsorption ratio maximum: 30.0

Available water capacity: Moderate (about 8.0 inches)

#### Interpretive Groups

Land capability classification (irrigated): 7s

Land capability (non irrigated): 7s

Ecological site: Salt Flats (R048AY261CO)

#### Typical Profile

0 to 3 inches: loam

3 to 17 inches: silty clay loam

17 to 60 inches: silty clay loam

### Minor Components

#### Wann

Percent of map unit: 5 percent

Landform: Terraces

# Map Unit Description

Rifle Area, Colorado, Parts of Garfield and Mesa Counties

34 Ildefonso stony loam, 25 to 45 percent slopes

## Setting

Elevation: 5000 to 6500 feet

## Composition

Ildefonso and similar soils: 90 percent

## Description of Ildefonso

### Setting

Landform: Alluvial fans, valley sides, breaks

Down-slope shape: Convex, linear

Across-slope shape: Convex, linear

Parent material: Mixed alluvium derived from basalt

### Properties and Qualities

Slope: 25 to 45 percent

Drainage class: Well drained

Capacity of the most limiting layer to transmit water (Ksat): Moderately high or high (0.60 to 6.00 in/hr)

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate maximum: 35 percent

Gypsum maximum: 0 percent

Available water capacity: Low (about 5.1 inches)

### Interpretive Groups

Land capability (non irrigated): 7e

### Typical Profile

0 to 8 inches: stony loam

8 to 60 inches: very stony loam

# Map Unit Description

Rifle Area, Colorado, Parts of Garfield and Mesa Counties

55 Potts loam, 3 to 6 percent slopes

## Setting

Elevation: 5000 to 7000 feet

## Composition

Potts and similar soils: 85 percent

## Description of Potts

### Setting

Landform: Valley sides, benches, mesas

Down-slope shape: Convex, linear

Across-slope shape: Convex, linear

Parent material: Alluvium derived from basalt and/or alluvium derived from sandstone and shale

### Properties and Qualities

Slope: 3 to 6 percent

Drainage class: Well drained

Capacity of the most limiting layer to transmit water (Ksat): Moderately high (0.20 to 0.60 in/hr)

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate maximum: 15 percent

Gypsum maximum: 0 percent

Available water capacity: High (about 10.3 inches)

### Interpretive Groups

Land capability classification (irrigated): 3e

Land capability (non irrigated): 3c

Ecological site: Rolling Loam (R048AY298CO)

### Typical Profile

0 to 4 inches: loam

4 to 28 inches: clay loam

28 to 60 inches: loam