




SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form) identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b).

1. OGCC Operator Number: <u>96850</u>	4. Contact Name: <u>Karolina Blaney</u>	Complete the Attachment Checklist OP OGCC
2. Name of Operator: <u>Williams Production RMT</u>	Phone: <u>970 684 2295</u>	
3. Address: <u>1058 County Road 215</u> City: <u>Parachute</u> State: <u>CO</u> Zip: <u>81635</u>	Fax: <u>970 285 9573</u>	
5. API Number: <u>05-045-13304-00</u>	OGCC Facility ID Number: _____	Survey Plat
6. Well/Facility Name: <u>Fossil Creek</u>	7. Well/Facility Number: <u>RWF 31-6</u>	Directional Survey
8. Location (Qtr/Sec, Twp, Rng, Meridian): <u>SENE 6-T7S-R94W</u>		Surface Eqpmt Diagram
9. County: <u>Garfield</u>	10. Field Name: <u>Rulison</u>	Technical Info Page
11. Federal, Indian or State Lease Number: _____		Other

General Notice

CHANGE OF LOCATION: Attach New Survey Plat (a change of surface qtr/qtr is substantive and requires a new permit)

Change of Surface Footage from Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Surface Footage to Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Bottomhole Footage from Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Bottomhole Footage to Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Bottomhole location Qtr/Sec, Twp, Rng, Mer: \_\_\_\_\_  
 Latitude: \_\_\_\_\_ Distance to nearest property line: \_\_\_\_\_ Distance to nearest bldg, public rd, utility or RR: \_\_\_\_\_  
 Longitude: \_\_\_\_\_ Distance to nearest lease line: \_\_\_\_\_ Is location in a High Density Area (rule 603b)? Yes/No: \_\_\_\_\_  
 Ground Elevation: \_\_\_\_\_ Distance to nearest well same formation: \_\_\_\_\_ Surface owner consultation date: \_\_\_\_\_

GPS DATA:  
 Date of Measurement: \_\_\_\_\_ PDOP Reading: \_\_\_\_\_ Instrument Operator's Name: \_\_\_\_\_

CHANGE SPACING UNIT  
 Formation: \_\_\_\_\_ Formation Code: \_\_\_\_\_ Spacing order number: \_\_\_\_\_ Unit Acreage: \_\_\_\_\_ Unit configuration: \_\_\_\_\_  
 Remove from surface bond  
 Signed surface use agreement attached: \_\_\_\_\_

CHANGE OF OPERATOR (prior to drilling):  
 Effective Date: \_\_\_\_\_  
 Plugging Bond:  Blanket  Individual

CHANGE WELL NAME NUMBER  
 From: \_\_\_\_\_  
 To: \_\_\_\_\_  
 Effective Date: \_\_\_\_\_

ABANDONED LOCATION:  
 Was location ever built?  Yes  No  
 Is site ready for inspection?  Yes  No  
 Date Ready for Inspection: \_\_\_\_\_

NOTICE OF CONTINUED SHUT IN STATUS  
 Date well shut in or temporarily abandoned: \_\_\_\_\_  
 Has Production Equipment been removed from site?  Yes  No  
 MIT required if shut in longer than two years. Date of last MIT: \_\_\_\_\_

SPUD DATE: \_\_\_\_\_  REQUEST FOR CONFIDENTIAL STATUS (6 mos from date casing set)

SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK \*submit cbl and cement job summaries  
 Method used: \_\_\_\_\_ Cementing tool setting/perf depth: \_\_\_\_\_ Cement volume: \_\_\_\_\_ Cement top: \_\_\_\_\_ Cement bottom: \_\_\_\_\_ Date: \_\_\_\_\_

RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004.  
 Final reclamation will commence on approximately: \_\_\_\_\_  Final reclamation is completed and site is ready for inspection.

Technical Engineering/Environmental Notice

Notice of Intent Approximate Start Date: \_\_\_\_\_  Report of Work Done Date Work Completed: \_\_\_\_\_

Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)

<input type="checkbox"/> Intent to Recomplete (submit form 2)	<input type="checkbox"/> Request to Vent or Flare	<input type="checkbox"/> E&P Waste Disposal
<input type="checkbox"/> Change Drilling Plans	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of E&P Waste
<input type="checkbox"/> Gross Interval Changed?	<input type="checkbox"/> Rule 502 variance requested	<input type="checkbox"/> Status Update/Change of Remediation Plans
<input type="checkbox"/> Casing/Cementing Program Change	<input checked="" type="checkbox"/> Other: <u>Background</u>	for Spills and Releases

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete

Signed: Greg Davis Date: 4/26/10 Email: Greg.J.Davis@Williams.com  
Print Name: Greg Davis Title: Supervisor Permits

COGCC Approved: \_\_\_\_\_ Title: \_\_\_\_\_ Date: \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

1. OGCC Operator Number: 96850	API Number: 05-045-13304-00
2. Name of Operator: Williams Production RMT	OGCC Facility ID #
3. Well/Facility Name: Fossil Creek	Well/Facility Number: RWF 31-6
4. Location (QtrQtr, Sec, Twp, Rng, Meridian):	

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5. **DESCRIBE PROPOSED OR COMPLETED OPERATIONS**

This COGCC Form 4 is being submitted as a request to meet the background concentration levels for arsenic at the RWF 31-6 pad in accordance with footnote 1 to the COGCC table 910-1.

The request is based on the analytical results presented below (see attached laboratory report).

One composite sample was collected from three separate locations within the pit to determine the arsenic concentration in the cuttings.

RWF 31-6 (cuttings) - 5.9 mg/kg

Five grab samples were collected from nearby non-impacted, native soil to establish the background arsenic concentrations.

RWF 31-6-B-1 - 4.1 mg/kg

RWF 31-6-B-2 - 4.6 mg/kg

RWF 31-6-B-3 - 5.3 mg/kg

RWF 31-6-B-4 - 4.6 mg/kg

RWF 31-6-B-5 - 5.0 mg/kg

Williams is requesting this approval in order to proceed with closure and reclamation of the cuttings trench located on the RWF 31-6 well pad.

### Report of Analysis

<b>Client Sample ID:</b> RWF 31-6	<b>Date Sampled:</b> 03/25/10
<b>Lab Sample ID:</b> T49868-2	<b>Date Received:</b> 03/26/10
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> 80.7
<b>Project:</b> PA 14-6, RWF 33-6, RWF31-6	

**Metals Analysis**

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic <sup>a</sup>	5.9	2.4	0.52	mg/kg	20	04/01/10	04/02/10 ANJ	SW846 6020 <sup>4</sup>	SW846 3050B <sup>7</sup>
Barium	9300	140	0.41	mg/kg	10	04/01/10	04/08/10 NS	SW846 6010B <sup>3</sup>	SW846 3010A <sup>6</sup>
Cadmium	0.33 J	0.34	0.069	mg/kg	1	04/01/10	04/03/10 NS	SW846 6010B <sup>2</sup>	SW846 3010A <sup>6</sup>
Chromium	22.6	0.69	0.048	mg/kg	1	04/01/10	04/03/10 NS	SW846 6010B <sup>2</sup>	SW846 3010A <sup>6</sup>
Copper	24.8	1.7	0.089	mg/kg	1	04/01/10	04/03/10 NS	SW846 6010B <sup>2</sup>	SW846 3010A <sup>6</sup>
Lead	11.7	0.69	0.28	mg/kg	1	04/01/10	04/03/10 NS	SW846 6010B <sup>2</sup>	SW846 3010A <sup>6</sup>
Mercury	0.043	0.020	0.00080	mg/kg	1	03/31/10	03/31/10 TW	SW846 7471A <sup>1</sup>	SW846 7471A <sup>5</sup>
Nickel	21.5	2.8	0.089	mg/kg	1	04/01/10	04/03/10 NS	SW846 6010B <sup>2</sup>	SW846 3010A <sup>6</sup>
Selenium	0.29 J	0.69	0.17	mg/kg	1	04/01/10	04/03/10 NS	SW846 6010B <sup>2</sup>	SW846 3010A <sup>6</sup>
Silver	0.055 U	0.69	0.055	mg/kg	1	04/01/10	04/03/10 NS	SW846 6010B <sup>2</sup>	SW846 3010A <sup>6</sup>
Zinc	46.9	1.4	0.28	mg/kg	1	04/01/10	04/03/10 NS	SW846 6010B <sup>2</sup>	SW846 3010A <sup>6</sup>

- (1) Instrument QC Batch: MA4637
- (2) Instrument QC Batch: MA4642
- (3) Instrument QC Batch: MA4651
- (4) Instrument QC Batch: N:MA24067
- (5) Prep QC Batch: MP11443
- (6) Prep QC Batch: MP11458
- (7) Prep QC Batch: N:MP52072

(a) Elevated detection limit due to dilution required for matrix interference (indicated by failing internal standard on original analysis). Analysis performed at Accutest Laboratories, Dayton, NJ.

RL = Reporting Limit  
MDL = Method Detection Limit

U = Indicates a result < MDL  
J = Indicates a result > = MDL but < RL

## Report of Analysis

<b>Client Sample ID:</b>	RWF 31-6-B1	<b>Date Sampled:</b>	03/25/10
<b>Lab Sample ID:</b>	T49867-6	<b>Date Received:</b>	03/26/10
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	87.5
<b>Project:</b>	PA 14-6, RWF 31-6 Background		

### Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic <sup>a</sup>	4.1	0.58	0.13	mg/kg	5	04/01/10	04/02/10 ANJ	SW846 6020 <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: N:MA24067

(2) Prep QC Batch: N:MP52072

(a) Analysis performed at Accutest Laboratories, Dayton, NJ.

RL = Reporting Limit  
MDL = Method Detection Limit

U = Indicates a result < MDL  
J = Indicates a result > = MDL but < RL

## Report of Analysis

<b>Client Sample ID:</b>	RWF 31-6-B2	<b>Date Sampled:</b>	03/25/10
<b>Lab Sample ID:</b>	T49867-7	<b>Date Received:</b>	03/26/10
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	83.6
<b>Project:</b>	PA 14-6, RWF 31-6 Background		

### Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic <sup>a</sup>	4.6	2.4	0.53	mg/kg	20	04/01/10	04/02/10 ANJ	SW846 6020 <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: N:MA24067

(2) Prep QC Batch: N:MP52072

(a) Elevated detection limit due to dilution required for matrix interference (indicated by failing internal standard on original analysis). Analysis performed at Accutest Laboratories, Dayton, NJ.

RL = Reporting Limit  
MDL = Method Detection Limit

U = Indicates a result < MDL  
J = Indicates a result > = MDL but < RL

## Report of Analysis

<b>Client Sample ID:</b> RWF 31-6-B3	<b>Date Sampled:</b> 03/25/10
<b>Lab Sample ID:</b> T49867-8	<b>Date Received:</b> 03/26/10
<b>Matrix:</b> SO - Soil	<b>Percent Solids:</b> 81.3
<b>Project:</b> PA 14-6, RWF 31-6 Background	

### Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic <sup>a</sup>	5.3	0.63	0.14	mg/kg	5	04/01/10	04/02/10 ANJ	SW846 6020 <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: N:MA24067

(2) Prep QC Batch: N:MP52072

(a) Analysis performed at Accutest Laboratories, Dayton, NJ.

RL = Reporting Limit  
MDL = Method Detection Limit

U = Indicates a result < MDL  
J = Indicates a result > = MDL but < RL

## Report of Analysis

<b>Client Sample ID:</b>	RWF 31-6-B4	<b>Date Sampled:</b>	03/25/10
<b>Lab Sample ID:</b>	T49867-9	<b>Date Received:</b>	03/26/10
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	79.1
<b>Project:</b>	PA 14-6, RWF 31-6 Background		

### Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic <sup>a</sup>	4.6	0.61	0.14	mg/kg	5	04/01/10	04/02/10 ANJ	SW846 6020 <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: N:MA24067

(2) Prep QC Batch: N:MP52072

(a) Analysis performed at Accutest Laboratories, Dayton, NJ.

RL = Reporting Limit  
MDL = Method Detection Limit

U = Indicates a result < MDL  
J = Indicates a result > = MDL but < RL

## Report of Analysis

<b>Client Sample ID:</b>	RWF 31-6-B5	<b>Date Sampled:</b>	03/25/10
<b>Lab Sample ID:</b>	T49867-10	<b>Date Received:</b>	03/26/10
<b>Matrix:</b>	SO - Soil	<b>Percent Solids:</b>	84.0
<b>Project:</b>	PA 14-6, RWF 31-6 Background		

### Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic <sup>a</sup>	5.0	0.59	0.13	mg/kg	5	04/01/10	04/02/10 ANJ	SW846 6020 <sup>1</sup>	SW846 3050B <sup>2</sup>

(1) Instrument QC Batch: N:MA24067

(2) Prep QC Batch: N:MP52072

(a) Analysis performed at Accutest Laboratories, Dayton, NJ.

RL = Reporting Limit  
MDL = Method Detection Limit

U = Indicates a result < MDL  
J = Indicates a result > = MDL but < RL



**Legend**

- Background Sample Location
- Existing Road
- Existing Pad
- Limit of Disturbance

**PA 31-6  
T7S R94W, Section 6**

**March 26, 2010**

