

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303)694-2100 Fax: (303)694-2109



SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form) identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b)

1. OGCC Operator Number: <u>96850</u>	4. Contact Name <u>Karolina Blaney</u>	Complete the Attachment Checklist OP OGCC
2. Name of Operator: <u>Williams Production RMT</u>	Phone: <u>970 684 2295</u>	
3. Address: <u>1058 County Road 215</u> City: <u>Parachute</u> State: <u>CO</u> Zip: <u>81635</u>	Fax: <u>970 285 9573</u>	
5. API Number <u>05-045-09923-00</u>	OGCC Facility ID Number	Survey Plat
6. Well/Facility Name: <u>Unocal</u>	7. Well/Facility Number <u>PA 11-32</u>	Directional Survey
8. Location (Qtr/Sec, Twp, Rng, Meridian): <u>NWNW 32-T6S-R9SW</u>		Surface Eqpm Diagram
9. County: <u>Garfield</u>	10. Field Name: <u>Parachute</u>	Technical Info Page
11. Federal, Indian or State Lease Number: _____		Other

General Notice

CHANGE OF LOCATION: Attach New Survey Plat (a change of surface qtr/qtr is substantive and requires a new permit)

Change of Surface Footage from Exterior Section Lines: FNL/FSL FEL/FWL

Change of Surface Footage to Exterior Section Lines:

Change of Bottomhole Footage from Exterior Section Lines:

Change of Bottomhole Footage to Exterior Section Lines: attach directional survey

Bottomhole location Qtr/Sec, Twp, Rng, Mer _____

Latitude _____ Distance to nearest property line _____ Distance to nearest bldg, public rd, utility or RR _____

Longitude _____ Distance to nearest lease line _____ Is location in a High Density Area (rule 603b)? Yes/No

Ground Elevation _____ Distance to nearest well same formation _____ Surface owner consultation date: _____

GPS DATA:
Date of Measurement _____ PDOP Reading _____ Instrument Operator's Name _____

CHANGE SPACING UNIT
Formation _____ Formation Code _____ Spacing order number _____ Unit Acreage _____ Unit configuration _____

Remove from surface bond
Signed surface use agreement attached

CHANGE OF OPERATOR (prior to drilling):
Effective Date _____
Plugging Bond: Blanket Individual

CHANGE WELL NAME NUMBER
From: _____
To: _____
Effective Date: _____

ABANDONED LOCATION:
Was location ever built? Yes No
Is site ready for inspection? Yes No
Date Ready for Inspection: _____

NOTICE OF CONTINUED SHUT IN STATUS
Date well shut in or temporarily abandoned: _____
Has Production Equipment been removed from site? Yes No
MIT required if shut in longer than two years Date of last MIT _____

SPUD DATE: _____ REQUEST FOR CONFIDENTIAL STATUS (6 mos from date casing set)

SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK *submit cbl and cement job summaries
Method used _____ Cementing tool setting/perf depth _____ Cement volume _____ Cement top _____ Cement bottom _____ Date _____

RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004
Final reclamation will commence on approximately _____ Final reclamation is completed and site is ready for inspection.

Technical Engineering/Environmental Notice

Notice of Intent
Approximate Start Date: 4/26/10 Report of Work Done
Date Work Completed: _____

Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)

<input type="checkbox"/> Intent to Recomplete (submit form 2)	<input type="checkbox"/> Request to Vent or Flare	<input type="checkbox"/> E&P Waste Disposal
<input type="checkbox"/> Change Drilling Plans	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of E&P Waste
<input type="checkbox"/> Gross Interval Changed?	<input type="checkbox"/> Rule 502 variance requested	<input type="checkbox"/> Status Update/Change of Remediation Plans
<input type="checkbox"/> Casing/Cementing Program Change	<input checked="" type="checkbox"/> Other: <u>Background</u>	for Spills and Releases

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Greg Davis Date: 4/26/10 Email: Greg.J.Davis@Williams.com
Print Name: Greg Davis Title: Supervisor Permits

COGCC Approved: _____ Title: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY:

TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

1. OGCC Operator Number: 96850	API Number: 05-045-09923-00
2. Name of Operator: Williams Production RMT	OGCC Facility ID #
3. Well/Facility Name: Unocal	Well/Facility Number: PA 11-32
4. Location (QtrQtr, Sec, Twp, Rng, Meridian): NWNW 32-T6S-R95W	

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5. **DESCRIBE PROPOSED OR COMPLETED OPERATIONS**

This COGCC Form 4 is being submitted as a request to meet the background concentration levels for arsenic at the PA 11-32 pad in accordance with footnote 1 to the COGCC table 910-1.

The request is based on the analytical results presented below (see attached laboratory report).

One composite sample was collected from three separate locations within the pit to determine the arsenic concentration in the cuttings.

PA 11-32 (cuttings) - 5.5 mg/kg

Five grab samples were collected from nearby non-impacted, native soil to establish the background arsenic concentrations.

PA 11-32-B-1 - 3.6 mg/kg

PA 11-32-B-2 - 2.9 mg/kg

PA 11-32-B-3 - 4.7 mg/kg

PA 11-32-B-4 - 3.1 mg/kg

PA 11-32-B-5 - 4.0 mg/kg

Williams is requesting this approval in order to proceed with closure and reclamation of the cuttings trench located on the PA 11-32 well pad.

Report of Analysis

Client Sample ID: PA II-32 CUTTINGS	Date Sampled: 12/03/09
Lab Sample ID: T43637-1	Date Received: 12/04/09
Matrix: SO - Soil	Percent Solids: 85.5
Project: Williams Production	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.5	0.67	0.13	mg/kg	1	12/07/09	12/12/09 NS	SW846 6010B ¹	SW846 3050B ⁴
Barium	5890	67	0.20	mg/kg	5	12/07/09	12/13/09 NS	SW846 6010B ²	SW846 3050B ⁴
Cadmium	0.067 U	0.33	0.067	mg/kg	1	12/07/09	12/12/09 NS	SW846 6010B ¹	SW846 3050B ⁴
Chromium	16.2	0.67	0.047	mg/kg	1	12/07/09	12/12/09 NS	SW846 6010B ¹	SW846 3050B ⁴
Copper	16.1	1.7	0.087	mg/kg	1	12/07/09	12/12/09 NS	SW846 6010B ¹	SW846 3050B ⁴
Lead	15.0	0.67	0.27	mg/kg	1	12/07/09	12/12/09 NS	SW846 6010B ¹	SW846 3050B ⁴
Mercury	0.090	0.018	0.00070	mg/kg	1	12/14/09	12/14/09 TW	SW846 7471A ³	SW846 7471A ⁵
Nickel	16.4	2.7	0.087	mg/kg	1	12/07/09	12/12/09 NS	SW846 6010B ¹	SW846 3050B ⁴
Selenium	0.16 U	0.67	0.16	mg/kg	1	12/07/09	12/12/09 NS	SW846 6010B ¹	SW846 3050B ⁴
Silver	0.27 J	0.67	0.053	mg/kg	1	12/07/09	12/12/09 NS	SW846 6010B ¹	SW846 3050B ⁴
Zinc	64.9	1.3	0.27	mg/kg	1	12/07/09	12/12/09 NS	SW846 6010B ¹	SW846 3050B ⁴

(1) Instrument QC Batch: MA4444

(2) Instrument QC Batch: MA4446

(3) Instrument QC Batch: MA4447

(4) Prep QC Batch: MP10802

(5) Prep QC Batch: MP10835

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	PA11-32-B-1	Date Sampled:	04/05/10
Lab Sample ID:	T50475-1	Date Received:	04/07/10
Matrix:	SO - Soil	Percent Solids:	87.5
Project:	PA11-32.DOE 1-W-28 Background		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	3.6	0.58	0.12	mg/kg	1	04/12/10	04/13/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA4663

(2) Prep QC Batch: MP11519

RL = Reporting Limit
 MDL = Method Detection Limit

U = Indicates a result < MDL
 J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: PA11-32-B-2	Date Sampled: 04/05/10
Lab Sample ID: T50475-2	Date Received: 04/07/10
Matrix: SO - Soil	Percent Solids: 88.1
Project: PA11-32,DOE 1-W-28 Background	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	2.9	0.65	0.13	mg/kg	1	04/12/10	04/13/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA4663

(2) Prep QC Batch: MP11519

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: PA11-32-B-3	Date Sampled: 04/05/10
Lab Sample ID: T50475-3	Date Received: 04/07/10
Matrix: SO - Soil	Percent Solids: 90.4
Project: PA11-32,DOE 1-W-28 Background	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	4.7	0.67	0.13	mg/kg	1	04/12/10	04/13/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA4663

(2) Prep QC Batch: MP11519

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: PA11-32-B-4	Date Sampled: 04/05/10
Lab Sample ID: T50475-4	Date Received: 04/07/10
Matrix: SO - Soil	Percent Solids: 91.5
Project: PA11-32,DOE 1-W-28 Background	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	3.1	0.58	0.12	mg/kg	1	04/12/10	04/13/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA4663

(2) Prep QC Batch: MP11519

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: PA11-32-B-5	Date Sampled: 04/05/10
Lab Sample ID: T50475-5	Date Received: 04/07/10
Matrix: SO - Soil	Percent Solids: 91.5
Project: PA11-32.DOE 1-W-28 Background	

Metals Analysis


Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	4.0	0.59	0.12	mg/kg	1	04/12/10	04/13/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA4663

(2) Prep QC Batch: MP11519

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL



Legend

- Background Sample Location
- Existing Road
- Existing Pad Limit of Disturbance

PA 11-32
Arsenic Background Sample Location Map
T6S R95W, Section 32



April 26, 2010