

June 14, 2010

Colorado Oil and Gas Conservation Commission  
The Chancery Building  
1120 Lincoln Street, Suite 801  
Denver, CO 80203

Attn: Mr. David Neslin, Director

RE: **DONOVAN D02-30**  
Codell/Niobrara New Drill  
Township 4 North, Range 64 West, 6th P.M.  
Section 34: SE/4SE/4: 155' FSL & 183' FEL (Surface Location)  
Section 34: SE/4SE/4: 155' FSL & 183' FEL (Bottom Hole Location)  
Weld County, Colorado

Mr. Neslin:

Noble Energy, Inc. ("NEI") is planning to drill the captioned boundary well in accordance with the provisions of COGCC Rule 318A.e.

NEI's proposed wellbore spacing unit consists of the NWNW of Section 2, NENE of Section 3 of T3N-64W and the SESE of Section 34, SWSW of Section 35, T4N, R64W, creating a 160-acre wellbore spacing unit. NEI is not the only owner within the proposed wellbore spacing unit and as such provided notice to the remaining owner(s) within said proposed spacing unit as required under COGCC Rule 318A.e(6). Copies of the required notice letter(s) is/are attached. The required twenty (20) day notice period has elapsed absent the receipt by NEI of an objection to said proposal by the owner(s) within the proposed spacing unit for this well.

Also, enclosed are copies of the following documents to assist you in your review and approval of NEI's proposed APD for the captioned well:

- Plat illustrating the proposed wellbore spacing unit and number of Codell/Niobrara wells located within the existing 160-acre governmental quarter section (SE/4) to be less than eight (8) in accordance with COGCC Rule 318A.f.
- Plat illustrating proposed wellbore spacing unit on existing location plat.


Thank you for your attention to the enclosed. NEI respectfully requests that the COGCC review the enclosed information and approve the Application for Permit to Drill the captioned well.

Sincerely,



Mari Clark  
Regulatory Analyst II  
Noble Energy Inc.

# PROPOSED 318 Ae SPACING UNIT



The governmental 1/4 Section has less than 8 bottom hole wells producing from the Codell, Niobrara, & J-Sand Formations.

Steil Surveying Services, LLC

1102 West 19th Street P.O. BOX 2073

Cheyenne, Wyoming 82009

WELL LOCATION CERTIFICATE  
THIS MAP DOES NOT REPRESENT A BOUNDARY SURVEY

SECTION 34  
TOWNSHIP 4 NORTH  
RANGE 64 WEST



0 1000

Scale: 1" = 1000'

IN ACCORDANCE WITH A REQUEST FROM JOE JOHNSON - NOBLE ENERGY INC, STEIL SURVEYING SERVICES, LLC HAS DETERMINED THE LOCATION OF THE DONOVAN D02-30 WELL TO BE 155' FSL, 183' FEL, AS MEASURED AT NINETY (90) DEGREES FROM THE SECTION LINES, SECTION 34, TOWNSHIP 4 NORTH, RANGE 64 WEST, 6TH PRINCIPLE MERIDIAN, WELD COUNTY, COLORADO.

I HEREBY CERTIFY THAT THIS WELL LOCATION CERTIFICATE WAS PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT THE FIELD WORK WAS COMPLETED ON 03/04/2010, FOR AND ON BEHALF OF NOBLE ENERGY INC, THAT IT IS NOT A LAND SURVEY PLAT OR AN IMPROVEMENT SURVEY PLAT, AND THAT IT IS NOT TO BE RELIED UPON FOR ESTABLISHMENT OF FENCE, BUILDING, OR OTHER FUTURE IMPROVEMENT LINES.

NOTES:

- 1) BASIS OF BEARINGS FOR THIS MAP ARE BASED UPON GPS OBSERVATIONS MADE ON 09/15/2009 BETWEEN MONUMENTS LOCATED AT THE SOUTHEAST SECTION CORNER AND THE NORTHEAST SECTION CORNER OF SAID SECTION AND WITH ALL BEARINGS SHOWN HEREON RELATIVE THERETO.
- 2) ELEVATIONS ARE BASED UPON NGS OPUS SOLUTION NAVD 88 DATUM.
- 3) THE NEAREST EXISTING WELL IS: ALOYSIUS C34-2, 738' NORTHWEST.
- 4) SEE VISIBLE IMPROVEMENTS EXHIBIT FOR ALL IMPROVEMENTS WITHIN 400'.
- 5) THE LOCATION FALLS IN PASTURE LAND.

LATITUDE & LONGITUDE (NAD 83 SURFACE HOLE):

LATITUDE: N 40.26218°

LONGITUDE: W 104.52832°

PDOP: 2.8

QUARTER-QUARTER: SE/4SE/4

NEAREST PROPERTY LINE: 155' TO THE SOUTH

LEGEND

⊙ FOUND SURVEY MONUMENT PER  
MONUMENT RECORD - EXCEPTIONS NOTED.

(C) CALCULATED DIMENSION

NOTICE: According to Colorado law you MUST commence any legal action based upon any defect in this W.L.C. within three years after you first discover such defect. In no event may any action based upon any defect in this W.L.C. be commenced more than ten years from this said date of the certification shown hereon.

David C. Holmes  
Professional Land Surveyor Registration No. 32828  
State of Colorado

JOB #:10086

Completed 03/16/2010



May 19, 2010

**CERTIFIED MAIL  
RETURN RECEIPT REQUESTED**

ARTICLE # 7009 2820 0001 2604 6784

Kerr-McGee Oil & Gas Onshore LP  
Attn: Mr. Vince Bernal  
1099 18<sup>th</sup> Street, Suite 1800  
Denver, CO 80202

RE: Notice of 318A.e. Well Proposal  
Codell/Niobrara: New Well  
WELL NAME: **DONOVAN D02-30**  
Township 4 North, Range 64 West, 6<sup>th</sup> P.M.  
Section 34: SE/4SE/4 (BHL)  
Weld County, Colorado

Dear Mr. Bernal:

Noble Energy, Inc. ("Noble") intends to propose, drill and operate the referenced well pursuant to paragraph 6 of Rule 318A.e., Order 1R-100 of the Colorado Oil and Gas Conservation Commission ("COGCC"). Attached for your information is a plat representing this proposal.

Additional information for this well:

(1) **Wellbore Spacing Unit**

The wellbore spacing unit will be comprised of the NW/4NW/4 of Section 2, and the NE/4NE/4 of Section 3, in T3N, R64W, 6<sup>th</sup> P.M., and the SE/4SE/4 of Section 34, and the SW/4SW/4 of Section 35, in T4N, R64W, 6<sup>th</sup> P.M., as depicted on the enclosed plat. The working interests attributable to the Codell/Niobrara formation(s) in the contributing 40 acre quarter-quarter sections will be utilized to determine the interests of the parties in the proposed 160 acre spacing unit for this well. It appears that you own a working interest in the proposed wellbore spacing unit for this well.

(2) **Target Formations**

This well will be drilled to a total depth to sufficiently test the Codell/Niobrara formations.

(3) **Surface and Bottomhole Locations**

SHL: 155' FSL, 183' FEL, Section 34, T4N, R64W, 6<sup>th</sup> P.M.  
BHL: 155' FSL, 183' FEL, Section 34, T4N, R64W, 6<sup>th</sup> P.M.

(4) **Anticipated Spud Date**

3rd Quarter, 2010



(5) **Request for Title Information**

In order to facilitate the rendering of a full title opinion, please provide copies of any title opinions, updates and JIB/Rev deck materials for the referenced spacing unit in your possession to Noble.

Pursuant to the aforementioned rule, you have twenty (20) days from your receipt of this notice to object to this proposal. In the event you do not respond to this notice or enter an objection within the established time period, the proposed 160 acre spacing unit set forth herein shall be established.

**However, should you have no objection to this proposal, please so indicate by signing in the space provided below and return to Noble as soon as possible.** A duplicate letter for your records is also enclosed. Your cooperation in this matter is greatly appreciated so that Noble may timely continue the permitting process for this well.

Thank you for your timely consideration and response to this proposal. Please do not hesitate to contact me at 303-228-4073 should you have any questions.

Very truly yours,

**NOBLE ENERGY, INC.**



Matthew E. Johnson  
Senior Land Negotiator

MEJ: rs

Enclosures

Pursuant to paragraph 6 of Rule 318A.e., Order 1R-100 of the Colorado Oil and Gas Conservation Commission, the undersigned has received notice from Noble Energy, Inc. ("Noble") of its intention to drill and operate the DONOVAN D02-30 well in Section 34, T4N, R64W, Weld County, Colorado and the undersigned hereby waives the twenty (20) day notice requirement as provided by said rule.

**KERR-MCGEE OIL & GAS ONSHORE LP:**

By: \_\_\_\_\_

Printed Name: \_\_\_\_\_

Date: \_\_\_\_\_



## 46



Proposed 160 acre Spacing Unit

1. **Introduction**  
 2. **Methodology**  
 3. **Results**  
 4. **Discussion**  
 5. **Conclusion**  
 6. **References**  
 7. **Appendix**  
 8. **Index**  
 9. **Table of Contents**  
 10. **Summary**  
 11. **Abstract**  
 12. **Keywords**  
 13. **Subject Headings**  
 14. **Notes**  
 15. **Footnotes**  
 16. **References**  
 17. **Appendix**  
 18. **Index**  
 19. **Table of Contents**  
 20. **Summary**  
 21. **Abstract**  
 22. **Keywords**  
 23. **Subject Headings**  
 24. **Notes**  
 25. **Footnotes**  
 26. **References**  
 27. **Appendix**  
 28. **Index**  
 29. **Table of Contents**  
 30. **Summary**  
 31. **Abstract**  
 32. **Keywords**  
 33. **Subject Headings**  
 34. **Notes**  
 35. **Footnotes**  
 36. **References**  
 37. **Appendix**  
 38. **Index**  
 39. **Table of Contents**  
 40. **Summary**  
 41. **Abstract**  
 42. **Keywords**  
 43. **Subject Headings**  
 44. **Notes**  
 45. **Footnotes**  
 46. **References**  
 47. **Appendix**  
 48. **Index**  
 49. **Table of Contents**  
 50. **Summary**  
 51. **Abstract**  
 52. **Keywords**  
 53. **Subject Headings**  
 54. **Notes**  
 55. **Footnotes**  
 56. **References**  
 57. **Appendix**  
 58. **Index**  
 59. **Table of Contents**  
 60. **Summary**  
 61. **Abstract**  
 62. **Keywords**  
 63. **Subject Headings**  
 64. **Notes**  
 65. **Footnotes**  
 66. **References**  
 67. **Appendix**  
 68. **Index**  
 69. **Table of Contents**  
 70. **Summary**  
 71. **Abstract**  
 72. **Keywords**  
 73. **Subject Headings**  
 74. **Notes**  
 75. **Footnotes**  
 76. **References**  
 77. **Appendix**  
 78. **Index**  
 79. **Table of Contents**  
 80. **Summary**  
 81. **Abstract**  
 82. **Keywords**  
 83. **Subject Headings**  
 84. **Notes**  
 85. **Footnotes**  
 86. **References**  
 87. **Appendix**  
 88. **Index**  
 89. **Table of Contents**  
 90. **Summary**  
 91. **Abstract**  
 92. **Keywords**  
 93. **Subject Headings**  
 94. **Notes**  
 95. **Footnotes**  
 96. **References**  
 97. **Appendix**  
 98. **Index**  
 99. **Table of Contents**  
 100. **Summary**  
 101. **Abstract**  
 102. **Keywords**  
 103. **Subject Headings**  
 104. **Notes**  
 105. **Footnotes**  
 106. **References**  
 107. **Appendix**  
 108. **Index**  
 109. **Table of Contents**  
 110. **Summary**  
 111. **Abstract**  
 112. **Keywords**  
 113. **Subject Headings**  
 114. **Notes**  
 115. **Footnotes**  
 116. **References**  
 117. **Appendix**  
 118. **Index**  
 119. **Table of Contents**  
 120. **Summary**  
 121. **Abstract**  
 122. **Keywords**  
 123. **Subject Headings**  
 124. **Notes**  
 125. **Footnotes**  
 126. **References**  
 127. **Appendix**  
 128. **Index**  
 129. **Table of Contents**  
 130. **Summary**  
 131. **Abstract**  
 132. **Keywords**  
 133. **Subject Headings**  
 134. **Notes**  
 135. **Footnotes**  
 136. **References**  
 137. **Appendix**  
 138. **Index**  
 139. **Table of Contents**  
 140. **Summary**  
 141. **Abstract**  
 142. **Keywords**  
 143. **Subject Headings**  
 144. **Notes**  
 145. **Footnotes**  
 146. **References**  
 147. **Appendix**  
 148. **Index**  
 149. **Table of Contents**  
 150. **Summary**  
 151. **Abstract**  
 152. **Keywords**  
 153. **Subject Headings**  
 154. **Notes**  
 155. **Footnotes**  
 156. **References**  
 157. **Appendix**  
 158. **Index**  
 159. **Table of Contents**  
 160. **Summary**  
 161. **Abstract**  
 162. **Keywords**  
 163. **Subject Headings**  
 164. **Notes**  
 165. **Footnotes**  
 166. **References**  
 167. **Appendix**  
 168. **Index**  
 169. **Table of Contents**  
 170. **Summary**  
 171. **Abstract**  
 172. **Keywords**  
 173. **Subject Headings**  
 174. **Notes**  
 175. **Footnotes**  
 176. **References**  
 177. **Appendix**  
 178. **Index**  
 179. **Table of Contents**  
 180. **Summary**  
 181. **Abstract**  
 182. **Keywords**  
 183. **Subject Headings**  
 184. **Notes**  
 185. **Footnotes**  
 186. **References**  
 187. **Appendix**  
 188. **Index**  
 189. **Table of Contents**  
 190. **Summary**  
 191. **Abstract**  
 192. **Keywords**  
 193. **Subject Headings**  
 194. **Notes**  
 195. **Footnotes**  
 196. **References**  
 197. **Appendix**  
 198. **Index**  
 199. **Table of Contents**  
 200. **Summary**  
 201. **Abstract**  
 202. **Keywords**  
 203. **Subject Headings**  
 204. **Notes**  
 205. **Footnotes**  
 206. **References**  
 207. **Appendix**  
 208. **Index**  
 209. **Table of Contents**  
 210. **Summary**  
 211. **Abstract**  
 212. **Keywords**  
 213. **Subject Headings**  
 214. **Notes**  
 215. **Footnotes**  
 216. **References**  
 217. **Appendix**  
 218. **Index**  
 219. **Table of Contents**  
 220. **Summary**  
 221. **Abstract**  
 222. **Keywords**  
 223. **Subject Headings**  
 224. **Notes**  
 225. **Footnotes**  
 226. **References**  
 227. **Appendix**  
 228. **Index**  
 229. **Table of Contents**  
 230. **Summary**  
 231. **Abstract**  
 232. **Keywords**  
 233. **Subject Headings**  
 234. **Notes**  
 235. **Footnotes**  
 236. **References**  
 237. **Appendix**  
 238. **Index**  
 239. **Table of Contents**  
 240. **Summary**  
 241. **Abstract**  
 242. **Keywords**  
 243. **Subject Headings**  
 244. **Notes**  
 245. **Footnotes**  
 246. **References**  
 247. **Appendix**  
 248. **Index**  
 249. **Table of Contents**  
 250. **Summary**  
 251. **Abstract**  
 252. **Keywords**  
 253. **Subject Headings**  
 2

N

The governmental  $\frac{1}{4}$  Section has less than 8 bottom hole wells producing from the Codell, Niobrara, & J-Sand Formations.

Steil Surveying Services, LLC



1102 West 19th Street P.O. BOX 2073

Cheyenne, Wyoming 82009

# WELL LOCATION CERTIFICATE

THIS MAP DOES NOT REPRESENT A BOUNDARY SURVEY

SECTION 34  
TOWNSHIP 4 NORTH  
RANGE 64 WEST



Scale: 1" = 1000'

IN ACCORDANCE WITH A REQUEST FROM JOE JOHNSON - NOBLE ENERGY INC, STEIL SURVEYING SERVICES, LLC HAS DETERMINED THE LOCATION OF THE DONOVAN D02-30 WELL TO BE 155' FSL, 183' FEL, AS MEASURED AT NINETY (90) DEGREES FROM THE SECTION LINES, SECTION 34, TOWNSHIP 4 NORTH, RANGE 64 WEST, 6TH PRINCIPLE MERIDIAN, WELD COUNTY, COLORADO.

I HEREBY CERTIFY THAT THIS WELL LOCATION CERTIFICATE WAS PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT THE FIELD WORK WAS COMPLETED ON 03/04/2010, FOR AND ON BEHALF OF NOBLE ENERGY INC, THAT IT IS NOT A LAND SURVEY PLAT OR AN IMPROVEMENT SURVEY PLAT, AND THAT IT IS NOT TO BE RELIED UPON FOR ESTABLISHMENT OF FENCE, BUILDING, OR OTHER FUTURE IMPROVEMENT LINES.

## NOTES:

- 1) BASIS OF BEARINGS FOR THIS MAP ARE BASED UPON GPS OBSERVATIONS MADE ON 09/15/2009 BETWEEN MONUMENTS LOCATED AT THE SOUTHEAST SECTION CORNER AND THE NORTHEAST SECTION CORNER OF SAID SECTION AND WITH ALL BEARINGS SHOWN HEREON RELATIVE THERETO.
- 2) ELEVATIONS ARE BASED UPON NGS OPUS SOLUTION NAVD 88 DATUM.
- 3) THE NEAREST EXISTING WELL IS: ALOYSIUS C34-2, 738' NORTHWEST.
- 4) SEE VISIBLE IMPROVEMENTS EXHIBIT FOR ALL IMPROVEMENTS WITHIN 400'.
- 5) THE LOCATION FALLS IN PASTURE LAND.

LATITUDE & LONGITUDE (NAD 83 SURFACE HOLE):  
LATITUDE: N 40.26218'  
LONGITUDE: W 104.52832'  
PDOP: 2.8  
QUARTER-QUARTER: SE/4SE/4  
NEAREST PROPERTY LINE: 155' TO THE SOUTH

## LEGEND

- (A) FOUND SURVEY MONUMENT PER MONUMENT RECORD - EXCEPTIONS NOTED.
- (C) CALCULATED DIMENSION



NOTICE: According to Colorado law you MUST commence any legal action based upon any defect in this W.L.C. within three years after you first discover such defect. In no event may any action based upon any defect in this W.L.C. be commenced more than ten years from this said date of the certification shown hereon.

David C. Holmes  
Professional Land Surveyor Registration No. 32828  
State of Colorado

Completed 03/16/2010

JOB #: 10086