



Table with 4 columns (DE, ET, OE, ES) and 1 row.

SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry Information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form.) Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b.)

Form with 11 numbered fields for operator and well information, and a checklist for attachments.

General Notice

Large form section containing various checkboxes and input fields for location changes, spacing units, operator changes, well names, abandoned locations, spud dates, and reclamation.

Technical Engineering/Environmental Notice

Form section for technical notices, including checkboxes for intent to recomplete, change drilling plans, request to vent or flare, and other technical details.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Jason D Rauen Date: 9/22/10 Email: jason.rauen1@williams.com Title: Environmental Specialist II

COGCC Approved: Title: Date:

CONDITIONS OF APPROVAL, IF ANY:

TECHNICAL INFORMATION PAGE


FOR OGCC USE ONLY

1. OGCC Operator Number: 96850 API Number: _____
2. Name of Operator: Williams Production RMT Company OGCC Facility ID # _____
3. Well/Facility Name: NLW Conn Creek 17-21D Well/Facility Number: 324441
4. Location (QtrQtr, Sec, Twp, Rng, Meridian): NENW, SEC 17, T7S, R97W, 6 PM

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5. DESCRIBE PROPOSED OR COMPLETED OPERATIONS

This COGCC Form 4 is being submitted as a request to meet the background concentration levels for arsenic at the NLW 17-21D well pad relative to the production pit closure at the subject facility; in accordance with footnote 1 to the COGCC Table 910-1. This Sundry Notice request corresponds to the 4934 remediation number for the PT6001.

The request is based on the analytical results presented below.

Six (6) grab samples were collected from locations within the pit excavation to ascertain the arsenic concentration of the facility.

NLW_PT6001_N - 15.7 mg/L
 NLW_PT6001_S - 17.4 mg/L
 NLW_PT6001_E - 20.5 mg/L
 NLW_PT6001_W - 8.2 mg/L
 NLW_PT6001_C1 - 6.3 mg/L
 NLW_PT6001_C2 - 3.4 mg/L

Average concentration - 11.9 mg/kg

Two (2) grab samples were collected from nearby non-impacted, native soil to establish the background arsenic concentrations.

NLW_21_17_797_BackGround - 9.4 mg/L
 NLW_12_17_797_BackGround - 3.8 mg/L



Average concentration - 6.6 mg/kg

Williams is requesting this approval in order to proceed with closure and reclamation of the produced water pit located on the NLW 17-21D well pad.

NLW 17-21D-797 PT6001 Sample Locations

Station Names	Latitude	Longitude	Depth Interval (ft)
WPC_PT6001_N	39.45286	-108.24533	5.5 - 6.5
WPC_PT0001_S	39.45275	-108.24532	5.5 - 6.5
WPC_PT6001_E	39.45281	-108.24503	5.5 - 6.5
WPC_PT6001_W	39.45281	-108.24554	5.5 - 6.5
WPC_PT6001_C1	39.45281	-108.24546	15.5 - 16.5
WPC_PT6001_C2	39.45281	-108.24514	15.5 - 16.5
SO_NLW_21_17_797_Background	39.45264	-108.24383	0.5 - 1.0
SO_NLW_12_17_797_Background	39.44694	-108.24842	0.5 - 1.0


Samples were collected at relative depth from existing grade and background samples were collected from undisturbed surface at listed depth interval.



NLW 17-21D Pad
Sundry Notice & Sampling
Plan Diagram
PT6001
August 30, 2010

Explanation

- ★ Confirmation Sample
- ◆ Background Sample
- ☀ Well
- Pit Boundary
- Pad Perimeter
- Access Road



InterTech E&E, LLC
bbergstrom@cbmainc.com
M:\Projects\Williams\Colorado\Pit_Closure\North_Logan_Wash\
PT6001\Projects\PT6001_SUND_20100830.mxd