

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 601, Denver, Colorado 80203 Phone (303)894-2100 Fax (303)894-2109



SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form.) Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b.)

| | | |
|---|------------------------------------|--|
| 1. OGCC Operator Number: 96850 | 4. Contact Name: Karolina Slaney | Complete the Attachment Checklist OP OGCC |
| 2. Name of Operator: Williams Production RMT | Phone: 970 684 2295 | |
| 3. Address: 1058 County Road 215 | Fax: 970 285 9573 | |
| City: Parachute State: CO Zip: 81635 | | |
| 5. API Number: 05-045-07168-00 | OGCC Facility ID Number | Survey Plat |
| 6. Well/Facility Name: Savage | 7. Well/Facility Number: RMV 76-27 | Directional Survey |
| 8. Location (Qtr/Sec, Twp, Rng, Meridian): NWSE 27-T6S-R94W | | Surface Equip Diagram |
| 9. County: Garfield | 10. Field Name: Parachute | Technical Info Page |
| 11. Federal, Indian or State Lease Number: | | Other |

General Notice

| | |
|---|---|
| <input type="checkbox"/> CHANGE OF LOCATION: Attach New Survey Plat (a change of surface qtr/qr is substantive and requires a new permit) | |
| Change of Surface Footage from Exterior Section Lines: | <input type="checkbox"/> FNU/FSL <input type="checkbox"/> FEL/FWL |
| Change of Surface Footage to Exterior Section Lines: | <input type="checkbox"/> <input type="checkbox"/> |
| Change of Bottomhole Footage from Exterior Section Lines: | <input type="checkbox"/> <input type="checkbox"/> |
| Change of Bottomhole Footage to Exterior Section Lines: | <input type="checkbox"/> <input type="checkbox"/> attach directional survey |
| Bottomhole location Qtr/Sec, Twp, Rng, Mer | |
| Latitude | Distance to nearest property line |
| Longitude | Distance to nearest bldg, public rd, utility or RR |
| Ground Elevation | Distance to nearest lease line |
| | Is location in a High Density Area (rule 603b)? Yes/No |
| | Distance to nearest well same formation |
| | Surface owner consultation date: |
| GPS DATA: | |
| Date of Measurement | PDOP Reading |
| | Instrument Operator's Name |
| <input type="checkbox"/> CHANGE SPACING UNIT | |
| Formation | Formation Code |
| Spacing order number | Unit Acreage |
| | Unit configuration |
| <input type="checkbox"/> Remove from surface bond | |
| Signed surface use agreement attached | |
| <input type="checkbox"/> CHANGE OF OPERATOR (prior to drilling): | |
| Effective Date: | |
| Plugging Bond: <input type="checkbox"/> Blanket <input type="checkbox"/> Individual | |
| <input type="checkbox"/> CHANGE WELL NAME | |
| From: | NUMBER |
| To: | |
| Effective Date: | |
| <input type="checkbox"/> ABANDONED LOCATION: | |
| Was location ever built? <input type="checkbox"/> Yes <input type="checkbox"/> No | |
| Is site ready for inspection? <input type="checkbox"/> Yes <input type="checkbox"/> No | |
| Date Ready for inspection: | |
| <input type="checkbox"/> NOTICE OF CONTINUED SHUT IN STATUS | |
| Date well shut in or temporarily abandoned: | |
| Has Production Equipment been removed from site? <input type="checkbox"/> Yes <input type="checkbox"/> No | |
| MIT required if shut in longer than two years. Date of last MIT | |
| <input type="checkbox"/> SPUD DATE: | |
| <input type="checkbox"/> REQUEST FOR CONFIDENTIAL STATUS (6 mos from date casing set) | |
| <input type="checkbox"/> SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK | |
| Method used | Cementing tool setting/perf depth |
| Cement volume | Cement top |
| Cement bottom | Date |
| *submit cbr and cement job summaries | |
| <input type="checkbox"/> RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004. | |
| Final reclamation will commence on approximately | Final reclamation is completed and site is ready for inspection. |

Technical Engineering/Environmental Notice

| | | | |
|---|---|--|--|
| <input type="checkbox"/> Notice of Intent | | <input type="checkbox"/> Report of Work Done | |
| Approximate Start Date: | | Date Work Completed: | |
| Details of work must be described in full on Technical Information Page (Page 2 must be submitted.) | | | |
| <input type="checkbox"/> Intent to Recomplete (submit form 2) | <input type="checkbox"/> Request to Vent or Flare | <input type="checkbox"/> E&P Waste Disposal | |
| <input type="checkbox"/> Change Drilling Plans | <input type="checkbox"/> Repair Well | <input type="checkbox"/> Beneficial Reuse of E&P Waste | |
| <input type="checkbox"/> Gross Interval Changed? | <input type="checkbox"/> Rule 502 variance requested | <input type="checkbox"/> Status Update/Change of Remediation Plans | |
| <input type="checkbox"/> Casing/Cementing Program Change | <input checked="" type="checkbox"/> Other: Background | for Spills and Releases | |

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Greg Davis Date: 8/3/10 Email: Greg.J.Davis@Williams.com
Print Name: Greg Davis Title: Supervisor Permits

OGCC Approved: Carly Kujawa Title: for Chris Canfield Date: 10/01/2010
CONDITIONS OF APPROVAL IF ANY: FPS

TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

1. OGCC Operator Number: 96850 API Number: 05-045-07168-00
2. Name of Operator: Williams Production RMT OGCC Facility ID #
3. Well/Facility Name: Savage Well/Facility Number: RMV 76-27
4. Location (QtrQtr, Sec, Twp, Rng, Meridian): NWSE 27-T6S-R94W

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5. DESCRIBE PROPOSED OR COMPLETED OPERATIONS

This COGCC Form 4 is being submitted as a request to meet the background concentration levels for arsenic at the RMV 76-27 pad in accordance with footnote 1 to the COGCC table 910-1.

The request is based on the analytical results presented below (see attached laboratory report).

One composite sample was collected from three separate locations within the pit to determine the arsenic concentration in the cuttings.

RMV 76-27 (cuttings) - 5.4 mg/kg

Five grab samples were collected from nearby non-impacted, native soil to establish the background arsenic concentrations.

RMV 76-27-B-1 - 7.0 mg/kg

RMV 76-27-B-2 - 6.8 mg/kg

RMV 76-27-B-3 - 6.6 mg/kg

RMV 76-27-B-4 - 8.3 mg/kg

RMV 76-27-B-5 - 6.5 mg/kg

Williams is requesting this approval in order to proceed with closure and reclamation of the cuttings trench located on the RMV 76-27 well pad.

Report of Analysis

Client Sample ID: RMV 76-27

Lab Sample ID: D15263-1

Matrix: SO - Soil

Project: RMV 76-27

Date Sampled: 07/15/10

Date Received: 07/16/10

Percent Solids: 88.2

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|----------|--------|------|-------|----|----------|-------------|--------------------------|--------------------------|
| Arsenic | 5.4 | 0.38 | mg/kg | 5 | 07/20/10 | 07/21/10 GJ | SW846 6020 ³ | SW846 3050B ⁷ |
| Barium | 6230 | 4.8 | mg/kg | 5 | 07/20/10 | 07/22/10 JM | SW846 6010B ⁴ | SW846 3050B ⁶ |
| Cadmium | < 0.95 | 0.95 | mg/kg | 1 | 07/20/10 | 07/21/10 JM | SW846 6010B ² | SW846 3050B ⁶ |
| Chromium | 10.3 | 0.95 | mg/kg | 1 | 07/20/10 | 07/21/10 JM | SW846 6010B ² | SW846 3050B ⁶ |
| Copper | 16.5 | 0.48 | mg/kg | 1 | 07/20/10 | 07/21/10 JM | SW846 6010B ² | SW846 3050B ⁶ |
| Lead | 8.1 | 4.8 | mg/kg | 1 | 07/20/10 | 07/21/10 JM | SW846 6010B ² | SW846 3050B ⁶ |
| Mercury | < 0.11 | 0.11 | mg/kg | 1 | 07/19/10 | 07/20/10 RN | SW846 7471A ¹ | SW846 7471A ⁵ |
| Nickel | 11.5 | 2.9 | mg/kg | 1 | 07/20/10 | 07/21/10 JM | SW846 6010B ² | SW846 3050B ⁶ |
| Selenium | < 4.8 | 4.8 | mg/kg | 1 | 07/20/10 | 07/21/10 JM | SW846 6010B ² | SW846 3050B ⁶ |
| Silver | < 2.9 | 2.9 | mg/kg | 1 | 07/20/10 | 07/21/10 JM | SW846 6010B ² | SW846 3050B ⁶ |
| Zinc | 37.4 | 2.9 | mg/kg | 1 | 07/20/10 | 07/21/10 JM | SW846 6010B ² | SW846 3050B ⁶ |

(1) Instrument QC Batch: MA836

(2) Instrument QC Batch: MA839

(3) Instrument QC Batch: MA842

(4) Instrument QC Batch: MA844

(5) Prep QC Batch: MP2348

(6) Prep QC Batch: MP2365

(7) Prep QC Batch: MP2366

RL = Reporting Limit

Report of Analysis

Page 1 of 1

**Client Sample ID:** RMV 76-27/B-1**Lab Sample ID:** D15263-2**Matrix:** SO - Soil**Project:** RMV 76-27**Date Sampled:** 07/15/10**Date Received:** 07/16/10**Percent Solids:** 98.2

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|---------|--------|------|-------|----|----------|-------------|-------------------------|--------------------------|
| Arsenic | 7.0 | 0.36 | mg/kg | 5 | 07/20/10 | 07/22/10 GJ | SW846 6020 ¹ | SW846 3050B ² |

(1) Instrument QC Batch: MA842

(2) Prep QC Batch: MP2366

RL = Reporting Limit

Report of Analysis

Page 1 of 1

3.4

3

| | | | |
|--------------------------|---------------|------------------------|----------|
| Client Sample ID: | RMV 76-27/B-2 | Date Sampled: | 07/15/10 |
| Lab Sample ID: | D15263-3 | Date Received: | 07/16/10 |
| Matrix: | SO - Soil | Percent Solids: | 98.2 |
| Project: | RMV 76-27 | | |

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|---------|--------|------|-------|----|----------|-------------|-------------------------|--------------------------|
| Arsenic | 6.8 | 0.34 | mg/kg | 5 | 07/20/10 | 07/22/10 GJ | SW846 6020 ¹ | SW846 3050B ² |

(1) Instrument QC Batch: MA842

(2) Prep QC Batch: MP2366

RL = Reporting Limit

Report of Analysis

Page 1 of 1

3.5

3

Client Sample ID: RMV 76-27/B-3**Lab Sample ID:** D15263-4**Matrix:** SO - Soil**Project:** RMV 76-27**Date Sampled:** 07/15/10**Date Received:** 07/16/10**Percent Solids:** 97.2

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|---------|--------|------|-------|----|----------|-------------|-------------------------|--------------------------|
| Arsenic | 6.6 | 0.40 | mg/kg | 5 | 07/20/10 | 07/22/10 GJ | SW846 6020 ¹ | SW846 3050B ² |

(1) Instrument QC Batch: MA842

(2) Prep QC Batch: MP2366

RL = Reporting Limit

Report of Analysis

Page 1 of 1

3.6

3

| | | | |
|--------------------------|---------------|------------------------|----------|
| Client Sample ID: | RMV 76-27/B-4 | Date Sampled: | 07/15/10 |
| Lab Sample ID: | D15263-5 | Date Received: | 07/16/10 |
| Matrix: | SO - Soil | Percent Solids: | 96.2 |
| Project: | RMV 76-27 | | |

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|---------|--------|------|-------|----|----------|-------------|-------------------------|--------------------------|
| Arsenic | 8.3 | 0.42 | mg/kg | 5 | 07/20/10 | 07/22/10 GJ | SW846 6020 ¹ | SW846 3050B ² |

(1) Instrument QC Batch: MA842

(2) Prep QC Batch: MP2366

RL = Reporting Limit

Report of Analysis

Page 1 of 1

3.7
3**Client Sample ID:** RMV 76-27/B-5**Lab Sample ID:** D15263-6**Matrix:** SO - Soil**Project:** RMV 76-27**Date Sampled:** 07/15/10**Date Received:** 07/16/10**Percent Solids:** 96.7

Metals Analysis

| Analyte | Result | RL | Units | DF | Prep | Analyzed By | Method | Prep Method |
|---------|--------|------|-------|----|----------|-------------|-------------------------|--------------------------|
| Arsenic | 6.5 | 0.38 | mg/kg | 5 | 07/20/10 | 07/22/10 GJ | SW846 6020 ¹ | SW846 3050B ² |

(1) Instrument QC Batch: MA842

(2) Prep QC Batch: MP2366

RL = Reporting Limit



Legend

- Sample Location
- Existing Road
- Existing Pad
- Limit of Disturbance

RMV 76-27
Arsenic Background Sample Location Map
T6S R94W, Section 27

July 30, 2010

