



SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form.) Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b.)

1. OGCC Operator Number: <u>96850</u>		4. Contact Name: <u>Karolina Blaney</u>	
2. Name of Operator: <u>Williams Production RMT</u>		Phone: <u>970 684 2295</u>	
3. Address: <u>1058 County Road 215</u>		Fax: <u>970 285 9573</u>	
City: <u>Parachute</u> State: <u>CO</u> Zip: <u>81635</u>		OP OGCC	
5. API Number: <u>05-045-10144-00</u>		OGCC Facility ID Number: _____	
6. Well/Facility Name: <u>Federal</u>		7. Well/Facility Number: <u>PA 13-28</u>	
8. Location (Qtr/Sec, Twp, Rng, Meridian): <u>SWSW 28-T6S-R9SW</u>		Survey Plat: _____	
9. County: <u>Garfield</u>		Directional Survey: _____	
10. Field Name: <u>Parachute</u>		Surface Expt Diagram: _____	
11. Federal, Indian or State Lease Number: _____		Technical Info Page: <input checked="" type="checkbox"/>	
		Other: <input checked="" type="checkbox"/>	

Complete the Attachment Checklist

OP OGCC

General Notice

<input type="checkbox"/> CHANGE OF LOCATION: Attach New Survey Plat (a change of surface qtr/qtr is substantive and requires a new permit)	
Change of Surface Footage from Exterior Section Lines:	<input type="checkbox"/> FNU/SSL <input type="checkbox"/> FEL/FWL
Change of Surface Footage to Exterior Section Lines:	<input type="checkbox"/>
Change of Bottomhole Footage from Exterior Section Lines:	<input type="checkbox"/>
Change of Bottomhole Footage to Exterior Section Lines:	<input type="checkbox"/> attach directional survey
Bottomhole location Qtr/Sec, Twp, Rng, Mer: _____	
Latitude: _____	Distance to nearest bldg, public rd, utility or RR: _____
Longitude: _____	Distance to nearest lease line: _____
Ground Elevation: _____	Is location in a High Density Area (rule 603b)? Yes/No: <input type="checkbox"/>
Distance to nearest well same formation: _____	
Surface owner consultation date: _____	
GPS DATA: _____	
Date of Measurement: _____ PDOP Reading: _____ Instrument Operator's Name: _____	
<input type="checkbox"/> CHANGE SPACING UNIT	
Formation: _____	Formation Code: _____
Spacing order number: _____	Unit Acreage: _____
Unit configuration: _____	<input type="checkbox"/> Remove from surface bond
Signed surface use agreement attached: _____	
<input type="checkbox"/> CHANGE OF OPERATOR (prior to drilling):	
Effective Date: _____	
Plugging Bond: <input type="checkbox"/> Blanket <input type="checkbox"/> Individual	
<input type="checkbox"/> CHANGE WELL NAME	
From: _____	
To: _____	
Effective Date: _____	
<input type="checkbox"/> ABANDONED LOCATION:	
Was location ever built? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Is site ready for inspection? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date Ready for inspection: _____	
<input type="checkbox"/> NOTICE OF CONTINUED SHUT IN STATUS	
Date well shut in or temporarily abandoned: _____	
Has Production Equipment been removed from site? <input type="checkbox"/> Yes <input type="checkbox"/> No	
MIT required if shut in longer than two years. Date of last MIT: _____	
<input type="checkbox"/> SPUD DATE: _____	
<input type="checkbox"/> REQUEST FOR CONFIDENTIAL STATUS (6 mos from date casing set)	
<input type="checkbox"/> SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK	
*submit cbl and cement job summaries	
Method used: _____	Cementing tool setting/perf depth: _____
Cement volume: _____	Cement top: _____
Cement bottom: _____	Date: _____
<input type="checkbox"/> RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004.	
Final reclamation will commence on approximately: _____	
<input type="checkbox"/> Final reclamation is completed and site is ready for inspection.	

Technical Engineering/Environmental Notice

<input type="checkbox"/> Notice of Intent	
Approximate Start Date: _____	
<input type="checkbox"/> Report of Work Done	
Date Work Completed: _____	
Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)	
<input type="checkbox"/> Intent to Recomplete (submit form 2)	<input type="checkbox"/> Request to Vent or Flare
<input type="checkbox"/> Change Drilling Plans	<input type="checkbox"/> Repair Well
<input type="checkbox"/> Gross Interval Changed?	<input type="checkbox"/> Rule 502 variance requested
<input type="checkbox"/> Casing/Cementing Program Change	<input checked="" type="checkbox"/> Other: <u>Background</u>
<input type="checkbox"/> E&P Waste Disposal	<input type="checkbox"/> Beneficial Reuse of E&P Waste
<input type="checkbox"/> Status Update/Change of Remediation Plans	<input type="checkbox"/> for Spills and Releases

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Greg Davis Date: 8/3/10 Email: Greg.J.Davis@Williams.com
Print Name: Greg Davis Title: Supervisor Permits

OGCC Approved: Chris Canfield Title: for Chris Canfield Date: 10/01/2010
CONDITIONS OF APPROVAL, IF ANY: EPS

TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

1. OGCC Operator Number: 96850 API Number: 05-045-10144-00
2. Name of Operator: Williams Production RMT OGCC Facility ID #
3. Well/Facility Name: Federal Well/Facility Number: PA 13-28
4. Location (QtrQtr, Sec, Twp, Rng, Meridian): SWSW 28-T6S-R95W

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5. **DESCRIBE PROPOSED OR COMPLETED OPERATIONS**

This COGCC Form 4 is being submitted as a request to meet the background concentration levels for arsenic at the PA 13-28 pad in accordance with footnote 1 to the COGCC table 910-1.

The request is based on the analytical results presented below (see attached laboratory report).

One composite sample was collected from three separate locations within the pit to determine the arsenic concentration in the cuttings.

PA 13-28 (cuttings) - 16.8 mg/kg

Five grab samples were collected from nearby non-impacted, native soil to establish the background arsenic concentrations.

PA 13-28-B-1 - 14.5 mg/kg

PA 13-28-B-2 - 10.0 mg/kg

PA 13-28-B-3 - 14.6 mg/kg

PA 13-28-B-4 - 9.5 mg/kg

PA 13-28-B-5 - 12.4 mg/kg

Williams is requesting this approval in order to proceed with closure and reclamation of the cuttings trench located on the PA 13-28 well pad.

Report of Analysis

Client Sample ID:	PA13-28	Date Sampled:	06/23/10
Lab Sample ID:	D14581-1	Date Received:	06/24/10
Matrix:	SO - Soil	Percent Solids:	84.7
Project:	PA 13-28		

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	16.8	0.36	mg/kg	5	07/07/10	07/07/10 GJ	SW846 6020 ³	SW846 3050B ⁶
Barium	6730	4.5	mg/kg	5	07/07/10	07/08/10 SH	SW846 6010B ²	SW846 3050B ⁵
Cadmium	< 0.91	0.91	mg/kg	1	07/07/10	07/08/10 SH	SW846 6010B ²	SW846 3050B ⁵
Chromium	18.6	0.91	mg/kg	1	07/07/10	07/08/10 SH	SW846 6010B ²	SW846 3050B ⁵
Copper	26.0	1.4	mg/kg	1	07/07/10	07/08/10 SH	SW846 6010B ²	SW846 3050B ⁵
Lead	13.5	4.5	mg/kg	1	07/07/10	07/08/10 SH	SW846 6010B ²	SW846 3050B ⁵
Mercury	< 0.12	0.12	mg/kg	1	07/01/10	07/01/10 RN	SW846 7471A ¹	SW846 7471A ⁴
Nickel	16.5	2.7	mg/kg	1	07/07/10	07/08/10 SH	SW846 6010B ²	SW846 3050B ⁵
Selenium	< 4.5	4.5	mg/kg	1	07/07/10	07/08/10 SH	SW846 6010B ²	SW846 3050B ⁵
Silver	< 2.7	2.7	mg/kg	1	07/07/10	07/08/10 SH	SW846 6010B ²	SW846 3050B ⁵
Zinc	59.3	2.7	mg/kg	1	07/07/10	07/08/10 SH	SW846 6010B ²	SW846 3050B ⁵

(1) Instrument QC Batch: MA792

(2) Instrument QC Batch: MA806

(3) Instrument QC Batch: MA807

(4) Prep QC Batch: MP2235

(5) Prep QC Batch: MP2256

(6) Prep QC Batch: MP2257

RL = Reporting Limit

Report of Analysis

Page 1 of 1

3.3

3

Client Sample ID: PA13-28/B-1**Lab Sample ID:** D14581-2**Matrix:** SO - Soil**Project:** PA 13-28**Date Sampled:** 06/23/10**Date Received:** 06/24/10**Percent Solids:** 97.8

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	14.5	0.34	mg/kg	5	07/07/10	07/07/10 GJ	SW846 6020 ¹	SW846 3050B ²

(1) Instrument QC Batch: MA807

(2) Prep QC Batch: MP2257

RL = Reporting Limit

Report of Analysis

Page 1 of 1

3.4

3

Client Sample ID: PA13-28/B-2**Lab Sample ID:** D14581-3**Matrix:** SO - Soil**Project:** PA 13-28**Date Sampled:** 06/23/10**Date Received:** 06/24/10**Percent Solids:** 98.1

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	10.0	0.30	mg/kg	5	07/07/10	07/07/10 GJ	SW846 6020 ¹	SW846 3050B ²

(1) Instrument QC Batch: MA807

(2) Prep QC Batch: MP2257

RL = Reporting Limit

Report of Analysis

Page 1 of 1

3.5

3

Client Sample ID: PA13-28/B-3**Lab Sample ID:** D14581-4**Matrix:** SO - Soil**Project:** PA 13-28**Date Sampled:** 06/23/10**Date Received:** 06/24/10**Percent Solids:** 97.7

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	14.6	0.33	mg/kg	5	07/07/10	07/07/10 GJ	SW846 6020 ¹	SW846 3050B ²

(1) Instrument QC Batch: MA807

(2) Prep QC Batch: MP2257

RL = Reporting Limit

Report of Analysis

Page 1 of 1

3.6

3

Client Sample ID: PA13-28/B-4**Lab Sample ID:** D14581-5**Matrix:** SO - Soil**Project:** PA 13-28**Date Sampled:** 06/23/10**Date Received:** 06/24/10**Percent Solids:** 97.2

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	9.5	0.34	mg/kg	5	07/07/10	07/07/10 GJ	SW846 6020 ¹	SW846 3050B ²

(1) Instrument QC Batch: MA807

(2) Prep QC Batch: MP2257

RL = Reporting Limit

Report of Analysis

Page 1 of 1

3.7

3

Client Sample ID: PA13-28/B-5**Lab Sample ID:** D14581-6**Matrix:** SO - Soil**Project:** PA 13-28**Date Sampled:** 06/23/10**Date Received:** 06/24/10**Percent Solids:** 96.9

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	12.4	0.34	mg/kg	5	07/07/10	07/07/10 GJ	SW846 6020 ¹	SW846 3050B ²

(1) Instrument QC Batch: MA807

(2) Prep QC Batch: MP2257

RL = Reporting Limit



Legend

- Sample Location
- Existing Road
- Existing Pad
- Limit of Disturbance

PA 13-28
Arsenic Background Sample Location Map
T6S R95W, Section 28

July 30, 2010

