

Antero Resources Pro Water System 7/27/2010 Spill: Robinson A Pad to River Ranch A Pad Pipeline Segment

| | Parameter | Diesel Range Organics | Gasoline Range Organics | Benzene | Ethylbenzene | m,p-Xylene | o-Xylene (ug/L) | Toluene | Xylenes, Total | Chloride |
|-------------------------|--------------|-----------------------|-------------------------|---------|--------------|------------|-----------------|---------|----------------|----------|
| Sample Location | Date Sampled | (mg/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | | (ug/L) | (ug/L) | (mg/L) |
| Groundwater Seep 1 | | | | | | | | | | |
| | 7/28/2010 | 4.1 | 2200 | 310 | 30 | 220 | 30 | 170 | 250 | 120 |
| | 7/29/2010 | | | 630 | 180 | 2500 | 460 | 1700 | 2900 | 140 |
| | 7/30/2010 | | | 1600 | 180 | 2800 | 560 | 4100 | 3400 | 170 |
| | 8/2/2010 | | | 340 | 43 | 350 | 32 | 200 | 390 | 140 |
| | 8/3/2010 | | | 280 | 6.3 | 280 | 42 | 120 | 320 | 140 |
| | 8/4/2010 | | | 390 | 50 | 640 | 54 | 320 | 720 | 150 |
| | 8/5/2010 | | | 350 | 61 | 280 | 71 | 130 | 310 | 150 |
| | 8/6/2010 | | | 300 | 42 | 230 | 23 | 120 | 260 | 140 |
| | 8/9/2010 | | | 650 | 89 | 2800 | 490 | 1500 | 3300 | 160 |
| | 8/17/2010 | | | 320 | 42 | 210 | 13 | 50 | 220 | 160 |
| | 8/21/2010 | | | 85 | 27 | 160 | 14 | 54 | 170 | 160 |
| | 8/27/2010 | | | 370 | 42 | 320 | 55 | 210 | 380 | 160 |
| | 8/28/2010 | | | 92 | 47 | 400 | 58 | 210 | 460 | 160 |
| | 8/29/2010 | | | 430 | 110 | 360 | 190 | 160 | 410 | 170 |
| | 8/31/2010 | | | 330 | 53 | 400 | 46 | 160 | 450 | 170 |
| | 9/3/2010 | | | 110 | 24 | 160 | 7.1 | 5.3 | 170 | 160 |
| | 9/11/2010 | | | 64 | 15 | 61 | 1.1 | 1.7 | 62 | 170 |
| | 9/16/2010 | | | 75 | 15 | 58 | 1.2 | 1.8 | 59 | 170 |
| | 9/24/2010 | | | 110 | 13 | 55 | <5.0 | <5.0 | 55 | 170 |
| 9/30/2010 | | | 130 | 14 | 52 | <1.0 | 2.2 | 53 | 180 | |
| 10/8/2010 | | | 110 | 14 | 47 | 1 | 1 | 48 | 190 | |
| | | | | | | | | | | |
| Groundwater Seep 2 | | | | | | | | | | |
| | 7/28/2010 | | 3800 | 850 | 22 | 430 | 120 | 750 | 550 | 160 |
| | 7/29/2010 | | | NS | NS | NS | NS | NS | NS | NS |
| | 7/30/2010 | | | NS | NS | NS | NS | NS | NS | NS |
| | 8/2/2010 | | | 700 | 20 | 340 | 72 | 130 | 390 | 170 |
| | 8/3/2010 | | | 660 | <1.0 | 510 | 92 | 69 | 600 | 170 |
| | 8/4/2010 | | | 910 | 24 | 420 | 63 | 99 | 480 | 170 |
| | 8/5/2010 | | | 500 | 18 | 250 | 38 | 36 | 270 | 180 |
| | 8/6/2010 | | | 870 | 260 | 3800 | 800 | 1200 | 4700 | 160 |
| | 8/9/2010 | | | 1500 | 840 | 1300 | 2100 | 6600 | 16000 | 170 |
| | 8/17/2010 | | | 850 | 110 | 1300 | 270 | 1000 | 1600 | 190 |
| | 8/21/2010 | | | 1500 | 190 | 2200 | 390 | 2800 | 2600 | 610 |
| | 8/27/2010 | | | 1500 | 190 | 2800 | 620 | 3200 | 3400 | 180 |
| | 8/28/2010 | | | 1800 | 160 | 2300 | 460 | 3400 | 2800 | 180 |
| | 8/29/2010 | | | 1200 | 110 | 1900 | 370 | 1700 | 2200 | 180 |
| | 8/31/2010 | | | 1200 | 37 | 1100 | 180 | 880 | 1200 | 190 |
| | 9/3/2010 | | | 400 | 12 | 280 | 38 | 81 | 320 | 190 |
| | 9/11/2010 | | | 480 | 36 | 310 | 20 | 40 | 330 | 180 |
| | 9/16/2010 | | | 600 | 40 | 310 | 11 | 16 | 320 | 190 |
| | 9/24/2010 | | | 170 | <5.0 | 87 | 11 | 8 | 97 | 180 |
| 9/30/2010 | | | 410 | 37 | 290 | 36 | 54 | 320 | 190 | |
| 10/8/2010 | | | 390 | 31 | 210 | 12 | 9.6 | 220 | 190 | |
| | | | | | | | | | | |
| Groundwater Seep 3 | | | | | | | | | | |
| | 7/28/2010 | | <200 | 10 | 4.2 | 3.5 | <1.0 | <1.0 | 3.5 | 170 |
| | 7/29/2010 | | | 12 | 3.8 | 2.8 | <1.0 | <1.0 | <3.0 | 180 |
| | 7/30/2010 | | | 14 | 6.5 | 15 | 1.8 | 2 | 17 | 180 |
| | 8/2/2010 | | | 17 | 7.1 | 7.5 | <1.0 | 1.2 | 7.5 | 180 |
| | 8/3/2010 | | | 15 | 5.3 | 5.8 | <1.0 | 2.4 | 6.1 | 190 |
| | 8/4/2010 | | | 21 | 6.8 | 7.5 | <1.0 | 4.1 | 8.4 | 190 |
| | 8/5/2010 | | | 20 | 6.9 | 7.1 | <1.0 | 4.1 | 8 | 190 |
| | 8/6/2010 | | | 24 | 7.7 | 9.6 | 1.2 | 7.5 | 11 | 170 |
| | 8/9/2010 | | | 28 | 5.9 | 11 | 2 | 17 | 13 | 170 |
| | 8/17/2010 | | | 60 | 8.9 | 33 | 7.2 | 28 | 41 | 190 |
| | 8/21/2010 | | | 49 | 8.1 | 39 | 4.8 | 10 | 44 | 190 |
| | 8/27/2010 | | | 91 | 9.5 | 47 | 3.2 | 5.8 | 50 | 180 |
| | 8/28/2010 | | | 85 | 9.5 | 49 | 3.7 | 7.4 | 53 | 190 |
| | 8/29/2010 | | | 78 | 9 | 44 | 2.9 | 5.5 | 47 | 190 |
| | 8/31/2010 | | | 82 | 11 | 47 | 2.3 | 8.9 | 50 | 190 |
| | 9/3/2010 | | | 55 | 8.1 | 31 | 1.7 | 4.2 | 32 | 190 |
| | 9/11/2010 | | | 38 | 7.3 | 17 | <1.0 | <1.0 | 17 | 190 |
| | 9/16/2010 | | | 60 | 13 | 30 | <1.0 | <1.0 | 30 | 190 |
| | 9/24/2010 | | | 22 | 4.8 | 10 | <1.0 | <1.0 | 10 | 190 |
| 9/30/2010 | | | 47 | 9.0 | 19 | <1.0 | <1.0 | 19 | 190 | |
| 10/8/2010 | | | 13 | 3.2 | 6.4 | <1.0 | <1.0 | 6.4 | 190 | |
| | | | | | | | | | | |
| Seep 4 | 8/3/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 200 |
| | 8/4/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 200 |
| | 8/5/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 200 |
| | 8/6/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 8/9/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 8/21/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | 8/27/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | 9/11/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 9/16/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | 9/24/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | 9/30/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | 10/8/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | | | | | | | | | | |
| Seep 5 | 8/3/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 110 |
| | 8/4/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 150 |
| | 8/5/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 140 |
| | 8/6/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 120 |
| | 8/9/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 120 |
| | 8/21/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 150 |
| | 9/11/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 160 |
| | | | | | | | | | | |
| Seep 6 | 8/3/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 160 |
| | 7/27/2010 | 53 | 26,000 | 920 | 500 | 7200 | 1500 | 5800 | 8600 | 160 |
| | | | | | | | | | | |
| Produced Water Seep DG1 | 7/27/2010 | 83.4 | <200 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 7/28/2010 | | <200 | 6.9 | <1.0 | 8 | 2 | 6.8 | 10 | 170 |
| | 7/29/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 7/30/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 7/31/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 8/2/2010 | | | | | | | | | 180 |
| | 8/3/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 8/4/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 230 |

| Antero Resources Pro Water System 7/27/2010 Spill: Robinson A Pad to River Ranch A Pad Pipeline Segment | | | | | | | | | | |
|---|------------------------|-----------------------|-------------------------|-------------|--------------|------------|-----------------|-----------|----------------|------------|
| | Parameter | Diesel Range Organics | Gasoline Range Organics | Benzene | Ethylbenzene | m,p-Xylene | o-Xylene (ug/L) | Toluene | Xylenes, Total | Chloride |
| Sample Location | Date Sampled | (mg/L) | (ug/L) | (ug/L) | (ug/L) | (ug/L) | | (ug/L) | (ug/L) | (mg/L) |
| | 8/5/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 8/6/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 160 |
| | 8/9/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 160 |
| | 8/21/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 8/27/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 170 |
| | 8/28/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 170 |
| | 8/29/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 170 |
| | 8/31/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 170 |
| | 9/3/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | 9/11/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 170 |
| | 9/24/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 170 |
| DG2 | 9/30/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 170 |
| | 7/30/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 120 |
| | 7/31/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 130 |
| | 8/2/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 130 |
| | 8/4/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 130 |
| | 8/5/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 130 |
| | 8/6/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 120 |
| | 8/9/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 120 |
| | 8/21/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 140 |
| Pond 1 | 9/11/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 140 |
| | 7/27/2010 | <0.10 | <200 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 7/28/2010 | | <200 | 2.2 | <1.0 | 2.1 | <1.0 | 1.3 | <3.0 | 180 |
| | 7/29/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 7/30/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 170 |
| | 7/31/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 8/2/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 8/4/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 8/5/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 8/6/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 8/9/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 160 |
| Pond 2 | 8/21/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 9/11/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 170 |
| | 7/27/2010 | <0.10 | <200 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | 7/28/2010 | | <200 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 7/30/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 7/31/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 8/2/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 8/4/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 8/5/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | 8/6/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 170 |
| | 8/9/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 170 |
| Pond 3 (Outlet Pond) | 8/21/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | 9/11/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 180 |
| | 7/30/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 160 |
| | 8/3/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 160 |
| | 8/4/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 150 |
| | 8/5/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 160 |
| | 8/6/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 140 |
| | 8/9/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 140 |
| | 8/17/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 160 |
| | 8/21/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 160 |
| | 8/27/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 150 |
| Check Dam | 8/28/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 160 |
| | 8/29/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 160 |
| | 8/31/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 160 |
| | 9/3/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 160 |
| | 9/11/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | 9/16/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | 9/24/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | 9/30/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | 10/8/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 190 |
| | 7/31/2010 | | | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <3.0 | 130 |
| | MCL for drinking water | | _____ | _____ | 5 | 700 | ___ | ___ | 560 ug/L | 1,400 ug/L |
| West Field North Soil | 7/30/2010 | 39 mg/kg | <2,800 ug/kg | <24 ug/kg | <17 ug/kg | <22 ug/kg | <17 ug/kg | <16 ug/kg | <39 ug/kg | |
| West Field South (soil) | 7/30/2010 | 48 mg/kg | <2,800 ug/kg | <24 ug/kg | <17 ug/kg | <22 ug/kg | <17 ug/kg | <16 ug/kg | <39 ug/kg | |
| S.W. Field 1 (soil) | 7/30/2010 | 25 mg/kg | <2,700 ug/kg | <23 ug/kg | <16 ug/kg | <21 ug/kg | <17 ug/kg | <16 ug/kg | <38 ug/kg | |
| S.W. Field 2 (soil) | 7/30/2010 | 95 mg/kg | <2,700 ug/kg | <23 ug/kg | <16 ug/kg | <21 ug/kg | <17 ug/kg | <16 ug/kg | <38 ug/kg | |
| South Field (soil) | 7/30/2010 | 140 mg/kg | <2600 ug/kg | <22 ug/kg | <15 ug/kg | <20 ug/kg | <16 ug/kg | <15 ug/kg | <35 ug/kg | |
| Water Line Trench (soil) | 8/5/2010 | 8700 mg/kg | 580 mg/kg | 0.120 mg/kg | 0.580 mg/kg | 57.0 mg/kg | 11.0 mg/kg | 2.4 mg/kg | 68.0 mg/kg | |
| Table 910-1 Standards (soil) | | Combined to 500 mg/kg | | 0.17 mg/kg | 100 mg/kg | _____ | _____ | 85 mg/kg | 175 mg/kg | |

*MCL: Maximum Contaminate Level
 *NS: Not Sampled

Antero Resources Pro Water System 7/27/2010 Spill: Robinson A Pad to River Ranch A Pad Pipeline Segment

| | Parameter | Total Dissolved | Calcium | Iron (mg/L) | Magnesium | Manganese | Potassium | Sodium (mg/L) | Bromide | Chloride | Fluoride | Nitrate | Nitrite | Sulfate | Nitrogen, |
|----------------------|--------------|-----------------|---------|-------------|-----------|-----------|-----------|---------------|---------|----------|----------|---------|---------|---------|-----------------|
| Sample Location | Date Sampled | Solids (mg/L) | (mg/L) | | (mg/L) | (mg/L) | (mg/L) | | (mg/L) | (mg/l) | (mg/L) | (mg/L) | (mg/L) | (mg/L) | Nitrate-Nitrite |
| Seep 1 | 8/21/2010 | | 85 | 1.7 | 32 | 0.95 | 4.8 | 180 | 0.26 | 160 | 0.51 | 0.028 | <0.020 | 170 | 0.028 |
| | 8/27/2010 | | 81 | 0.32 | 29 | 0.94 | 4.8 | 180 | 0.24 | 160 | 0.53 | <0.020 | <0.020 | 190 | <0.020 |
| | 8/28/2010 | | 92 | <0.80 | 35 | 1.1 | 5.9 | 200 | 0.26 | 160 | 0.51 | <0.020 | <0.020 | 190 | <0.020 |
| | 8/29/2010 | | 92 | 0.83 | 34 | 1.1 | 5.4 | 190 | 0.23 | 170 | 0.62 | <0.020 | <0.020 | 190 | <0.020 |
| | 8/31/2010 | | 88 | <0.80 | 32 | 0.76 | 6.2 | 180 | 0.26 | 170 | 0.51 | <0.020 | <0.020 | 190 | <0.020 |
| | 9/3/2010 | | 86 | <0.80 | 31 | 0.71 | 4.6 | 160 | 0.26 | 160 | 0.46 | <0.020 | <0.020 | 200 | <0.020 |
| | 9/11/2010 | 930 | 90 | <0.80 | 33 | 0.97 | 5.4 | 180 | 0.18 | 170 | 0.43 | <0.020 | <0.020 | 220 | <0.020 |
| | 9/16/2010 | 960 | 91 | 0.18 | 33 | 0.8 | 5.2 | 180 | 0.24 | 170 | 0.48 | <0.020 | <0.020 | 230 | <0.020 |
| | 9/24/2010 | 1000 | 97 | 0.19 | 36 | 1.2 | 5.2 | 190 | 0.2 | 170 | 0.48 | <0.020 | <0.020 | 250 | <0.020 |
| | 9/30/2010 | 1000 | 96 | 0.17 | 35 | 1.0 | 5.4 | 190 | 0.25 | 180 | 0.46 | <0.020 | <0.020 | 260 | <0.020 |
| | 10/8/2010 | 1100 | 110 | <0.08 | 37 | 1.1 | 6.1 | 200 | 0.14 | 190 | 0.46 | <0.020 | <0.020 | 300 | <0.020 |
| Seep 3 | 8/27/2010 | | 100 | 0.29 | 39 | 1.2 | 5.6 | 250 | 0.26 | 180 | 0.51 | <0.020 | <0.020 | 310 | <0.020 |
| Outlet Pond (Pond 3) | | | | | | | | | | | | | | | |
| | 8/21/2010 | | 77 | <0.80 | 40 | 0.046 | 5 | 200 | 0.18 | 160 | 0.46 | <0.020 | <0.020 | 300 | <0.020 |
| | 8/27/2010 | | 61 | <0.80 | 27 | 0.026 | 4.3 | 160 | 0.16 | 150 | 0.38 | <0.020 | <0.020 | 220 | <0.020 |
| | 8/28/2010 | | 73 | <0.80 | 36 | <0.025 | 5.1 | 190 | 0.19 | 160 | 0.49 | <0.020 | <0.020 | 280 | <0.020 |
| | 8/29/2010 | | 28 | <0.80 | 31 | <0.025 | 4.7 | 170 | 0.18 | 150 | 0.46 | <0.020 | <0.020 | 220 | <0.020 |
| | 8/31/2010 | | 69 | <0.80 | 30 | 0.015 | 5.6 | 160 | 0.14 | 160 | 0.45 | <0.020 | <0.020 | 250 | <0.020 |
| | 9/3/2010 | | 70 | <0.80 | 33 | <0.005 | 4.4 | 170 | 0.15 | 160 | 0.42 | <0.020 | <0.020 | 260 | <0.020 |
| | 9/11/2010 | 920 | 70 | <0.80 | 33 | <0.005 | 5.4 | 180 | 0.2 | 170 | 0.44 | <0.020 | <0.020 | 280 | <0.020 |
| | 9/16/2010 | 850 | 74 | <0.80 | 32 | <0.005 | 4.9 | 170 | 0.18 | 160 | 0.41 | <0.020 | <0.020 | 260 | <0.020 |
| | 9/24/210 | 930 | 73 | <0.16 | 34 | <0.010 | 4.8 | 180 | 0.2 | 160 | 0.47 | <0.020 | <0.020 | 270 | <0.020 |
| | 9/30/2010 | 890 | 70 | <0.080 | 31 | 0.006 | 5.0 | 160 | 0.19 | 160 | 0.47 | <0.020 | <0.020 | 260 | <0.020 |
| | 10/8/2010 | 870 | 80 | <.08 | 32 | <.005 | 5.5 | 180 | 0.13 | 170 | 0.39 | <0.020 | <0.020 | 260 | <0.020 |