

Map Unit Description

Weld County, Colorado, Northern Part

62 Stoneham fine sandy loam, 6 to 9 percent slopes

Setting

Elevation: 4000 to 6500 feet
Mean annual precipitation: 12 to 16 inches
Mean annual air temperature: 48 to 52 degrees F
Frost-free period: 130 to 170 days

Composition

Stoneham and similar soils: 85 percent
Minor components: 15 percent

Description of Stoneham

Setting

Landform: Plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Calcareous loamy alluvium

Properties and Qualities

Slope: 6 to 9 percent
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately high or high (0.60 to 2.00 in/hr)
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate maximum: 15 percent
Gypsum maximum: 0 percent
Available water capacity: Moderate (about 6.7 inches)

Interpretive Groups

Land capability classification (irrigated): 6e
Land capability (non irrigated): 6e
Ecological site: Loamy Plains (R067BY002CO)

Typical Profile

0 to 5 inches: fine sandy loam
5 to 8 inches: clay loam
8 to 14 inches: loam
14 to 60 inches: sandy loam, gravelly sandy loam

Minor Components

Otero

Percent of map unit: 5 percent

Mitchell

Percent of map unit: 5 percent

Kim

Percent of map unit: 5 percent

Rangeland Productivity and Plant Composition

Weld County, Colorado, Northern Part

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/Ac</i>	<i>Lb/Ac</i>	<i>Lb/Ac</i>		<i>Pct</i>
62:						
Stoneham	Loamy Plains	1,300	800	-500	Western wheatgrass	10
					Needleandthread	5
					Sand dropseed	5
					Sideoats grama	5

Map Unit Description

Weld County, Colorado, Northern Part

4 Ascalon fine sandy loam, 0 to 6 percent slopes

Setting

Elevation: 4500 to 6500 feet
Mean annual precipitation: 13 to 17 inches
Mean annual air temperature: 46 to 57 degrees F
Frost-free period: 130 to 160 days

Composition

Ascalon and similar soils: 85 percent
Minor components: 15 percent

Description of Ascalon

Setting

Landform: Plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Calcareous loamy alluvium

Properties and Qualities

Slope: 0 to 6 percent
Drainage class: Well drained
Capacity of the most limiting layer to transmit water (Ksat): Moderately high or high (0.60 to 2.00 in/hr)
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate maximum: 10 percent
Gypsum maximum: 0 percent
Available water capacity: Moderate (about 6.9 inches)

Interpretive Groups

Land capability classification (irrigated): 3e
Land capability (non irrigated): 3e
Ecological site: Loamy Plains (R067BY002CO)

Typical Profile

0 to 8 inches: fine sandy loam
8 to 22 inches: sandy clay loam
22 to 60 inches: sandy loam

Minor Components

Olney

Percent of map unit: 8 percent

Otero

Percent of map unit: 7 percent

Rangeland Productivity and Plant Composition

Weld County, Colorado, Northern Part

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/Ac	Lb/Ac	Lb/Ac		Pct
4:						
Ascalon	Loamy Plains	1,700	1,200	750	Western wheatgrass	20
					Needleandthread	5
					Sideoats grama	3