

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 201, Denver, Colorado 80202 Phone: (303)294-2100 Fax: (303)294-2109



SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form). Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b)

Location ID #

334690

1. OGCC Operator Number: 96850	4. Contact Name: Karolina Blaney	Complete the Attachment Checklist
2. Name of Operator: Williams Production RMT	Phone: 970 684 2285	
3. Address: 1058 County Road 215	Fax: 970 285 9573	OP OGCC
City: Parachute State: CO Zip: 81635		
5. API Number: 05-045-06782	OGCC Facility ID Number: 334690	Survey Plat
6. Well/Facility Name:	7. Well/Facility Number: Quarter Circle 43-33H	Directional Survey
8. Location (QtrQtr, Sec, Twp, Rng, Meridian): NESE-33-6S-94W-W06M		Surface Equest Diagram
9. County: Garfield	10. Field Name: Rullison	Technical Info Page
11. Federal, Indian or State Lease Number:		Other

General Notice

<input type="checkbox"/> CHANGE OF LOCATION: Attach New Survey Plat (a change of surface plat is substantive and requires a new permit)	
Change of Surface Footage from Exterior Section Lines:	<input type="checkbox"/> FULFNL <input type="checkbox"/> FELFNL
Change of Surface Footage to Exterior Section Lines:	<input type="checkbox"/> FULFNL <input type="checkbox"/> FELFNL
Change of Bottomhole Footage from Exterior Section Lines:	<input type="checkbox"/> FULFNL <input type="checkbox"/> FELFNL
Change of Bottomhole Footage to Exterior Section Lines:	<input type="checkbox"/> FULFNL <input type="checkbox"/> FELFNL
Bottomhole location QtrQtr, Sec, Twp, Rng, Mer	
Latitude	Distance to nearest property line
Longitude	Distance to nearest bldg, public rd, utility or RR
Ground Elevation	Is location in a High Density Area (rule 603b)? Yes/No
	Distance to nearest well same formation
	Surface owner consultation date:
GPS DATA: Date of Measurement PDOP Reading Instrument Operator's Name	
<input type="checkbox"/> CHANGE SPACING UNIT	
Formation	Formation Code Spacing order number Unit Acreage Unit configuration
<input type="checkbox"/> Remove from surface bond	
Signed surface use agreement attached	
<input type="checkbox"/> CHANGE OF OPERATOR (prior to drilling):	
Effective Date:	NUMBER
Plugging Bond: <input type="checkbox"/> Blanket <input type="checkbox"/> Individual	From: To: Effective Date:
<input type="checkbox"/> ABANDONED LOCATION:	
Was location ever built? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Is site ready for inspection? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date Ready for Inspection:	
<input type="checkbox"/> NOTICE OF CONTINUED SHUT IN STATUS	
Does well shut in or temporarily abandoned:	
Has Production Equipment been removed from site? <input type="checkbox"/> Yes <input type="checkbox"/> No	
MRT required if shut in longer than two years. Date of last MRT	
<input type="checkbox"/> SPUD DATE:	
<input type="checkbox"/> REQUEST FOR CONFIDENTIAL STATUS (if item from date casing set)	
<input type="checkbox"/> SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK	
Method used Cementing tool setting/peel depth Cement volume Cement top Cement bottom Date	
*submit cbl and cement job summaries	
<input type="checkbox"/> RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004.	
Final reclamation will commence on approximately Final reclamation is completed and site is ready for inspection.	

Technical Engineering/Environmental Notice

<input type="checkbox"/> Notice of Intent		<input type="checkbox"/> Report of Work Done	
Approximate Start Date:		Date Work Completed:	
Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)			
<input type="checkbox"/> Intent to Recomplete (submit form 2)	<input type="checkbox"/> Request to Vent or Flare	<input type="checkbox"/> EAP Waste Disposal	
<input type="checkbox"/> Change Drilling Plans	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of EAP Waste	
<input type="checkbox"/> Gross Interval Changed?	<input type="checkbox"/> Rule 502 variance requested	<input type="checkbox"/> Status Update/Change of Remediation Plans for Spills and Releases	
<input type="checkbox"/> Casing/Cementing Program Change	<input checked="" type="checkbox"/> Other: Background		

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Karolina Blaney

Date: 11/17/2010

Email: Karolina.Blaney@Williams.com

Print Name: Karolina Blaney

Title: Environmental Specialist

OGCC Approved:

Chris Canfield

Title: for Chris Canfield

Date: 11/19/2010

CONDITIONS OF APPROVAL, IF ANY:

EPS NW Region

TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

1. OGCC Operator Number: _____ API Number: _____

2. Name of Operator: _____ OGCC Facility ID # _____

3. Well/Facility Name: _____ Well/Facility Number: _____

4. Location (QtrQtr, Sec, Twp, Rng, Meridian): _____

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5.

DESCRIBE PROPOSED OR COMPLETED OPERATIONS

Report of Analysis

Client Sample ID: QTR.CIRC. 43-33H

Lab Sample ID: T61214-1

Matrix: SO - Soil

Date Sampled: 10/05/10

Date Received: 10/06/10

Percent Solids: 80.1

Project: Qtr.Circle 43-33H, KP 23-25

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic ^a	3.4	0.62	0.14	mg/kg	5	10/12/10	10/15/10 ANJ	SW846 6020A ⁵	SW846 3050B ⁹
Barium ^b	9850	70	0.48	mg/kg	5	10/12/10	10/14/10 TW	SW846 6010B ³	SW846 3050B ⁷
Cadmium	0.61	0.35	0.020	mg/kg	1	10/12/10	10/13/10 TW	SW846 6010B ²	SW846 3050B ⁷
Chromium	21.3	0.70	0.032	mg/kg	1	10/12/10	10/13/10 TW	SW846 6010B ²	SW846 3050B ⁷
Copper	29.9	1.7	0.077	mg/kg	1	10/12/10	10/13/10 TW	SW846 6010B ²	SW846 3050B ⁷
Lead	9.1	0.74	0.30	mg/kg	1	10/15/10	10/15/10 NS	SW846 6010B ⁴	SW846 3050B ⁸
Mercury	0.068	0.020	0.0079	mg/kg	1	10/07/10	10/07/10 CN	SW846 7471A ¹	SW846 7471A ⁶
Nickel	15.3	2.8	0.080	mg/kg	1	10/12/10	10/13/10 TW	SW846 6010B ²	SW846 3050B ⁷
Selenium	0.20 U	0.70	0.20	mg/kg	1	10/12/10	10/13/10 TW	SW846 6010B ²	SW846 3050B ⁷
Silver	0.22 J	0.70	0.081	mg/kg	1	10/12/10	10/13/10 TW	SW846 6010B ²	SW846 3050B ⁷
Zinc	47.5	1.4	0.12	mg/kg	1	10/12/10	10/13/10 TW	SW846 6010B ²	SW846 3050B ⁷

(1) Instrument QC Batch: MA5157

(2) Instrument QC Batch: MA5171

(3) Instrument QC Batch: MA5172

(4) Instrument QC Batch: MA5176

(5) Instrument QC Batch: N:MA25191

(6) Prep QC Batch: MP13052

(7) Prep QC Batch: MP13081

(8) Prep QC Batch: MP13096

(9) Prep QC Batch: N:MP55114

(a) Analysis performed at Accutest Laboratories, Dayton, NJ.

(b) Elevated reporting limit due to sample over calibration range.

RL = Reporting Limit

MDL = Method Detection Limit

U = Indicates a result < MDL

J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	QTR.CIRC. 43-33H-B-1	Date Sampled:	10/05/10
Lab Sample ID:	T61214-2	Date Received:	10/06/10
Matrix:	SO - Soil	Percent Solids:	91.8
Project:	Qtr.Circle 43-33H, KP 23-25		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	4.7	0.65	0.11	mg/kg	1	10/12/10	10/13/10 TW	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5171
(2) Prep QC Batch: MP13081

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	QTR.CIRC. 43-33H-B-2	Date Sampled:	10/05/10
Lab Sample ID:	T61214-3	Date Received:	10/06/10
Matrix:	SO - Soil	Percent Solids:	87.1
Project:	Qtr.Circle 43-33H, KP 23-25		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	6.2	0.70	0.12	mg/kg	1	10/12/10	10/13/10 TW	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5171
(2) Prep QC Batch: MP13081

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	QTR.CIRC. 43-33H-B-3	Date Sampled:	10/05/10
Lab Sample ID:	T61214-4	Date Received:	10/06/10
Matrix:	SO - Soil	Percent Solids:	89.8
Project:	Qtr.Circle 43-33H, KP 23-25		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.2	0.65	0.11	mg/kg	1	10/12/10	10/13/10 TW	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5171
(2) Prep QC Batch: MP13081

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	QTR.CIRC. 43-33H-B-4	Date Sampled:	10/05/10
Lab Sample ID:	T61214-5	Date Received:	10/06/10
Matrix:	SO - Soil	Percent Solids:	92.7
Project:	Qtr.Circle 43-33H, KP 23-25		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	7.6	0.62	0.10	mg/kg	1	10/12/10	10/13/10 TW	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5171
(2) Prep QC Batch: MP13081

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	QTR.CIRC. 43-33H-B-5	Date Sampled:	10/05/10
Lab Sample ID:	T61214-6	Date Received:	10/06/10
Matrix:	SO - Soil	Percent Solids:	90.6
Project:	Qtr.Circle 43-33H, KP 23-25		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	6.9	0.65	0.11	mg/kg	1	10/12/10	10/13/10 TW	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5171
(2) Prep QC Batch: MP13081

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL



Legend

- Sample Location
- Existing Road
- Existing Pad
Limit of Disturbance

Quarter Circle 43-33H
Arsenic Background Sample Location Map
T6S R94W, Section 33

November 8, 2010

