

**COGCC FORM 2A
SUPPLEMENTAL INFORMATION**

**AXIA COMPRESSOR STATION
& WATER HANDLING FACILITY**

AXIA ENERGY, LLC (Operator Number 10335)

This supplement to the COGCC Form 2A for Axia Energy, LLCs (Axia) proposed Axia Compressor Station & Water Handling Facility provides additional information required by COGCC Rule 303. This information is identified by the applicable section of Rule 303.d.(3).

Rule 303.d.(3) A.

Photographs of the proposed location are provided in **Figure 1**.

Rule 303.d.(3) B.

All equipment to be used in conjunction with the operation of this facility is identified in the table below.

Qty	Equipment
3	Compressors
1	500 gal Waster Oil Tank
1	500 bbl Condensate Tank
1	200 bbl Condensate Tank
3	500 bbl Water Tank
1	500 gal Glycol Tank
1	Filter Separator
1	Inlet Scrubber
1	Inlet Separator (Slug Catcher)
1	Dehydration Filter/Separator
1	Combustor Location
1	ESD Vent Location
2	Water Pipelines
1	Gas Pipeline
1	Mult-well Pit

Rule 303.d.(3) C.

Figure 2 provides a scaled drawing of all visible improvements within four hundred (400) feet of the proposed facility. Visible improvements within this 400-foot radius include a private access road to the facility and the facility itself. No other visible improvements are present.

The current surface use within the 400-foot radius of the facility is rangeland.

Rule 303.d.(3) D.

A topographic map showing all surface waters and riparian areas within one thousand (1,000) feet of the proposed facility is provided in **Figure 3**. As noted on this figure, the closest surface water is an unnamed drainage located approximately 100 feet west of the water handling facility, and approximately 80 feet east of the compressor site. This proposed facility is located approximately 20 feet in elevation above the level of the drainage.

Rule 303.d.(3) E.

The proposed access to the facility is indicated in **Figure 4**. This facility will utilize the existing access from Mesa County roads to the Facility access point on Kimball Creek Road. The only new access that will be constructed for this facility will be from Kimball Creek Road to the proposed compressor site. All access to public roads and the plan for constructing the new access roads for the facility will be approved as part of the Mesa County Conditional Use Permit (CUP) for this facility.

Rule 303.d.(3) F.

The current land use in the vicinity of this facility is rangeland. A topographic map showing a reference area for the location is provided in **Figure 5**. Color photographs of the reference area have been provided in **Figure 6**.

Rule 303.d.(3) G.

Attachment A provides a Natural Resources Conservation Service (NRCS) soils map and description of the soils for the proposed facility.

Rule 303.d.(3) H.

Since the location of the disturbance occurs on lands where slopes are less than 10%, no additional information is required.

Rule 303.d.(3) I.

No oil and gas wells are proposed for this location, so no additional information is required under this rule.

Rule 303.d.(3) J.

The primary impetus for Axia's plan to construct this facility is to mitigate the impact of its operations. This facility will dramatically decrease truck traffic and associated emissions since produced water and condensate will be delivered via buried underground pipelines. Reduction of truck traffic will also mitigate impacts to wildlife and significantly reduce the impact from this traffic on local roads and communities. The water handling facility has been designed with a fence to prevent impact to wildlife. The water handling facility will be constructed to include a double liner and a leak detection system.

Rule 303.d.(3) K.

This area is not covered by a Comprehensive Drilling Plan.

Rule 303.d.(3) L.

Axia is the surface owner; there for no surface use agreement is needed.

Axia Energy, LLC
1430 Larimer St., Suite 400
Denver, CO 80202
(720) 746-5200

Rule 303.d.(3) M.

The proposed location was compared to all sensitive wildlife habitat and restricted surface occupancy areas provided in the GIS files available on the COGCC's website. The facility does not occur within either of these areas. **Figure 7** provides a map of the sensitive wildlife habitat or restricted surface occupancy areas surrounding the facility.

Rule 303.d.(3) N.

The proposed location was compared to the COGCC GIS map of zones subject to Rule 317 B, and the proposed facility is not located within these zones.

Rule 303.d.(3) O.

Not applicable.