

# CEMENT JOB REPORT



<b>CUSTOMER</b> EOG Resources Inc.		<b>DATE</b> 09-JAN-10		<b>F.R. #</b> 1001549724		<b>SERV. SUPV.</b> KURT R KUDRNA	
<b>LEASE &amp; WELL NAME</b> BEVO #4-36M - API 05123305850000		<b>LOCATION</b> sec 36 T12N R63W		<b>COUNTY-PARISH-BLOCK</b> Weld Colorado			
<b>DISTRICT</b> Brighton		<b>DRILLING CONTRACTOR RIG #</b> Cade #22		<b>TYPE OF JOB</b> Surface			

SIZE & TYPE OF PLUGS		LIST-CSG-HARDWARE		PHYSICAL SLURRY PROPERTIES					
Cement Plug, Rubber, Top 9-5/8 in	Float Collar, Auto Fill, 9-5/8 - 8rd	SACKS OF CEMENT	SLURRY WGT PPG	SLURRY YLD FT <sup>3</sup>	WATER GPS	PUMP TIME HR:MIN	Bbl SLURRY	Bbl MIX WATER	
Float Shoe 9-5/8 - 8rd									
MATERIALS FURNISHED BY BJ									
Fresh water		0	8.34	0	0	00:00	15		
Type III + additives		900	14.5	1.40	6.82	01:30	220	143.05	
Fresh water		0	8.34	0	0	00:00	115		
Type III + 2% CaCl on side if needed		0	0	0	0	00:00	0		
Available Mix Water 800 Bbl.		Available Displ. Fluid 300 Bbl.		TOTAL		350 143.05			

HOLE			TBG-CSG-D.P.				COLLAR DEPTHS			
SIZE	% EXCESS	DEPTH	SIZE	WGT.	TYPE	DEPTH	GRADE	SHOE	FLOAT	STAGE
13.5	0	1537	9.625	36	CSG	1528	J-55	1528	1482	0

LAST CASING				PKR-CMT RET-BR PL-LINER		PERF. DEPTH		TOP CONN		WELL FLUID	
SIZE	WGT	TYPE	DEPTH	BRAND & TYPE	DEPTH	TOP	BTM	SIZE	THREAD	TYPE	WGT.
				NO PACKER	0	0	0	9.625	8RD	WATER BASED MU	9.3

DISPL. VOLUME		DISPL. FLUID		CAL. PSI	CAL. MAX PSI	OP. MAX	MAX TBG PSI		MAX CSG PSI		MIX WATER
VOLUME	UOM	TYPE	WGT.	BUMP PLUG	TO REV.	SQ. PSI	RATED	Operator	RATED	Operator	
114.6	BBLS	Fresh water	8.34	500	0	0	0	0	2820	1500	RIG TANK

Circulation Prior to Job			
Circulated Well: Rig <input checked="" type="checkbox"/> BJ <input type="checkbox"/>		Circulation Time: 1	
Mud Density In: 9.3 LBS/GAL		Circulation Rate: 7 BPM	
Mud Density Out: 9.3 LBS/GAL		PV & YP Mud In: 55	
PV & YP Mud Out: 55		Solids Present at End of Circulation: NO <input checked="" type="checkbox"/> YES <input type="checkbox"/>	
Gas Present: NO <input type="checkbox"/> YES <input checked="" type="checkbox"/>		Units: 0	

Displacement And Mud Removal			
Displaced By: Rig <input type="checkbox"/> BJ <input checked="" type="checkbox"/>		Amount Bled Back After Job: .25 BBLS	
Returns During Job: <input type="checkbox"/> NONE <input type="checkbox"/> PARTIAL <input checked="" type="checkbox"/> FULL		Method Used to Verify Returns: VISUAL	
Cement Returns at Surface: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		Were Returns Planned at Surface: <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES	
Pipe Movement: <input type="checkbox"/> ROTATION <input type="checkbox"/> RECIPROCATION <input checked="" type="checkbox"/> NONE <input type="checkbox"/> UNABLE DUE TO STUCK PIPE			
Centralizers: <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES		Quantity: 12	
		Type: <input checked="" type="checkbox"/> BOW <input type="checkbox"/> RIGID	
Job Pumped Through: <input type="checkbox"/> CHOKE MANIFOLD <input type="checkbox"/> SQUEEZE MANIFOLD <input checked="" type="checkbox"/> MANIFOLD <input type="checkbox"/> NO MANIFOLD			

Plugs			
Number of Attempts by BJ: 0		Competition: 0	
Wiper Balls Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES		Quantity:	
Plug Catcher Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES		Parabow Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES	
Was There a Bottom: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES		Top of Plug: 0 FT	
		Bottom of Plug: 0 FT	

Squeezes (Update Original Treatment Report for Primary Job)			
BLOCK SQUEEZE <input type="checkbox"/>	SHOE SQUEEZE <input type="checkbox"/>	TOP OF LINER SQUEEZE <input type="checkbox"/>	PLANNED <input type="checkbox"/> UNPLANNED <input type="checkbox"/>
Liner Packer: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES	Bond Log: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES	PSI Applied: 0	Fluid Weight: 0 LBS/GAL

Casing Test (Update Original Treatment Report for Primary Job)			
Casing Test Pressure: 0 PSI	With 0 LBS/GAL Mud	Time Held: 00 Hours 00 Minutes	

Shoe Test (Update Original Treatment Report for Primary Job)			
Depth Drilled out of Shoe: 0 FT		Target EMW: 0 LBS/GAL	
		Actual EMW: 0 LBS/GAL	
Number of Times Tests Conducted: 0		Mud Weight When Test was Conducted: 0 LBS/GAL	

EXPLANATION: TROUBLE SETTING TOOL, RUNNING CSG, ETC. PRIOR TO CEMENTING: NONE

# CEMENT JOB REPORT



Problems Before Job (I.E. Running Casing, Circulating Well, ETC)

N/A

Problems During Job (I.E. Lost Returns, Equipment Failure, Bulk Delivery, Foaming, ETC)

N/A

Problems After Job (I.E. Gas at Surface, Float Equipment Failed, ETC)

N/A

PRESSURE/RATE DETAIL						EXPLANATION			
TIME HR:MIN.	PRESSURE - PSI		RATE BPM	Bbl. FLUID PUMPED	FLUID TYPE	SAFETY MEETING: BJ CREW <input checked="" type="checkbox"/> CO. REP. <input checked="" type="checkbox"/>			
	PIPE	ANNULUS				TEST LINES 3000 PSI			
						CIRCULATING WELL - RIG <input checked="" type="checkbox"/> BJ <input type="checkbox"/>			
04:20	0	0	0	0	N/A	PRE RIG UP SAFETY MEETING			
06:50	0	0	0	0	N/A	JOB SAFETY MEETING			
07:04	3400	0	.3	.3	H2O	PRESSURE TEST C103			
07:06	180	0	6	15	H2O	PREFLUSHW/ FRESH WATER			
07:11	275	0	6	220	CEMENT	BATCH UP AND PUMP TYPE 111+1% CALCIUM CHLORIDE+.25LBS/SACK CELLO FLAKE+60.5% FRESH WATER @ 14.5 PPG			
07:57	0	0	0	0	N/A	DROP PLUG			
07:59	291	0	7.2	100	H2O	DISPLACEMENTW/ FRESH WATER			
08:14	231	0	4.8	5	H2O	DROP RATE DUE TO PRESSURE			
08:16	506	0	2	2	H2O	DIPLACE 2 BBLS			
08:18	383	0	2	2	H2O	DISPLACE 2 BBLS			
08:20	418	0	2	2	H2O	DISPLACE 2 BBLS			
08:22	1011	0	2	4	H2O	BUMP PLUG @ 115.0 BBLS			
08:24	0	0	0	0	N/A	DONE			
08:26	0	0	0	0	N/A	POST RIG DOWN SAFETY MEETING			
08:35	1500	0	0	0	H2O	HOLD PRESSURE FOR 30 MINUTES			
09:05	0	0	0	0		DONE WITH PRESSURE TEST			
BUMPED PLUG <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	PSI TO BUMP PLUG 1211	TEST FLOAT EQUIP. <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	BBL.CMT RETURNS/ REVERSED 85	TOTAL BBL. PUMPED 350	PSI LEFT ON CSG 0	SPOT TOP OUT CEMENT <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Service Supervisor Signature:		






BJ Services JobMaster Program Version 3.20

Job Number: 1001549724

Customer: EOG

Well Name: BEVO 4-36M



# BJ Services Company



FIELD RECEIPT NO. 1001549724

CUSTOMER EOG Resources Inc.				CREDIT APPROVAL NO. A10011198957		PURCHASE ORDER NO.		CUSTOMER NUMBER 20028015 - 00259255		INVOICE NUMBER	
MAIL INVOICE TO : STREET OR BOX NUMBER P.O. Box 250				CITY Big Piney		STATE Wyoming		ZIP CODE 83113			
DATE WORK COMPLETED MO. 01 DAY 09 YEAR 2010		BJ SERVICES REPRESENTATIVE KURT R KUDRNA		WELL API NO: 05123305850000		WELL TYPE : New Well					
BJ SERVICES DISTRICT Brighton				JOB DEPTH (ft) 1,528		WELL CLASS : Oil					
WELL NAME AND NUMBER BEVO #4-36M				TD WELL DEPTH (ft) 1,537		GAS USED ON JOB : No Gas					
WELL LOCATION :		LEGAL DESCRIPTION sec 36 T12N R63W		COUNTY/PARISH Weld		STATE Colorado		JOB TYPE CODE : Surface			

PRODUCT CODE	DESCRIPTION	UNIT OF MEASURE	QUANTITY	LIST PRICE UNIT	GROSS AMOUNT	% DISC.	NET AMOUNT
100112	Calcium Chloride	lbs	846	1.440	1,218.24	70%	365.47
100295	Cello Flake	lbs	225	4.570	1,028.25	70%	308.48
121116	Cement Plug, Rubber, Top 9-5/8 in	ea	1	362.000	362.00	67%	119.46
488019	FP-6L	gals	5	93.500	467.50	70%	140.25
499703	Type III Cement	sacks	900	26.900	24,210.00	70%	7,263.00
SUB-TOTAL FOR Product Material					27,285.99	69.96%	8,196.66
A152	Personnel Surcharge - Cement Svc	ea	1	152.000	152.00	0%	152.00
M100	Bulk Materials Service Charge	cu ft	1035	3.930	4,067.55	70%	1,220.27
R798	Automatic Density System	job	1	1,440.000	1,440.00	70%	432.00
SUB-TOTAL FOR Service Charges					5,659.55	68.12%	1,804.27

ARRIVE LOCATION : MO. 01 DAY 09 YEAR 2010 TIME 04:00		SERVICE ORDER: I AUTHORIZE WORK TO BEGIN PER SERVICE INSTRUCTIONS IN ACCORDANCE WITH THE TERMS AND CONDITIONS PRINTED ON THE LAST PAGE OF THIS FORM AND REPRESENT THAT I HAVE AUTHORITY TO ACCEPT AND SIGN THIS ORDER.		SERVICE RECEIPT: I CERTIFY THAT THE MATERIALS AND SERVICES LISTED WERE RECEIVED AND ALL SERVICES PERFORMED IN A WORKMANLIKE MANNER.	
CUSTOMER REP. JESSE TATUM		CUSTOMER AUTHORIZED AGENT		<input checked="" type="checkbox"/> CUSTOMER AUTHORIZED AGENT	
SEE LAST PAGE FOR GENERAL TERMS AND CONDITIONS				<input checked="" type="checkbox"/> BJ SERVICES APPROVED 	



# BJ Services Company



FIELD RECEIPT NO. 1001549724

CUSTOMER EOG Resources Inc.				CREDIT APPROVAL NO. A10011198957		PURCHASE ORDER NO.		CUSTOMER NUMBER 20028015 - 00259255		INVOICE NUMBER	
MAIL INVOICE TO : STREET OR BOX NUMBER P.O. Box 250				CITY Big Piney		STATE Wyoming		ZIP CODE 83113			
DATE WORK COMPLETED MO. 01 DAY 09 YEAR 2010		BJ SERVICES REPRESENTATIVE KURT R KUDRNA		WELL API NO: 05123305850000		WELL TYPE : New Well					
BJ SERVICES DISTRICT Brighton				JOB DEPTH (ft) 1,528		WELL CLASS : Oil					
WELL NAME AND NUMBER BEVO #4-36M				TD WELL DEPTH (ft) 1,537		GAS USED ON JOB : No Gas					
WELL LOCATION :		LEGAL DESCRIPTION sec 36 T12N R63W		COUNTY/PARISH Weld		STATE Colorado		JOB TYPE CODE : Surface			

PRODUCT CODE	DESCRIPTION	UNIT OF MEASURE	QUANTITY	LIST PRICE UNIT	GROSS AMOUNT	% DISC.	NET AMOUNT
F005A	Cement Pump Casing, 1001 - 2000 ft	4hrs	1	4,500.000	4,500.00	70%	1,350.00
J050	Cement Head	job	1	595.000	595.00	70%	178.50
J225	Data Acquisition, Cement, Standard	job	1	1,540.000	1,540.00	70%	462.00
J390	Mileage, Heavy Vehicle	miles	186	8.550	1,590.30	70%	477.09
J391	Mileage, Auto, Pick-Up or Treating Van	miles	186	4.830	898.38	70%	269.51
	SUB-TOTAL FOR Equipment				9,123.68	70.00%	2,737.10
J401	Bulk Delivery, Dry Products	ton-mi	4433	2.850	12,634.05	70%	3,790.22
J404	Bulk Delivery, Return of Unused Mtls	ton-mi	438	2.850	1,248.30	70%	374.49
	SUB-TOTAL FOR Freight/Delivery Charges				13,882.35	70.00%	4,164.71

ARRIVE LOCATION : MO. 01 DAY 09 YEAR 2010 TIME 04:00		SERVICE ORDER: I AUTHORIZE WORK TO BEGIN PER SERVICE INSTRUCTIONS IN ACCORDANCE WITH THE TERMS AND CONDITIONS PRINTED ON THE LAST PAGE OF THIS FORM AND REPRESENT THAT I HAVE AUTHORITY TO ACCEPT AND SIGN THIS ORDER.		SERVICE RECEIPT: I CERTIFY THAT THE MATERIALS AND SERVICES LISTED WERE RECEIVED AND ALL SERVICES PERFORMED IN A WORKMANLIKE MANNER.	
CUSTOMER REP. JESSE TATUM		 <b>CUSTOMER AUTHORIZED AGENT</b>		<input checked="" type="checkbox"/> CUSTOMER AUTHORIZED AGENT	
SEE LAST PAGE FOR GENERAL TERMS AND CONDITIONS				<input checked="" type="checkbox"/> BJ SERVICES APPROVED  <b>Stephen C. Jones</b>	

# BJ Services Company



FIELD RECEIPT NO. 1001549724

CUSTOMER EOG Resources Inc.				CREDIT APPROVAL NO. A10011198957		PURCHASE ORDER NO.		CUSTOMER NUMBER 20028015 - 00259255		INVOICE NUMBER	
MAIL INVOICE TO : STREET OR BOX NUMBER P.O. Box 250				CITY Big Piney		STATE Wyoming		ZIP CODE 83113			
DATE WORK COMPLETED MO. 01 DAY 09 YEAR 2010		BJ SERVICES REPRESENTATIVE KURT R KUDRNA		WELL API NO: 05123305850000		WELL TYPE : New Well					
BJ SERVICES DISTRICT Brighton				JOB DEPTH (ft) 1,528		WELL CLASS : Oil					
WELL NAME AND NUMBER BEVO #4-36M				TD WELL DEPTH (ft) 1,537		GAS USED ON JOB : No Gas					
WELL LOCATION :		LEGAL DESCRIPTION sec 36 T12N R63W		COUNTY/PARISH Weld		STATE Colorado		JOB TYPE CODE : Surface			

PRODUCT CODE	DESCRIPTION	UNIT OF MEASURE	QUANTITY	LIST PRICE UNIT	GROSS AMOUNT	% DISC.	NET AMOUNT
013157	Guide Shoe, Cement Nose, 9-5/8 in	ea	1	765.000	765.00	41%	451.35
017069	Centralizer, with Pins, 9-5/8 in	ea	12	214.500	2,574.00	48%	1,338.48
017136	Stop Collar, 9-5/8 in	ea	1	111.000	111.00	50%	55.50
017300	Insert Float, AFU, LTC, 9-5/8 - 8rd	ea	1	1,005.000	1,005.00	50%	502.50
160111	Thread Locking Compound	ea	1	57.500	57.50	30%	40.25
SUB-TOTAL FOR Float Equipment					4,512.50	47.08%	2,388.08
FIELD ESTIMATE					60,464.07	68.10%	19,290.82

ARRIVE LOCATION : MO. 01 DAY 09 YEAR 2010 TIME 04:00

CUSTOMER REP. JESSE TATUM

SEE LAST PAGE FOR GENERAL TERMS AND CONDITIONS

BEVO 4-36M AFE# 310094

GEN: 230 231 SUB: 409

INSTRUCTION CADE #22 COST: 19,290.82

DATE: 01/09/2010

APPROVAL: *[Signature]*

CUSTOMER AUTHORIZED AGENT

SERVICE RECEIPT: I CERTIFY THAT THE MATERIALS AND SERVICES LISTED WERE RECEIVED AND ALL SERVICES PERFORMED IN A WORKMANLIKE MANNER.

CUSTOMER AUTHORIZED AGENT  
X

BJ SERVICES APPROVED  
X *[Signature]*