

SLAWSON COMPANIES
1675 BROADWAY STE 1600
DENVER, Colorado

Little Ollie 36-11-37

Hydro Resources 4

Post Job Summary

Cement Surface Casing

Prepared for:	Andy Peterson
Date Prepared:	10/25/2010
Version: 1	

Service Supervisor: Irv Collins

Submitted by: Wes Aaron

HALLIBURTON

HALLIBURTON

Service Supervisor Reports

Job Log

Date/Time	Chart #	Activity Code	Pump Rate	Cum Vol	Pump	Pressure (psig)	Comments
10/22/2010 11:30		Arrive At Loc					COMPANY MAN WANTED NO MORE THAN 5BBL'S PER MIN ON RATE AND NO MORE THAN 5BBL'S ON RATE FOR DISPLACEMENT.
10/22/2010 12:45		Safety Meeting					
10/22/2010 13:12		Test Lines					1500psi
10/22/2010 13:14		Pump Spacer 1	5	50		69.0	RIG WATER
10/22/2010 13:28		Pump Lead Cement	5	117		82.0	390SK'S OF HALLIBURTON LIGHT AT 13.1# MIXED WITH RIG WATER
10/22/2010 13:51		Pump Tail Cement	5	48		114.0	230SK'S OF STANDARD CEMENT AT 14.6# MIXED WITH RIG WATER
10/22/2010 14:03		Shutdown					
10/22/2010 14:05		Drop Top Plug					
10/22/2010 14:06		Pump Displacement	5	124.7		300.0	RIG WATER
10/22/2010 14:42		Bump Plug				590.0	BUMPED PLUG AROUND 1190psi
10/22/2010 14:45		End Job					110BBL'S INTO DISPLACEMENT CEMENT TO THE PIT. CHART NOT WORKING. WILL HAVE E-TECH LOOK AT FLEX.

The Road to Excellence Starts with Safety

Sold To #: 305440	Ship To #: 2814822	Quote #:	Sales Order #: 7721778
Customer: SLAWSON COMPANIES		Customer Rep: Parras, Raz	
Well Name: Little Ollie		Well #: 36-11-37	API/UWI #:
Field: WILDCAT	City (SAP): BRIGGSDALE	County/Parish: Weld	State: Colorado
Contractor: Hydro Resources		Rig/Platform Name/Num: Hydro Resources 4	
Job Purpose: Cement Surface Casing			
Well Type: Development Well		Job Type: Cement Surface Casing	
Sales Person: FLING, MATTHEW		Srvc Supervisor: COLLINS, IRVIN	MBU ID Emp #: 401749

Job Personnel

HES Emp Name	Exp Hrs	Emp #	HES Emp Name	Exp Hrs	Emp #	HES Emp Name	Exp Hrs	Emp #
BRICKER, DANIEL Z		475710	COLLINS, IRVIN Douglas		401749	NIELSON, BRANDON K		479703
VASQUEZ, ALVARO A		401745						

Equipment

HES Unit #	Distance-1 way	HES Unit #	Distance-1 way	HES Unit #	Distance-1 way	HES Unit #	Distance-1 way
10246780C	70 mile	11064046C	70 mile	11142998	70 mile	11341988C	70 mile
11360865C	70 mile						

Job Hours

Date	On Location Hours	Operating Hours	Date	On Location Hours	Operating Hours	Date	On Location Hours	Operating Hours
TOTAL			<i>Total is the sum of each column separately</i>					

Job

Job Times

Formation Name	Top	Bottom	Called Out	Date	Time	Time Zone
Formation Depth (MD)			On Location	22 - Oct - 2010	07:30	MST
Form Type	BHST		Job Started	22 - Oct - 2010	11:30	MST
Job depth MD	1654.4 ft	Job Depth TVD	1654.4 ft	Job Started	22 - Oct - 2010	13:12
Water Depth		Wk Ht Above Floor	4. ft	Job Completed	22 - Oct - 2010	14:45
Perforation Depth (MD)	<i>From</i>	<i>To</i>	Departed Loc	22 - Oct - 2010	15:30	MST

Well Data

Description	New / Used	Max pressure psig	Size in	ID in	Weight lbf/ft	Thread	Grade	Top MD ft	Bottom MD ft	Top TVD ft	Bottom TVD ft
Open Hole				13.5				.	1660.	.	.
Surface Casing	Unknown		9.625	8.921	36.		J-55	.	1654.4	.	.

Sales/Rental/3rd Party (HES)

Description	Qty	Qty uom	Depth	Supplier
PLUG,CMTG, TOP,9 5/8,HWE,8.16 MIN/9.06 MA	1	EA		

Tools and Accessories

Type	Size	Qty	Make	Depth	Type	Size	Qty	Make	Depth	Type	Size	Qty	Make
Guide Shoe					Packer					Top Plug			
Float Shoe					Bridge Plug					Bottom Plug			
Float Collar					Retainer					SSR plug set			
Insert Float										Plug Container			
Stage Tool										Centralizers			

Miscellaneous Materials										
Gelling Agt		Conc	Surfactant	Conc	Acid Type	Qty	Conc	%		
Treatment Fld		Conc	Inhibitor	Conc	Sand Type	Size	Qty			
Fluid Data										
Stage/Plug #: 1										
Fluid #	Stage Type	Fluid Name	Qty	Qty uom	Mixing Density lbm/gal	Yield ft3/sk	Mix Fluid Gal/sk	Rate bbl/min	Total Mix Fluid Gal/sk	
1	Water Spacer		50.00	bbl	8.4	.0	42.0	5.0		
2	Halliburton Light Lead 13.10#	HALLIBURTON LIGHT STANDARD - SBM (12313)	390.0	sacks	13.1	1.69	8.64	5.0	8.64	
	3 %	CALCIUM CHLORIDE, PELLETT, 50 LB (101509387)								
	0.125 lbm	POLY-E-FLAKE (101216940)								
	8.64 Gal	FRESH WATER								
3	Tail 15.6#	CMT - STANDARD TYPE I / II CEMENT (101439798)	230.0	sacks	15.6	1.17	5.24	5.0	5.24	
	94 lbm	TYPE I / II CEMENT, BULK (101439798)								
	2 %	CALCIUM CHLORIDE, PELLETT, 50 LB (101509387)								
	0.125 lbm	POLY-E-FLAKE (101216940)								
	5.24 Gal	FRESH WATER								
4	DISPLACEMENT		125.00	bbl	.	.0	.0	.0		
Calculated Values			Pressures			Volumes				
Displacement		Shut In: Instant		Lost Returns		Cement Slurry		Pad		
Top Of Cement		5 Min		Cement Returns		Actual Displacement		Treatment		
Frac Gradient		15 Min		Spacers		Load and Breakdown		Total Job		
Rates										
Circulating		Mixing		Displacement			Avg. Job			
Cement Left In Pipe		Amount	41.21 ft	Reason	Shoe Joint					
Frac Ring # 1 @	ID	Frac ring # 2 @	ID	Frac Ring # 3 @	ID	Frac Ring # 4 @	ID			
The Information Stated Herein Is Correct				Customer Representative Signature						

HALLIBURTON

No Chart