

The Road to Excellence Starts with Safety

|                                    |  |                    |                                 |                       |            |                        |  |
|------------------------------------|--|--------------------|---------------------------------|-----------------------|------------|------------------------|--|
| Sold To #: 305440                  |  | Ship To #: 2819661 |                                 | Quote #:              |            | Sales Order #: 7776785 |  |
| Customer: SLAWSON COMPANIES        |  |                    |                                 | Customer Rep: 1, Razz |            |                        |  |
| Well Name: Hermit                  |  |                    | Well #: 8-11-66                 |                       | API/UWI #: |                        |  |
| Field: WILDCAT                     |  | City (SAP): GROVER |                                 | County/Parish: Weld   |            | State: Colorado        |  |
| Contractor: ENSIGN                 |  |                    | Rig/Platform Name/Num: .        |                       |            |                        |  |
| Job Purpose: Cement Surface Casing |  |                    |                                 |                       |            |                        |  |
| Well Type: Development Well        |  |                    | Job Type: Cement Surface Casing |                       |            |                        |  |
| Sales Person: FLING, MATTHEW       |  |                    | Srvc Supervisor: COLLINS, IRVIN |                       |            | MBU ID Emp #: 401749   |  |

Job Personnel

| HES Emp Name    | Exp Hrs | Emp #  | HES Emp Name       | Exp Hrs | Emp #  | HES Emp Name           | Exp Hrs | Emp #  |
|-----------------|---------|--------|--------------------|---------|--------|------------------------|---------|--------|
| BARNES, BRIAN L | 4.5     | 485204 | CARLEY, WADE Scott | 4.5     | 462208 | COLLINS, IRVIN Douglas | 4.5     | 401749 |
| GREEN, JOSEPH D | 4.5     | 477855 | RODRIGUEZ, RICARDO | 4.5     | 219601 | VASQUEZ, ALVARO A      | 4.5     | 401745 |

Equipment

| HES Unit # | Distance-1 way | HES Unit # | Distance-1 way | HES Unit # | Distance-1 way | HES Unit # | Distance-1 way |
|------------|----------------|------------|----------------|------------|----------------|------------|----------------|
| 10988836C  | 69 mile        | 11064535   | 69 mile        | 11106651   | 69 mile        | 11142998   | 69 mile        |
| 11362287C  | 69 mile        | 11527037   | 69 mile        |            |                |            |                |

Job Hours

| Date     | On Location Hours | Operating Hours | Date | On Location Hours | Operating Hours | Date | On Location Hours | Operating Hours |
|----------|-------------------|-----------------|------|-------------------|-----------------|------|-------------------|-----------------|
| 11-16-10 | 4.5               | 1.5             |      |                   |                 |      |                   |                 |

|       |  |  |  |  |  |  |  |  |
|-------|--|--|--|--|--|--|--|--|
| TOTAL | Total is the sum of each column separately |  |  |  |  |  |  |  |
|-------|--|--|--|--|--|--|--|--|

Job

Job Times

| Formation Name         |           |  |                   |           |               | Date            | Time  | Time Zone |
|------------------------|-----------|--|-------------------|-----------|---------------|-----------------|-------|-----------|
| Formation Depth (MD)   | Top       |  | Bottom            |           | Called Out    | 16 - Nov - 2010 | 01:00 | MST       |
| Form Type              | BHST      |  |                   |           | On Location   | 16 - Nov - 2010 | 05:00 | MST       |
| Job depth MD           | 2128.7 ft |  | Job Depth TVD     | 2128.7 ft | Job Started   | 16 - Nov - 2010 | 07:06 | MST       |
| Water Depth            |           |  | Wk Ht Above Floor | 4. ft     | Job Completed | 16 - Nov - 2010 | 08:42 | MST       |
| Perforation Depth (MD) | From      |  | To                |           | Departed Loc  | 16 - Nov - 2010 | 09:30 | MST       |

Well Data

| Description    | New / Used | Max pressure psig | Size in | ID in | Weight lbm/ft | Thread | Grade | Top MD ft | Bottom MD ft | Top TVD ft | Bottom TVD ft |
|----------------|------------|-------------------|---------|-------|---------------|--------|-------|-----------|--------------|------------|---------------|
| Open Hole      |            |                   |         | 13.5  |               |        |       |           | 2140.        |            |               |
| Surface Casing | New        |                   | 9.625   | 8.921 | 36.           |        | J-55  |           | 2128.7       |            |               |

Sales/Rental/3<sup>rd</sup> Party (HES)

| Description                              | Qty | Qty uom | Depth | Supplier |
|--|-----|---------|-------|----------|
| PLUG,CMTG,TOP,9 5/8,HWE,8.16 MIN/9.06 MA | 1   | EA      |       |          |

Tools and Accessories

| Type         | Size | Qty | Make | Depth | Type        | Size | Qty | Make | Depth | Type           | Size | Qty | Make |
|--------------|------|-----|------|-------|-------------|------|-----|------|-------|----------------|------|-----|------|
| Guide Shoe   |      |     |      |       | Packer      |      |     |      |       | Top Plug       |      |     |      |
| Float Shoe   |      |     |      |       | Bridge Plug |      |     |      |       | Bottom Plug    |      |     |      |
| Float Collar |      |     |      |       | Retainer    |      |     |      |       | SSR plug set   |      |     |      |
| Insert Float |      |     |      |       |             |      |     |      |       | Plug Container |      |     |      |
| Stage Tool   |      |     |      |       |             |      |     |      |       | Centralizers   |      |     |      |

Miscellaneous Materials

| Gelling Agt   |  | Conc |  | Surfactant |  | Conc |  | Acid Type |  | Qty  |  | Conc | % |
|---------------|--|------|--|------------|--|------|--|-----------|--|------|--|------|---|
| Treatment Fld |  | Conc |  | Inhibitor  |  | Conc |  | Sand Type |  | Size |  | Qty  |   |

| Fluid Data                               |                   |   |        |   |                        |                     |                  |              |                        |  |
|--|-------------------|---|--------|---|------------------------|---------------------|------------------|--------------|------------------------|--|
| Stage/Plug #: 1                          |                   |   |        |   |                        |                     |                  |              |                        |  |
| Fluid #                                  | Stage Type        | Fluid Name                                    | Qty    | Qty uom   | Mixing Density lbm/gal | Yield ft3/sk        | Mix Fluid Gal/sk | Rate bbl/min | Total Mix Fluid Gal/sk |  |
| 1  | Dyed Water Spacer |   | 50.00  | bbl   | 8.4                    | .0                  | 42.0             | 5.0          |                        |  |
| 2  | Lead Cement 13.1# |   | 580.0  | sacks   | 13.1                   | 1.69                | 8.64             | 5.0          | 8.64                   |  |
| 3 %                                      |                   | CALCIUM CHLORIDE, PELLET, 50 LB (101509387)   |        |   |                        |                     |                  |              |                        |  |
| 0.125 lbm                                |                   | POLY-E-FLAKE (101216940)                      |        |   |                        |                     |                  |              |                        |  |
| 8.64 Gal                                 |                   | FRESH WATER                                   |        |   |                        |                     |                  |              |                        |  |
| 3  | Tail Cement 15.6# | CMT - STANDARD TYPE I / II CEMENT (101439798) | 260.0  | sacks   | 15.6                   | 1.2                 | 5.24             | 5.0          | 5.24                   |  |
| 94 lbm                                   |                   | TYPE I / II CEMENT, BULK (101439798)          |        |   |                        |                     |                  |              |                        |  |
| 2 %                                      |                   | CALCIUM CHLORIDE, PELLET, 50 LB (101509387)   |        |   |                        |                     |                  |              |                        |  |
| 0.125 lbm                                |                   | POLY-E-FLAKE (101216940)                      |        |   |                        |                     |                  |              |                        |  |
| 5.24 Gal                                 |                   | FRESH WATER                                   |        |   |                        |                     |                  |              |                        |  |
| 4  | DISPLACEMENT      |   | 161.00 | bbl   | .                      | .0                  | .0               | .0           |                        |  |
| Calculated Values                        |                   | Pressures                                     |        | Volumes   |                        |                     |                  |              |                        |  |
| Displacement                             |                   | Shut In: Instant                              |        | Lost Returns  |                        | Cement Slurry       |                  | Pad          |                        |  |
| Top Of Cement                            |                   | 5 Min   |        | Cement Returns  | 71bbl's                | Actual Displacement | 161.0            | Treatment    |                        |  |
| Frac Gradient                            |                   | 15 Min  |        | Spacers   |                        | Load and Breakdown  |                  | Total Job    |                        |  |
| Rates                                    |                   |   |        |   |                        |                     |                  |              |                        |  |
| Circulating                              |                   | Mixing  |        | Displacement  |                        | Avg. Job            |                  |              |                        |  |
| Cement Left In Pipe                      | Amount            | 40.62 ft                                      | Reason | Shoe Joint  |                        |                     |                  |              |                        |  |
| Frac Ring # 1 @                          | ID                | Frac ring # 2 @                               | ID     | Frac Ring # 3 @   | ID                     | Frac Ring # 4 @     | ID               |              |                        |  |
| The Information Stated Herein Is Correct |                   |   |        | Customer Representative Signature<br>E. W. Smith      J. A. Smith |                        |                     |                  |              |                        |  |

The Road to Excellence Starts with Safety

|                                    |                    |                                 |                        |
|------------------------------------|--------------------|---------------------------------|------------------------|
| Sold To #: 305440                  | Ship To #: 2819661 | Quote #:                        | Sales Order #: 7776785 |
| Customer: SLAWSON COMPANIES        |                    | Customer Rep: 1, Razz           |                        |
| Well Name: Hermit                  | Well #: 8-11-66    |                                 | API/UWI #:             |
| Field: WILDCAT                     | City (SAP): GROVER | County/Parish: Weld             | State: Colorado        |
| Legal Description:                 |                    |                                 |                        |
| Lat:                               |                    | Long:                           |                        |
| Contractor: ENSIGN                 |                    | Rig/Platform Name/Num: .        |                        |
| Job Purpose: Cement Surface Casing |                    |                                 | Ticket Amount:         |
| Well Type: Development Well        |                    | Job Type: Cement Surface Casing |                        |
| Sales Person: FLING, MATTHEW       |                    | Srvc Supervisor: COLLINS, IRVIN | MBU ID Emp #: 401749   |

| Activity Description | Date/Time        | Cht # | Rate bbl/min | Volume bbl |       | Pressure psig |        | Comments   |
|----------------------|------------------|-------|--------------|------------|-------|---------------|--------|--|
|                      |                  |       |              | Stage      | Total | Tubing        | Casing |  |
| Arrive At Loc        | 11/16/2010 05:00 |       |              |            |       |               |        |  |
| Safety Meeting       | 11/16/2010 06:45 |       |              |            |       |               |        |  |
| Test Lines           | 11/16/2010 07:06 |       |              |            |       |               |        | 2600PSI  |
| Pump Spacer 1        | 11/16/2010 07:08 |       | 5            | 50         | 50    |               | 155.0  | RIG WATER MIXED WITH RED DYE                               |
| Pump Lead Cement     | 11/16/2010 07:19 |       | 5            | 175        | 225   |               | 35.0   | 580SK'S OF HALLIBURTON LIGHT AT 13.1# MIXED WITH RIG WATER |
| Pump Tail Cement     | 11/16/2010 07:53 |       | 5            | 56         | 282   |               | 55.0   | 260SK'S OF CEMENT AT 15.6# MIXED WITH RIG WATER            |
| Shutdown             | 11/16/2010 08:06 |       |              |            |       |               |        |  |
| Drop Top Plug        | 11/16/2010 08:06 |       |              |            |       |               |        |  |
| Pump Displacement    | 11/16/2010 08:08 |       | 5            | 161.4      | 443.4 |               | 500.0  | RIG WATER  |
| Bump Plug            | 11/16/2010 08:40 |       |              |            |       |               | 753.0  | BUMPED PLUG AROUND 1200PSI                                 |
| End Job              | 11/16/2010 08:42 |       |              |            |       |               |        | GOT BACK CEMENT AT 90BBL'S INTO DISPLACEMENT               |