

**FORM
2A**Rev
04/01State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

400106790

Oil and Gas Location Assessment☐ New Location ☒ Amend Existing Location Location#: 335242

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a stand alone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:

335242

Expiration Date:

12/11/2013☒ This location assessment is included as part of a permit application.**1. CONSULTATION**

- ☐ This location is included in a Comprehensive Drilling Plan. CDP # _____
- ☒ This location is in a sensitive wildlife habitat area.
- ☐ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 96850

Name: WILLIAMS PRODUCTION RMT COMPANY

Address: 1515 ARAPAHOE ST STE 1000

City: DENVER State: CO Zip: 80202

3. Contact Information

Name: Howard Harris

Phone: (303) 606-4086

Fax: (303) 629-8268

email: howard.harris@williams.com

4. Location Identification:

Name: Federal Number: DOE 1-W-20

County: GARFIELD

Quarter: SWSE Section: 20 Township: 6S Range: 95W Meridian: 6 Ground Elevation: 6234

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 553 feet FSL, from North or South section line, and 1688 feet FEL, from East or West section line.

Latitude: 39.504006 Longitude: -108.019092 PDOP Reading: 2.4 Date of Measurement: 05/17/2010

Instrument Operator's Name: Robert L. Kay

5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="text" value="1"/>	Drilling Pits: <input type="text"/>	Wells: <input type="text" value="25"/>	Production Pits: <input type="text"/>	Dehydrator Units: <input type="text"/>
Condensate Tanks: <input type="text" value="5"/>	Water Tanks: <input type="text" value="1"/>	Separators: <input type="text" value="25"/>	Electric Motors: <input type="text"/>	Multi-Well Pits: <input type="text"/>
Gas or Diesel Motors: <input type="text"/>	Cavity Pumps: <input type="text"/>	LACT Unit: <input type="text"/>	Pump Jacks: <input type="text"/>	Pigging Station: <input type="text"/>
Electric Generators: <input type="text"/>	Gas Pipeline: <input type="text"/>	Oil Pipeline: <input type="text"/>	Water Pipeline: <input type="text"/>	Flare: <input type="text"/>
Gas Compressors: <input type="text"/>	VOC Combustor: <input type="text"/>	Oil Tanks: <input type="text"/>	Fuel Tanks: <input type="text"/>	

Other: Cuttings Trench

6. Construction:

Date planned to commence construction: 02/01/2011 Size of disturbed area during construction in acres: 8.50
Estimated date that interim reclamation will begin: 04/01/2012 Size of location after interim reclamation in acres: 1.30
Estimated post-construction ground elevation: 6234 Will a closed loop system be used for drilling fluids: Yes ☒
Will salt sections be encountered during drilling: Yes ☐ No ☒ Is H2S anticipated? Yes ☐ No ☒
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes ☐ No ☒
Mud disposal: Offsite ☐ Onsite ☒ Method: Land Farming ☐ Land Spreading ☐ Disposal Facility ☐
Other: Re-Use & Evap

7. Surface Owner:

Name: _____ Phone: _____
Address: _____ Fax: _____
Address: _____ Email: _____
City: _____ State: _____ Zip: _____ Date of Rule 306 surface owner consultation: _____
Surface Owner: ☐ Fee ☐ State ☒ Federal ☐ Indian
Mineral Owner: ☐ Fee ☐ State ☒ Federal ☐ Indian
The surface owner is: ☒ the mineral owner ☒ committed to an oil and gas lease
☒ is the executer of the oil and gas lease ☐ the applicant
The right to construct the location is granted by: ☒ oil and gas lease ☐ Surface Use Agreement ☐ Right of Way
☐ applicant is owner
Surface damage assurance if no agreement is in place: ☐ \$2000 ☐ \$5000 ☐ Blanket Surety ID _____

8. Reclamation Financial Assurance:

☐ Well Surety ID: 20030107 ☐ Gas Facility Surety ID: _____ ☐ Waste Mgnt. Surety ID: _____

9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes ☐ No ☒
Distance, in feet, to nearest building: 7073, public road: 10357, above ground utilit: 7070
, railroad: 10851, property line: 3309

10. Current Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☒ Other (describe): Existing Well Pad
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

11. Future Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): _____
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 62. Rock Outcrop - Torriorthents Complex, Very Steep

NRCS Map Unit Name: _____

NRCS Map Unit Name: _____

13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☐ NRCS or, ☒ field observation Date of observation: 07/19/2010

List individual species: Sage, Juniper, Pinion

Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
☐ Native Grassland (Bluestern, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
☒ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)
☒ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
☐ Alpine (above timberline)
☐ Other (describe): _____

14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: ☒ No ☐ Yes Was a Rule 901.e. Sensitive Areas Determination performed: ☐ No ☒ Yes

Distance (in feet) to nearest surface water: 187, water well: 6829, depth to ground water: 110

Is the location in a riparian area: ☒ No ☐ Yes Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes

Is the location within a Rule 317B Surface Water Supply Area buffer zone:

☒ No ☐ 0-300 ft. zone ☐ 301-500 ft. zone ☐ 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: ☐ No ☐ Yes

15. Comments:

This location assessment is for an additional 21 wells to be drilled from the existing Doe 1-W-20 well pad making a total of 25 wells. The location reference point for this location is the PA 333-20 well head from which point all measurements were made. Reference photos will be provided at a later date. A closed mud system will be used. See attached BMP's for additional information.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 11/15/2010 Email: Howard.Harris@Williams.com

Print Name: Howard Harris Title: Sr. Regulatory Specialist

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

David S. Neslin

COGCC Approved: _____ Director of COGCC Date: 12/12/2010

CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

Operator must implement best management practices to contain any unintentional release of fluids, including any fluid conveyed via temporary surface pipelines.

The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.

Flowback and stimulation fluids must be sent to tanks to allow the sand to settle out before the fluids can be placed into any pipeline or pit (if constructed) located on the well pad. The flowback and stimulation fluid tanks must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material (per Rule 604.a.(4)).

A closed loop system (which Williams has already indicated on the Form 2A) must be implemented during drilling.

The location is in an area of high run off/run-on potential; therefore the pad shall be constructed to prevent any stormwater run-on and/or stormwater runoff. Standard stormwater BMPs must be implemented at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater runoff.

Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures sufficiently protective of nearby surface water. If fluids are conveyed via pipeline, operator must implement best management practices to contain any unintentional release of fluids. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.

Attachment Check List

Att Doc Num	Name
2033533	CORRESPONDENCE
400106790	FORM 2A SUBMITTED
400108807	PROPOSED BMPs
400108808	CONST. LAYOUT DRAWINGS
400108809	HYDROLOGY MAP
400108810	LOCATION DRAWING
400108811	LOCATION PICTURES
400108812	MULTI-WELL PLAN
400108813	NRCS MAP UNIT DESC
400108814	CONST. LAYOUT DRAWINGS
400108815	REFERENCE AREA MAP
400108816	SENSITIVE AREA DATA
400108817	TOPO MAP

Total Attach: 13 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
OGLA	Initiated/Completed OGLA Form 2A review on 12-09-10 by Dave Kubeczko; requested clarifications and acknowledgement of lined pits/closed loop, fluid containment/spill release BMPs, cuttings low moisture content, flowback to tanks only, stormwater BMP COAs from operator on 12-09-10; received clarifications and acknowledgement of COAs from operator on 12-09-10; passed by CDOW on 11-17-10, with operator submitted BMPs (with permit application) and WMP acceptable; passed OGLA Form 2A review on 12-09-10 by Dave Kubeczko; lined pits/closed loop, fluid containment/spill release BMPs, cuttings low moisture content, flowback to tanks only, stormwater BMP COAs.	12/9/2010 11:43:46 AM
Permit	Added Surface Owner is executor	11/18/2010 10:01:43 AM
DOW	<p>This well pad is located within the boundary of the approved, signed Williams-CDOW North of the River Wildlife Mitigation Plan. The BMPs were developed and agreed upon in consultation and development of the Wildlife Mitigation Plan. The BMPs as submitted are appropriate for the site and species affected. In addition, the CDOW affirms that the lease</p> <p>stipulations and conditions of approval assigned to this permit by the BLM suffice to address wildlife habitat and mitigation</p> <p>concerns.</p> <p>by Michael Warren on Wednesday, November 17, 2010 at 9:10 A.M.</p>	11/17/2010 9:08:44 AM

Total: 3 comment(s)

BMP

<u>Type</u>	<u>Comment</u>

Total: 0 comment(s)