

FORM  
2

Rev  
12/05

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

APPLICATION FOR PERMIT TO:

1.  Drill,  Deepen,  Re-enter,  Recomplete and Operate

2. TYPE OF WELL

OIL  GAS  COALBED  OTHER \_\_\_\_\_  
SINGLE ZONE  MULTIPLE ZONE  COMMINGLE ZONE

Refiling   
Sidetrack

Document Number:  
400071082  
Plugging Bond Surety  
20010023

3. Name of Operator: K P KAUFFMAN COMPANY INC 4. COGCC Operator Number: 46290

5. Address: 1675 BROADWAY, STE 2800  
City: DENVER State: CO Zip: 80202

6. Contact Name: Sherry Glass Phone: (303)825-4822 Fax: (303)825-4825  
Email: sglass@kpk.com

7. Well Name: Front Range Well Number: #11-17-5

8. Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

9. Proposed Total Measured Depth: 8911

WELL LOCATION INFORMATION

10. QtrQtr: NESW Sec: 17 Twp: 4N Rng: 66W Meridian: 6  
Latitude: 40.308540 Longitude: -104.804240

Footage at Surface: 1505 feet FSL 1906 feet FWL

11. Field Name: Wattenberg Field Number: 90750

12. Ground Elevation: 4722 13. County: WELD

14. GPS Data:

Date of Measurement: 03/01/2010 PDOP Reading: 6.0 Instrument Operator's Name: Kipper Goldsberry

15. If well is  Directional  Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  
2223 FNL 812 FWL 2223 FNL 812 FWL  
Sec: 17 Twp: 4N Rng: 66W Sec: 17 Twp: 4N Rng: 66W

16. Is location in a high density area? (Rule 603b)?  Yes  No

17. Distance to the nearest building, public road, above ground utility or railroad: 585 ft

18. Distance to nearest property line: 179 ft 19. Distance to nearest well permitted/completed in the same formation: 1235 ft

20. LEASE, SPACING AND POOLING INFORMATION

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
J-sand	JSND	232-23	320	N/2
Niobrara-Codell	NB-CD	407-87	80	W/2NW/4

21. Mineral Ownership:  Fee  State  Federal  Indian Lease #: \_\_\_\_\_

22. Surface Ownership:  Fee  State  Federal  Indian

23. Is the Surface Owner also the Mineral Owner?  Yes  No Surface Surety ID#: \_\_\_\_\_

23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease?  Yes  No

23b. If 23 is No  Surface Owners Agreement Attached or  \$25,000 Blanket Surface Bon  \$2,000 Surface Bond  \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):  
 NW/4, N/2SW/4 section 17-T4N-R66W

25. Distance to Nearest Mineral Lease Line: 812 ft 26. Total Acres in Lease: 240

**DRILLING PLANS AND PROCEDURES**

27. Is H2S anticipated?  Yes  No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling?  Yes  No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling?  Yes  No

30. If questions 27 or 28 are yes, is this location in a sensitive area (Rule 903)?  Yes  No **If 28, 29, or 30 are "Yes" a pit permit may be required.**

31. Mud disposal:  Offsite  Onsite  
 Method:  Land Farming  Land Spreading  Disposal Facility Other: \_\_\_\_\_

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Line Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	12+1/4	8+5/8	24#		650	500	650	0
1ST	7+7/8	4+1/2	11.5#		8,911	800	8,911	

32. BOP Equipment Type:  Annular Preventer  Double Ram  Rotating Head  None

33. Comments No conductor casing will be used. K P Kaufman Company, Inc. requests approval of a Rule 318Aa exception location: Wellhead is to be located outside of a GWA drilling window. Waivers are attached.

34. Location ID: 332832

35. Is this application in a Comprehensive Drilling Plan ?  Yes  No

36. Is this application part of submitted Oil and Gas Location Assessment ?  Yes  No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Sherry Glass

Title: Engineering Technician Date: 8/18/2010 Email: sglass@kpk.com

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: David S. Neslin Director of COGCC Date: 12/21/2010

**API NUMBER**  
 05 123 32751 00

Permit Number: \_\_\_\_\_ Expiration Date: 12/20/2012

**CONDITIONS OF APPROVAL, IF ANY:** \_\_\_\_\_

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

- 1) Provide 24 hour notice of MIRU to Bo Brown at 970-397-4124 or e-mail at bo.brown@state.co.us.
- 2) Comply with Rule 317.i and provide cement coverage from TD to a minimum of 200' above Niobrara and from 200' below Shannon to 200' above Shannon. Verify coverage with cement bond log.
- 3) Comply with Rule 321. Run and submit Directional Survey from TD to base of surface casing. Ensure that the wellbore complies with setback requirements in commission orders or rules prior to producing the well.

### Attachment Check List

Att Doc Num	Name
1770575	SURFACE CASING CHECK
400071082	FORM 2 SUBMITTED
400071088	PLAT
400071089	TOPO MAP
400071090	SURFACE AGRMT/SURETY
400085148	LEASE MAP
400085149	30 DAY NOTICE LETTER
400085151	DEVIATED DRILLING PLAN
400085484	CONST. LAYOUT DRAWINGS
400085485	EXCEPTION LOC REQUEST
400085486	EXCEPTION LOC WAIVERS
400085585	CORRESPONDENCE

Total Attach: 12 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	surface surety bond # removed with opr permission since SUA in place	8/20/2010 9:55:36 AM

Total: 1 comment(s)

### BMP

<u>Type</u>	<u>Comment</u>

Total: 0 comment(s)