



SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form.) Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b.)

1. OGCC Operator Number: <u>96850</u>	4. Contact Name: <u>Karolina Blaney</u>	Complete the Attachment Checklist OP OGCC
2. Name of Operator: <u>Williams Production RMT</u>	Phone: <u>970 684 2295</u>	
3. Address: <u>105B County Road 215</u> City: <u>Parachute</u> State: <u>CO</u> Zip: <u>81635</u>	Fax: <u>970 285 9573</u>	
5. API Number <u>US-045-06671</u>	OGCC Facility ID Number <u>334848</u>	Survey Plat
6. Well/Facility Name:	7. Well/Facility Number <u>FEDERAL 7-94-5 0-4</u>	Directional Survey
8. Location (Qtr/Sec, Twp, Rng, Meridian): <u>SWSE-4-75-94W-06M</u>		Surface Equip Diagram
9. County: <u>Garfield</u>	10. Field Name: <u>Rullson</u>	Technical Info Page
11. Federal, Indian or State Lease Number:		Other

General Notice

CHANGE OF LOCATION: Attach New Survey Plat (a change of surface qtr/qr is substantive and requires a new permit)

Change of Surface Footage from Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Surface Footage to Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Bottomhole Footage from Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Bottomhole Footage to Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Bottomhole location Qtr/Sec, Twp, Rng, Mer attach directional survey

Latitude Distance to nearest property line Distance to nearest bldg, public rd, utility or RR

Longitude Distance to nearest lease line Is location in a High Density Area (rule 603b)? Yes/No

Ground Elevation Distance to nearest well same formation Surface owner consultation date:

GPS DATA:
Date of Measurement PDOP Reading Instrument Operator's Name

CHANGE SPACING UNIT

Formation	Formation Code	Spacing order number	Unit Acreage	Unit configuration

Remove from surface bond
Signed surface use agreement attached

CHANGE OF OPERATOR (prior to drilling):
Effective Date:
Plugging Bond: Blanket Individual

CHANGE WELL NAME NUMBER
From:
To:
Effective Date:

ABANDONED LOCATION:
Was location over built? Yes No
Is site ready for inspection? Yes No
Date Ready for inspection:

NOTICE OF CONTINUED SHUT IN STATUS
Date well shut in or temporarily abandoned:
Has Production Equipment been removed from site? Yes No
MIT required if shut in longer than two years. Date of last MIT

SPUD DATE: **REQUEST FOR CONFIDENTIAL STATUS** (5 mos from date casing set)

SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK *submit cbl and cement job summaries

Method used	Cementing tool setting/part depth	Cement volume	Cement top	Cement bottom	Date

RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004.
Final reclamation will commence on approximately Final reclamation is completed and site is ready for inspection.

Technical Engineering/Environmental Notice

Notice of Intent
Approximate Start Date:

Report of Work Done
Date Work Completed:

Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)

<input type="checkbox"/> Intent to Recomplete (submit form 2)	<input type="checkbox"/> Request to Vent or Flare	<input type="checkbox"/> E&P Waste Disposal
<input type="checkbox"/> Change Drilling Plans	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of E&P Waste
<input type="checkbox"/> Gross Interval Changed?	<input type="checkbox"/> Rule 502 variance requested	<input type="checkbox"/> Status Update/Change of Remediation Plans for Spills and Releases
<input type="checkbox"/> Casing/Cementing Program Change	<input checked="" type="checkbox"/> Other: <u>Background</u>	

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Karolina Blaney Date: 12/13/2010 Email: Karolina.Blaney@Williams.com
Print Name: Karolina Blaney Title: Environmental Specialist

COGCC Approved: [Signature] Title: for Chris Canfield Date: 12/21/2010

CONDITIONS OF APPROVAL, IF ANY:

EPS NW region

TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

1. OGCC Operator Number: _____ API Number: _____
2. Name of Operator: _____ OGCC Facility ID # _____
3. Well/Facility Name: _____ Well/Facility Number: _____
4. Location (QtrQtr, Sec, Twp, Rng, Meridian): _____

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5. **DESCRIBE PROPOSED OR COMPLETED OPERATIONS**

Report of Analysis

Client Sample ID: FEDERAL 7-94	Date Sampled: 10/18/10
Lab Sample ID: T62145-6	Date Received: 10/21/10
Matrix: SO - Soil	Percent Solids: 72.9
Project: KP Field+ Federal 7-94+ RMV 4-16	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic ^a	3.3	0.50	0.11	mg/kg	5	10/30/10	11/01/10 ANJ	SW846 6020A ⁴	SW846 3050B ⁷
Barium ^b	8840	140	0.42	mg/kg	10	10/27/10	11/01/10 NS	SW846 6010B ³	SW846 3050B ⁶
Cadmium	0.070 U	0.35	0.070	mg/kg	1	10/27/10	10/29/10 NS	SW846 6010B ²	SW846 3050B ⁶
Chromium	17.8	0.70	0.049	mg/kg	1	10/27/10	10/29/10 NS	SW846 6010B ²	SW846 3050B ⁶
Copper	22.5	1.8	0.092	mg/kg	1	10/27/10	10/29/10 NS	SW846 6010B ²	SW846 3050B ⁶
Lead	11.3	0.70	0.28	mg/kg	1	10/27/10	10/29/10 NS	SW846 6010B ²	SW846 3050B ⁶
Mercury	0.033	0.021	0.0084	mg/kg	1	10/25/10	10/25/10 CN	SW846 7471A ¹	SW846 7471A ⁵
Nickel	16.5	2.8	0.092	mg/kg	1	10/27/10	10/29/10 NS	SW846 6010B ²	SW846 3050B ⁶
Selenium	0.70	0.70	0.17	mg/kg	1	10/27/10	10/29/10 NS	SW846 6010B ²	SW846 3050B ⁶
Silver	0.16 J	0.70	0.056	mg/kg	1	10/27/10	10/29/10 NS	SW846 6010B ²	SW846 3050B ⁶
Zinc	59.1	1.4	0.28	mg/kg	1	10/27/10	10/29/10 NS	SW846 6010B ²	SW846 3050B ⁶

- (1) Instrument QC Batch: MA5198
- (2) Instrument QC Batch: MA5209
- (3) Instrument QC Batch: MA5217
- (4) Instrument QC Batch: N:MA25280
- (5) Prep QC Batch: MP13163
- (6) Prep QC Batch: MP13181
- (7) Prep QC Batch: N:MP55412

- (a) Analysis performed at Accutest Laboratories, Dayton, NJ.
- (b) Elevated reporting limit due to sample over calibration range.

RL = Reporting Limit
 MDL = Method Detection Limit

U = Indicates a result < MDL
 J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	FED RULISON-B-1		
Lab Sample ID:	T64026-1	Date Sampled:	11/20/10
Matrix:	SO - Soil	Date Received:	11/20/10
		Percent Solids:	82.2
Project:	FEDERAL RULISON 7-94 BACKGROUND		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	6.4	0.70	0.12	mg/kg	1	11/30/10	12/01/10 TW	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5290

(2) Prep QC Batch: MP13443

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	FED RULISON-B-2	Date Sampled:	11/20/10
Lab Sample ID:	T64026-2	Date Received:	11/20/10
Matrix:	SO - Soil	Percent Solids:	83.9
Project:	FEDERAL RULISON 7-94 BACKGROUND		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	6.6	0.66	0.11	mg/kg	1	11/30/10	12/01/10 TW	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5290

(2) Prep QC Batch: MP13443

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	FED RULISON-B-3	Date Sampled:	11/20/10
Lab Sample ID:	T64026-3	Date Received:	11/20/10
Matrix:	SO - Soil	Percent Solids:	82.9
Project:	FEDERAL RULISON 7-94 BACKGROUND		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.3	0.73	0.12	mg/kg	1	11/30/10	12/01/10 TW	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5290

(2) Prep QC Batch: MP13443

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	FED RULISON-B-4	Date Sampled:	11/20/10
Lab Sample ID:	T64026-4	Date Received:	11/20/10
Matrix:	SO - Soil	Percent Solids:	83.8
Project:	FEDERAL RULISON 7-94 BACKGROUND		

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.6	0.64	0.11	mg/kg	1	11/30/10	12/01/10 TW	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5290

(2) Prep QC Batch: MP13443

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID:	FED RULISON-B-5	Date Sampled:	11/20/10
Lab Sample ID:	T64026-5	Date Received:	11/20/10
Matrix:	SO - Soil	Percent Solids:	81.3
Project:	FEDERAL RULISON 7-94 BACKGROUND		

Metals Analysis


Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.3	0.71	0.12	mg/kg	1	11/30/10	12/01/10 TW	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5290

(2) Prep QC Batch: MP13443

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL



Legend

- Background Sample Location
- Existing Road
- Existing Pad Limit of Disturbance

**FEDERAL 7-94-S 0-4
Arsenic Background Sample Location Map
T7S R94W, Section 4**

November 22, 2010

