

**FORM
2A**Rev
04/01State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

400112308

Oil and Gas Location Assessment☒ New Location ☐ Amend Existing Location Location#: _____

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a stand alone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:

420972

Expiration Date:

12/27/2013☒ This location assessment is included as part of a permit application.**1. CONSULTATION**

- ☐ This location is included in a Comprehensive Drilling Plan. CDP # _____
- ☒ This location is in a sensitive wildlife habitat area.
- ☐ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 96850

Name: WILLIAMS PRODUCTION RMT COMPANY

Address: 1515 ARAPAHOE ST STE 1000

City: DENVER State: CO Zip: 80202

3. Contact Information

Name: Greg Davis

Phone: (303) 606-4071

Fax: (303) 629-8268

email: Greg.J.Davis@Williams.com

4. Location Identification:Name: CDOW Number: KP 22-22County: GARFIELDQuarterQuarter: SENW Section: 22 Township: 6S Range: 91W Meridian: 6 Ground Elevation: 6187

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1548 feet FNL, from North or South section line, and 1549 feet FWL, from East or West section line.Latitude: 39.516702 Longitude: -107.544445 PDOP Reading: 2.0 Date of Measurement: 08/30/2010Instrument Operator's Name: J. Kirkpatrick**5. Facilities (Indicate the number of each type of oil and gas facility planned on location):**

Special Purpose Pits: <input type="text"/>	Drilling Pits: <input type="text"/>	Wells: <input type="text" value="7"/>	Production Pits: <input type="text"/>	Dehydrator Units: <input type="text" value="1"/>
Condensate Tanks: <input type="text" value="4"/>	Water Tanks: <input type="text" value="4"/>	Separators: <input type="text" value="8"/>	Electric Motors: <input type="text"/>	Multi-Well Pits: <input type="text"/>
Gas or Diesel Motors: <input type="text"/>	Cavity Pumps: <input type="text"/>	LACT Unit: <input type="text"/>	Pump Jacks: <input type="text"/>	Pigging Station: <input type="text"/>
Electric Generators: <input type="text"/>	Gas Pipeline: <input type="text" value="1"/>	Oil Pipeline: <input type="text" value="1"/>	Water Pipeline: <input type="text" value="1"/>	Flare: <input type="text"/>
Gas Compressors: <input type="text"/>	VOC Combustor: <input type="text" value="1"/>	Oil Tanks: <input type="text"/>	Fuel Tanks: <input type="text"/>	

Other: _____

6. Construction:

Date planned to commence construction: 05/01/2011 Size of disturbed area during construction in acres: 10.00
Estimated date that interim reclamation will begin: 09/01/2011 Size of location after interim reclamation in acres: 1.00
Estimated post-construction ground elevation: 6186 Will a closed loop system be used for drilling fluids: Yes ☒
Will salt sections be encountered during drilling: Yes ☐ No ☒ Is H2S anticipated? Yes ☐ No ☒
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes ☐ No ☒
Mud disposal: Offsite ☐ Onsite ☒ Method: Land Farming ☐ Land Spreading ☐ Disposal Facility ☐
Other: Re-use and evaporation

7. Surface Owner:

Name: CDOW Phone: _____
Address: 6060 Broadway Fax: _____
Address: _____ Email: _____
City: Denver State: CO Zip: 80216 Date of Rule 306 surface owner consultation: 05/19/2009
Surface Owner: ☐ Fee ☒ State ☐ Federal ☐ Indian
Mineral Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian
The surface owner is: ☐ the mineral owner ☐ committed to an oil and gas lease
☐ is the executer of the oil and gas lease ☐ the applicant
The right to construct the location is granted by: ☐ oil and gas lease ☒ Surface Use Agreement ☐ Right of Way
☐ applicant is owner
Surface damage assurance if no agreement is in place: ☐ \$2000 ☐ \$5000 ☐ Blanket Surety ID _____

8. Reclamation Financial Assurance:

☐ Well Surety ID: 20030107 ☐ Gas Facility Surety ID: _____ ☐ Waste Mgnt. Surety ID: _____

9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes ☐ No ☒
Distance, in feet, to nearest building: 1050, public road: 453, above ground utilit: 227
, railroad: 15665, property line: 1541

10. Current Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): _____
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

11. Future Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): _____
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 7 Ascalon-Pena complex, 6 to 25% slopes

NRCS Map Unit Name: 66 Torriorthents-Camborthids-Rock outcrop complex, steep

NRCS Map Unit Name: _____

13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☐ NRCS or, ☒ field observation Date of observation: 08/30/2010

List individual species: Cheatgrass, Wheatgrass, Brome, Oak, Sage, Juniper, Pinyon

Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
☐ Native Grassland (Bluestern, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
☒ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)
☒ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
☐ Alpine (above timberline)
☐ Other (describe): _____

14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: ☐ No ☒ Yes Was a Rule 901.e. Sensitive Areas Determination performed: ☐ No ☒ Yes

Distance (in feet) to nearest surface water: 674, water well: 1709, depth to ground water: 22

Is the location in a riparian area: ☒ No ☐ Yes Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes

Is the location within a Rule 317B Surface Water Supply Area buffer zone:

☒ No ☐ 0-300 ft. zone ☐ 301-500 ft. zone ☐ 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: ☐ No ☐ Yes

15. Comments:

Location Photographs will be sent. Reference area photographs will be sent during next growing season.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 12/02/2010 Email: Greg.J.Davis@Williams.com

Print Name: Greg Davis Title: Supervisor Permits

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

David S. Neslin

COGCC Approved: _____

Director of COGCC

Date: 12/28/2010

CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

The location is in an area of high runoff/run-on potential from the proposed pad area to the southwest; therefore the pad shall be constructed as quickly as possible and appropriate BMPs need to be in place both during and after well pad construction, as well as during all drilling and well completion operations. Standard stormwater BMPs must be implemented at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater runoff. Slopes with potential for runoff should be stabilized immediately following pad construction.

Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines.

Location is in a sensitive area because of its proximity to surface water; therefore, operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; potential options include, but are not limited to: construction of a berm or diversion dike (either around the entire well pad, portions of the well pad, or around specific vessels and/or structures); diversion/collection trenches within and/or outside of berms/dikes; site grading; or other comparable measures (i.e., BMPs associated with stormwater management) sufficiently protective of nearby surface water.

Any pit that will hold liquids [if constructed], must be lined or a closed loop system (which has been indicated on the Form 2A by Williams) must be implemented during drilling.

Flowback and stimulation fluids must be sent to tanks to allow the sand to settle out before the fluids can be placed into any pipeline or pit located on the well pad. The flowback and stimulation fluid tanks must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material (per Rule 604.a.(4)).

No portion of any pit that will be used to hold liquids shall be constructed on fill material, unless the pit and fill slope are designed and certified by a professional engineer, subject to review and approval by the director prior to construction of the pit. The construction and lining of the pit shall be supervised by a professional engineer or their agent. The entire base of the pit must be in cut.

Notify COGCC Oil and Gas Location Assessment (OGLA) Specialist for Western Colorado (Dave Kubeczko; email dave.kubeczko@state.co.us; phone 970-309-2514) 48 hours prior to start of construction.

The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.

Location is in a sensitive area because of the potential for shallow groundwater; therefore production pits (including frac water flowback pits and produce water pits) must be lined.

Berms or other containment devices shall be constructed in compliance with Rule 603.e.(12) around crude oil, condensate, and produced water storage tanks.

Location is in a sensitive area because of the potential for shallow groundwater; therefore either a lined drilling pit or a closed loop system must be implemented.

Attachment Check List

Att Doc Num	Name
2033542	CORRESPONDENCE
2033545	LOCATION PICTURES
400112308	FORM 2A SUBMITTED
400112323	ACCESS ROAD MAP
400112324	SURFACE AGRMT/SURETY
400112671	LOCATION DRAWING
400113167	CONST. LAYOUT DRAWINGS
400113168	HYDROLOGY MAP
400113172	NRCS MAP UNIT DESC
400113174	PROPOSED BMPs
400113175	REFERENCE AREA MAP
400113177	SENSITIVE AREA DATA
400113178	OTHER
400113412	MULTI-WELL PLAN

Total Attach: 14 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
OGLA	Initiated/Completed OGLA Form 2A review on 12-21-10 by Dave Kubeczko; requested acknowledgement of fluid containment, spill/release BMPs, lined pits/closed loop, no pit in fill, tank containment, flowback to tanks only, and cuttings low moisture content COAs from operator on 12-21-10; received clarifications and acknowledgement of COAs from operator on 12-21-10; passed by CDOW on 12-08-10 with operator submitted BMPs (with permit application) and SUA between CDOW and Williams acceptable; passed OGLA Form 2A review on 12-28-10 by Dave Kubeczko; fluid containment, spill/release BMPs, lined pits/closed loop, no pit in fill, tank containment, flowback to tanks only, and cuttings low moisture content COAs.	12/21/2010 10:09:01 AM
Permit	State Land Board does not need additional bonding for state surface rights	12/8/2010 12:34:07 PM
DOW	This well pad is located within the boundary of the Garfield Creek State Wildlife Area and its location is depicted/described in a signed surface use agreement between Williams and CDOW. All appropriate and applicable BMPs and COAs are described in detail in the surface use agreement. CDOW and Williams consulted on the well pad site configuration and size at a site visit in the summer of 2010. by Michael Warren on Wednesday, December 8, 2010 at 8:10 A.M.	12/8/2010 8:20:44 AM
Permit	Application looks good, contacted State Land Board for bond approval	12/7/2010 11:49:39 AM

Total: 4 comment(s)

BMP

<u>Type</u>	<u>Comment</u>

Total: 0 comment(s)