

FORM
6Rev
12/05State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Date Received:

08/30/2010

Document Number:

2584598

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 51130

Contact Name: MARK CLAVENNA

Name of Operator: LOCIN OIL CORPORATION

Phone: _____

Address: 25231 GROGAN'S MILL RD STE 500

Fax: _____

City: THE WOODLANDS State: TX Zip: 77380

24 hour notice required, contact: Name: _____ Tel: _____

API Number 05-103-08077-00

Well Name: FORK UNIT

Well Number: 15-7

Location: Qtr: SWSE Section: 7 Township: 2S Range: 101W Meridian: 6

County: RIO BLANCO Federal, Indian or State Lease Number: 44645

Field Name: DRAGON TRAIL Field Number: 18700

☐ Notice of Intent to Abandon ☒ Subsequent Report of Abandonment

Only Complete the Following Background Information for Intent to Abandon

Latitude: 39.885550 Longitude: -108.770520

GPS Data:

Data of Measurement: 07/12/2010 PDOP Reading: 1.9 GPS Instrument Operator's Name: MARK CLAVENNA

Reason for Abandonment: ☐ Dry ☒ Production for Sub-economic ☐ Mechanical Problems☐ Other _____Casing to be pulled: ☐ Yes ☒ No Top of Casing Cement: _____Fish in Hole: ☐ Yes ☒ No If yes, explain details belowWellbore has Uncemented Casing leaks: ☐ Yes ☒ No If yes, explain details below

Details: _____

Current and Previously Abandoned Zones

Formation	Code	Perf. Top	Perf. Bottom	Date	Method of Isolation	Plug Depth
MANCOS B	MNCS B	2848	3027	07/14/2010	B PLUG CEMENT TOP	2800

Total: 1 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Top	Cement Bot	Status
SURF	12+1/4	8+5/8	24	134	95	0	134	
1ST	7+7/8	5+1/2	15.5	3,256	200		3,256	

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 2800 with 7 sacks cmt on top. CIBP #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 70 sks cmt from 2500 ft. to 1965 ft. in Plug Type: CASING Plug Tagged: _____

Set 38 sks cmt from 1200 ft. to 825 ft. in Plug Type: CASING Plug Tagged: _____

Set _____ sks cmt from _____ ft. to _____ ft. in Plug Type: _____ Plug Tagged: _____

Set _____ sks cmt from _____ ft. to _____ ft. in Plug Type: _____ Plug Tagged: _____

Set _____ sks cmt from _____ ft. to _____ ft. in Plug Type: _____ Plug Tagged: _____

Perforate and squeeze at 185 ft. with 145 sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set _____ sacks half in. half out surface casing from _____ ft. to _____ ft. Plug Tagged: _____

Set _____ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☒ Yes ☐ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: 0 ft. of _____ inch casing Plugging Date: 07/16/2010

*Wireline Contractor: PERFORATORS, INC.

*Cementing Contractor: SWABBCO

Type of Cement and Additives Used: CLASS G WITH 2% SALT

Flowline/Pipeline has been abandoned per Rule 1103 ☐ Yes ☐ No

Provide Technical Detail:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: MARK CLAVENNA

Title: OPERATIONS MANAGER Date: 8/4/2010 Email: MCLAVENNA@NCLNR.COM

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: David G. Nash D.B. **Director of COGCC** Date: 12/28/2010
BURN, DIANA

CONDITIONS OF APPROVAL, IF ANY:

Attachment Check List

Att Doc Num	Name
2584598	FORM 6 SUBSEQUENT SUBMITTED
2584599	CEMENT JOB SUMMARY
2584600	WIRELINE JOB SUMMARY

Total Attach: 3 Files

General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)