



## Planning Report

<b>Database:</b>	EDM 5000.1 US Multi Users DB	<b>Local Co-ordinate Reference:</b>	Well Antelope 43-31
<b>Company:</b>	Bonanza Creek Energy Operating Company, LLC	<b>TVD Reference:</b>	WELL @ 4564.0ft (Original Well Elev)
<b>Project:</b>	Weld County	<b>MD Reference:</b>	WELL @ 4564.0ft (Original Well Elev)
<b>Site:</b>	Antelope S-31 Pad (was 31 I)	<b>North Reference:</b>	True
<b>Well:</b>	Antelope 43-31	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	DD		
<b>Design:</b>	Plan #1		

<b>Project</b>	Weld County		
<b>Map System:</b>	US State Plane 1983	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	North American Datum 1983		
<b>Map Zone:</b>	Colorado Northern Zone		

<b>Site</b>	Antelope S-31 Pad (was 31 I)			
<b>Site Position:</b>		<b>Northing:</b>	1,373,356.87 ft	<b>Latitude:</b> 40.352670
<b>From:</b>	Lat/Long	<b>Easting:</b>	3,317,216.94 ft	<b>Longitude:</b> -104.361810
<b>Position Uncertainty:</b>	0.0 ft	<b>Slot Radius:</b>	13.200 in	<b>Grid Convergence:</b> 0.74 °

<b>Well</b>	Antelope 43-31			
<b>Well Position</b>	<b>+N/-S</b>	0.0 ft	<b>Northing:</b>	1,373,375.07 ft
	<b>+E/-W</b>	0.0 ft	<b>Easting:</b>	3,317,216.70 ft
<b>Position Uncertainty</b>		0.0 ft	<b>Wellhead Elevation:</b>	ft
			<b>Ground Level:</b>	4,554.0 ft

<b>Wellbore</b>	DD				
<b>Magnetics</b>	<b>Model Name</b>	<b>Sample Date</b>	<b>Declination (°)</b>	<b>Dip Angle (°)</b>	<b>Field Strength (nT)</b>
	IGRF2010	12/8/2010	8.71	67.10	53,207

<b>Design</b>	Plan #1				
<b>Audit Notes:</b>					
<b>Version:</b>	<b>Phase:</b>	PLAN		<b>Tie On Depth:</b>	0.0
<b>Vertical Section:</b>	<b>Depth From (TVD) (ft)</b>	<b>+N/-S (ft)</b>	<b>+E/-W (ft)</b>	<b>Direction (°)</b>	
	0.0	0.0	0.0	47.06	

<b>Plan Sections</b>										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
600.0	0.00	0.00	600.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,143.4	10.87	47.06	1,140.1	35.0	37.6	2.00	2.00	0.00	47.06	
5,505.4	10.87	47.06	5,423.9	595.2	639.6	0.00	0.00	0.00	0.00	
6,048.7	0.00	0.00	5,964.0	630.2	677.2	2.00	-2.00	0.00	180.00	Antelope 43-41 TGT
6,748.7	0.00	0.00	6,664.0	630.2	677.2	0.00	0.00	0.00	0.00	Antelope 43-41 PBHL

# Planning Report

**Database:** EDM 5000.1 US Multi Users DB  
**Company:** Bonanza Creek Energy Operating Company, LLC  
**Project:** Weld County  
**Site:** Antelope S-31 Pad (was 31 I)  
**Well:** Antelope 43-31  
**Wellbore:** DD  
**Design:** Plan #1

**Local Co-ordinate Reference:** Well Antelope 43-31  
**TVD Reference:** WELL @ 4564.0ft (Original Well Elev)  
**MD Reference:** WELL @ 4564.0ft (Original Well Elev)  
**North Reference:** True  
**Survey Calculation Method:** Minimum Curvature

## Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Comments / Formations
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	KOP @ 600'
700.0	2.00	47.06	700.0	1.2	1.3	1.7	2.00	2.00	
800.0	4.00	47.06	799.8	4.8	5.1	7.0	2.00	2.00	
900.0	6.00	47.06	899.5	10.7	11.5	15.7	2.00	2.00	
1,000.0	8.00	47.06	998.7	19.0	20.4	27.9	2.00	2.00	
1,100.0	10.00	47.06	1,097.5	29.6	31.9	43.5	2.00	2.00	
1,143.4	10.87	47.06	1,140.1	35.0	37.6	51.4	2.00	2.00	EOB @ Inc. = 10.87°
1,200.0	10.87	47.06	1,195.7	42.3	45.4	62.1	0.00	0.00	
1,300.0	10.87	47.06	1,293.9	55.1	59.2	80.9	0.00	0.00	
1,400.0	10.87	47.06	1,392.1	68.0	73.0	99.8	0.00	0.00	
1,500.0	10.87	47.06	1,490.4	80.8	86.8	118.6	0.00	0.00	
1,600.0	10.87	47.06	1,588.6	93.6	100.6	137.5	0.00	0.00	
1,700.0	10.87	47.06	1,686.8	106.5	114.4	156.3	0.00	0.00	
1,800.0	10.87	47.06	1,785.0	119.3	128.2	175.2	0.00	0.00	
1,900.0	10.87	47.06	1,883.2	132.2	142.0	194.0	0.00	0.00	
2,000.0	10.87	47.06	1,981.4	145.0	155.8	212.9	0.00	0.00	
2,100.0	10.87	47.06	2,079.6	157.9	169.6	231.7	0.00	0.00	
2,200.0	10.87	47.06	2,177.8	170.7	183.4	250.6	0.00	0.00	
2,300.0	10.87	47.06	2,276.0	183.6	197.2	269.4	0.00	0.00	
2,400.0	10.87	47.06	2,374.2	196.4	211.0	288.3	0.00	0.00	
2,500.0	10.87	47.06	2,472.4	209.2	224.8	307.1	0.00	0.00	
2,600.0	10.87	47.06	2,570.6	222.1	238.6	326.0	0.00	0.00	
2,700.0	10.87	47.06	2,668.8	234.9	252.4	344.9	0.00	0.00	
2,800.0	10.87	47.06	2,767.0	247.8	266.2	363.7	0.00	0.00	
2,900.0	10.87	47.06	2,865.2	260.6	280.0	382.6	0.00	0.00	
3,000.0	10.87	47.06	2,963.5	273.5	293.9	401.4	0.00	0.00	
3,100.0	10.87	47.06	3,061.7	286.3	307.7	420.3	0.00	0.00	
3,200.0	10.87	47.06	3,159.9	299.2	321.5	439.1	0.00	0.00	
3,300.0	10.87	47.06	3,258.1	312.0	335.3	458.0	0.00	0.00	
3,400.0	10.87	47.06	3,356.3	324.8	349.1	476.8	0.00	0.00	
3,500.0	10.87	47.06	3,454.5	337.7	362.9	495.7	0.00	0.00	
3,600.0	10.87	47.06	3,552.7	350.5	376.7	514.5	0.00	0.00	
3,700.0	10.87	47.06	3,650.9	363.4	390.5	533.4	0.00	0.00	
3,800.0	10.87	47.06	3,749.1	376.2	404.3	552.2	0.00	0.00	
3,900.0	10.87	47.06	3,847.3	389.1	418.1	571.1	0.00	0.00	
4,000.0	10.87	47.06	3,945.5	401.9	431.9	589.9	0.00	0.00	
4,100.0	10.87	47.06	4,043.7	414.7	445.7	608.8	0.00	0.00	
4,200.0	10.87	47.06	4,141.9	427.6	459.5	627.6	0.00	0.00	
4,300.0	10.87	47.06	4,240.1	440.4	473.3	646.5	0.00	0.00	
4,400.0	10.87	47.06	4,338.3	453.3	487.1	665.4	0.00	0.00	
4,500.0	10.87	47.06	4,436.6	466.1	500.9	684.2	0.00	0.00	
4,600.0	10.87	47.06	4,534.8	479.0	514.7	703.1	0.00	0.00	
4,700.0	10.87	47.06	4,633.0	491.8	528.5	721.9	0.00	0.00	
4,800.0	10.87	47.06	4,731.2	504.7	542.3	740.8	0.00	0.00	
4,900.0	10.87	47.06	4,829.4	517.5	556.1	759.6	0.00	0.00	
5,000.0	10.87	47.06	4,927.6	530.3	569.9	778.5	0.00	0.00	

## Planning Report

<b>Database:</b>	EDM 5000.1 US Multi Users DB	<b>Local Co-ordinate Reference:</b>	Well Antelope 43-31
<b>Company:</b>	Bonanza Creek Energy Operating Company, LLC	<b>TVD Reference:</b>	WELL @ 4564.0ft (Original Well Elev)
<b>Project:</b>	Weld County	<b>MD Reference:</b>	WELL @ 4564.0ft (Original Well Elev)
<b>Site:</b>	Antelope S-31 Pad (was 31 I)	<b>North Reference:</b>	True
<b>Well:</b>	Antelope 43-31	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	DD		
<b>Design:</b>	Plan #1		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Comments / Formations
5,100.0	10.87	47.06	5,025.8	543.2	583.7	797.3	0.00	0.00	
5,200.0	10.87	47.06	5,124.0	556.0	597.5	816.2	0.00	0.00	
5,300.0	10.87	47.06	5,222.2	568.9	611.3	835.0	0.00	0.00	
5,400.0	10.87	47.06	5,320.4	581.7	625.1	853.9	0.00	0.00	
5,500.0	10.87	47.06	5,418.6	594.6	638.9	872.7	0.00	0.00	
5,505.4	10.87	47.06	5,423.9	595.2	639.6	873.8	0.00	0.00	Start Drop -2.00
5,600.0	8.97	47.06	5,517.1	606.4	651.6	890.1	2.00	-2.00	
5,700.0	6.97	47.06	5,616.1	615.8	661.7	903.9	2.00	-2.00	
5,800.0	4.97	47.06	5,715.6	622.9	669.3	914.3	2.00	-2.00	
5,900.0	2.97	47.06	5,815.3	627.6	674.4	921.3	2.00	-2.00	
6,000.0	0.97	47.06	5,915.3	630.0	676.9	924.7	2.00	-2.00	
6,048.7	0.00	0.00	5,964.0	630.2	677.2	925.1	2.00	-2.00	EOD; Target #1 - Antelope 43-41 TGT
6,100.0	0.00	0.00	6,015.3	630.2	677.2	925.1	0.00	0.00	
6,200.0	0.00	0.00	6,115.3	630.2	677.2	925.1	0.00	0.00	
6,248.7	0.00	0.00	6,164.0	630.2	677.2	925.1	0.00	0.00	Niobrara
6,300.0	0.00	0.00	6,215.3	630.2	677.2	925.1	0.00	0.00	
6,400.0	0.00	0.00	6,315.3	630.2	677.2	925.1	0.00	0.00	
6,500.0	0.00	0.00	6,415.3	630.2	677.2	925.1	0.00	0.00	
6,600.0	0.00	0.00	6,515.3	630.2	677.2	925.1	0.00	0.00	
6,700.0	0.00	0.00	6,615.3	630.2	677.2	925.1	0.00	0.00	
6,748.7	0.00	0.00	6,664.0	630.2	677.2	925.1	0.00	0.00	TD at 6748.7 - Antelope 43-41 PBHL

Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude
- hit/miss target									
- Shape									
Antelope 43-41 PBHL	0.00	0.00	6,664.0	630.2	677.2	1,374,013.96	3,317,885.80	40.354450	-104.359380
- plan hits target center									
- Circle (radius 50.0)									
Antelope 43-41 TGT	0.00	0.00	5,964.0	630.2	677.2	1,374,013.96	3,317,885.80	40.354450	-104.359380
- plan hits target center									
- Point									

Formations						
Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)	
6,248.7	6,164.0	Niobrara		0.00		

## Planning Report

<b>Database:</b>	EDM 5000.1 US Multi Users DB	<b>Local Co-ordinate Reference:</b>	Well Antelope 43-31
<b>Company:</b>	Bonanza Creek Energy Operating Company, LLC	<b>TVD Reference:</b>	WELL @ 4564.0ft (Original Well Elev)
<b>Project:</b>	Weld County	<b>MD Reference:</b>	WELL @ 4564.0ft (Original Well Elev)
<b>Site:</b>	Antelope S-31 Pad (was 31 I)	<b>North Reference:</b>	True
<b>Well:</b>	Antelope 43-31	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	DD		
<b>Design:</b>	Plan #1		

### Plan Annotations

Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
600.0	600.0	0.0	0.0	KOP @ 600'
1,143.4	1,140.1	35.0	37.6	EOB @ Inc. = 10.87°
5,505.4	5,423.9	595.2	639.6	Start Drop -2.00
6,048.7	5,964.0	630.2	677.2	EOD; Target #1
6,748.7	6,664.0	630.2	677.2	TD at 6748.7