

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303)894-2100 Fax: (303)894-2100



SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form.) Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b.)

1. OGCC Operator Number: <u>96850</u>	4. Contact Name: <u>Karolina Blaney</u>	Complete the Attachment Checklist
2. Name of Operator: <u>Williams Production RMT</u>	Phone: <u>970 684 2295</u>	
3. Address: <u>1058 County Road 215</u>	Fax: <u>970 285 9573</u>	OP OGCC
City: <u>Parachute</u> State: <u>CO</u> Zip: <u>81635</u>		
5. API Number: <u>05-045-06355</u>	OGCC Facility ID Number: <u>336009</u>	Survey Plat
6. Well/Facility Name:	7. Well/Facility Number: <u>KP 24-B</u>	Directional Survey
8. Location (Ctr/Ctr, Sec, Twp, Rng, Meridian): <u>SESW-8-6S-91W-06M</u>		Surface Eqpm Diagram
9. County: <u>Garfield</u>	10. Field Name: <u>Kokopellii</u>	Technical Info Page
11. Federal, Indian or State Lease Number:		Other

General Notice

CHANGE OF LOCATION: Attach New Survey Plat (a change of surface qtr/qtr is substantive and requires a new permit)

Change of Surface Footage from Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Surface Footage to Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Bottomhole Footage from Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Change of Bottomhole Footage to Exterior Section Lines:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Bottomhole location Ctr/Ctr, Sec, Twp, Rng, Mer

Latitude Distance to nearest property line Distance to nearest bldg, public rd, utility or RR

Longitude Distance to nearest lease line is location in a High Density Area (rule 603b)? Yes/No

Ground Elevation Distance to nearest well same formation Surface owner consultation date:

GPS DATA:
Date of Measurement PDOP Reading Instrument Operator's Name

CHANGE SPACING UNIT
Formation Formation Code Spacing order number Unit Acreage Unit configuration

Remove from surface bond
Signed surface use agreement attached

CHANGE OF OPERATOR (prior to drilling):
Effective Date:
Plugging Bond: Blanket Individual

CHANGE WELL NAME NUMBER
From:
To:
Effective Date:

ABANDONED LOCATION:
Was location ever built? Yes No
Is site ready for inspection? Yes No
Date Ready for inspection:

NOTICE OF CONTINUED SHUT IN STATUS
Date well shut in or temporarily abandoned:
Has Production Equipment been removed from site? Yes No
MIT required if shut in longer than two years. Date of last MIT

SPUD DATE:

REQUEST FOR CONFIDENTIAL STATUS (6 mos from date casing set)

SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK
Method used Cementing tool setting/perf depth Cement volume Cement top Cement bottom Date

*submit cbl and cement job summaries

RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004.
Final reclamation will commence on approximately Final reclamation is completed and site is ready for inspection.

Technical Engineering/Environmental Notice

Notice of Intent
Approximate Start Date:

Report of Work Done
Date Work Completed:

Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)

<input type="checkbox"/> Intent to Recomplete (submit form 2)	<input type="checkbox"/> Request to Vent or Flare	<input type="checkbox"/> E&P Waste Disposal
<input type="checkbox"/> Change Drilling Plans	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of E&P Waste
<input type="checkbox"/> Gross Interval Changed?	<input type="checkbox"/> Rule 502 variance requested	<input type="checkbox"/> Status Update/Change of Remediation Plans
<input type="checkbox"/> Casing/Cementing Program Change	<input checked="" type="checkbox"/> Other: <u>Background</u>	for Spills and Releases

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Karolina Blaney Date: 1/11/2011 Email: Karolina.Blaney@Williams.com
Print Name: Karolina Blaney Title: Environmental Specialist

OGCC Approved: [Signature] Title: For Chris Canfield Date: 01/12/2011
CONDITIONS OF APPROVAL, IF ANY:

EPS NW Region

TECHNICAL INFORMATION PAGE



FOR OGCC USE ONLY

1. OGCC Operator Number: _____	API Number: _____
2. Name of Operator: _____	OGCC Facility ID # _____
3. Well/Facility Name: _____	Well/Facility Number: _____
4. Location (QtrQtr, Sec, Twp, Rng, Meridian): _____	

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5. **DESCRIBE PROPOSED OR COMPLETED OPERATIONS**

Report of Analysis

Client Sample ID: KP 24-8	Date Sampled: 12/10/10
Lab Sample ID: T65168-1	Date Received: 12/11/10
Matrix: SO - Soil	Percent Solids: 82.9
Project: KP 24-8 Cuttings	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	6.5	0.71	0.12	mg/kg	1	12/17/10	12/17/10 TW	SW846 6010B ²	SW846 3050B ⁵
Barium	2580	14	0.098	mg/kg	1	12/17/10	12/17/10 TW	SW846 6010B ²	SW846 3050B ⁵
Cadmium	0.26 J	0.36	0.020	mg/kg	1	12/17/10	12/17/10 TW	SW846 6010B ²	SW846 3050B ⁵
Chromium	14.1	0.71	0.033	mg/kg	1	12/17/10	12/17/10 TW	SW846 6010B ²	SW846 3050B ⁵
Copper	15.1	1.8	0.079	mg/kg	1	12/17/10	12/17/10 TW	SW846 6010B ²	SW846 3050B ⁵
Lead	10.7	0.71	0.071	mg/kg	1	12/17/10	12/17/10 TW	SW846 6010B ²	SW846 3050B ⁵
Mercury	0.017 J	0.018	0.0074	mg/kg	1	12/15/10	12/15/10 CN	SW846 7471A ¹	SW846 7471A ⁴
Nickel	13.5	2.6	0.085	mg/kg	1	12/18/10	12/18/10 NS	SW846 6010B ³	SW846 3050B ⁶
Selenium	0.20 U	0.71	0.20	mg/kg	1	12/17/10	12/17/10 TW	SW846 6010B ²	SW846 3050B ⁵
Silver	0.083 U	0.71	0.083	mg/kg	1	12/17/10	12/17/10 TW	SW846 6010B ²	SW846 3050B ⁵
Zinc	70.2	1.4	0.12	mg/kg	1	12/17/10	12/17/10 TW	SW846 6010B ²	SW846 3050B ⁵

- (1) Instrument QC Batch: MA5327
- (2) Instrument QC Batch: MA5333
- (3) Instrument QC Batch: MA5336
- (4) Prep QC Batch: MP13564
- (5) Prep QC Batch: MP13581
- (6) Prep QC Batch: MP13594

RL = Reporting Limit
 MDL = Method Detection Limit

U = Indicates a result < MDL
 J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: KP 24-8-B-1	Date Sampled: 12/17/10
Lab Sample ID: T65625-1	Date Received: 12/18/10
Matrix: SO - Soil	Percent Solids: 82.9
Project: KP 24-8 Backgrounds	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.5	0.64	0.13	mg/kg	1	12/22/10	12/30/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5358

(2) Prep QC Batch: MP13616

RL = Reporting Limit
 MDL = Method Detection Limit

U = Indicates a result < MDL
 J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: KP 24-8-B-2	Date Sampled: 12/17/10
Lab Sample ID: T65625-2	Date Received: 12/18/10
Matrix: SO - Soil	Percent Solids: 84.1
Project: KP 24-8 Backgrounds	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	6.2	0.64	0.13	mg/kg	1	12/22/10	12/30/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5358

(2) Prep QC Batch: MP13616

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: KP 24-8-B-3	Date Sampled: 12/17/10
Lab Sample ID: T65625-3	Date Received: 12/18/10
Matrix: SO - Soil	Percent Solids: 81.4
Project: KP 24-8 Backgrounds	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.9	0.76	0.15	mg/kg	1	12/22/10	12/30/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5358

(2) Prep QC Batch: MP13616

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: KP 24-8-B-4	Date Sampled: 12/17/10
Lab Sample ID: T65625-4	Date Received: 12/18/10
Matrix: SO - Soil	Percent Solids: 81.6
Project: KP 24-8 Backgrounds	

Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.8	0.70	0.14	mg/kg	1	12/22/10	12/30/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5358

(2) Prep QC Batch: MP13616

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: KP 24-8-B-5	Date Sampled: 12/17/10
Lab Sample ID: T65625-5	Date Received: 12/18/10
Matrix: SO - Soil	Percent Solids: 82.6
Project: KP 24-8 Backgrounds	

Metals Analysis


Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	5.6	0.73	0.15	mg/kg	1	12/22/10	12/30/10 NS	SW846 6010B ¹	SW846 3050B ²

(1) Instrument QC Batch: MA5358

(2) Prep QC Batch: MP13616

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL



Legend

- Sample Location
- Existing Road
- Existing Pad Limit of Disturbance

KP 24-8

**Arsenic Background Sample Location Map
T6S R91W, Section 8**

January 10, 2011

