




Field Receipt: 1001731056

## CEMENT POST JOB REPORT

**Carrizo Oil & Gas**  
**State 36-24-9-61 - Surface**  
**Wattenberg Field**  
**Weld County**  
**Colorado**  
API # 05-123-32318-0000  
Treatment Date 12/9/10




# CEMENT JOB REPORT



|  |                 |   |                                |                                   |   |                                  |                      |                         |                    |                      |                  |             |
|--|-----------------|---|--------------------------------|-----------------------------------|---|----------------------------------|----------------------|-------------------------|--------------------|----------------------|------------------|-------------|
| <b>CUSTOMER</b> Carrizo Oil & Gas  |                 | <b>DATE</b> 09-DEC-10                         | <b>F.R. #</b> 1001731056       |                                   | <b>SERV. SUPV.</b> RYAN SULLIVAN            |                                  |                      |                         |                    |                      |                  |             |
| <b>LEASE &amp; WELL NAME</b><br>STATE #36-24-9-61 - API 05123323180000     |                 | <b>LOCATION</b><br>36-9N-61W                  |                                |                                   | <b>COUNTY-PARISH-BLOCK</b><br>Weld Colorado |                                  |                      |                         |                    |                      |                  |             |
| <b>DISTRICT</b><br>Brighton  |                 | <b>DRILLING CONTRACTOR RIG #</b><br>Xtreme 15 |                                |                                   | <b>TYPE OF JOB</b><br>Surface               |                                  |                      |                         |                    |                      |                  |             |
| <b>SIZE &amp; TYPE OF PLUGS</b>  |                 | <b>LIST-CSG-HARDWARE</b>                      |                                | <b>PHYSICAL SLURRY PROPERTIES</b> |   |                                  |                      |                         |                    |                      |                  |             |
| Cement Plug, Rubber, Top 9-5/8 in  |                 | Centralizer, with Pins, 9-5/8 in              |                                | <b>SACKS OF CEMENT</b>            | <b>SLURRY WGT PPG</b>                       | <b>SLURRY YLD FT<sup>3</sup></b> | <b>WATER GPS</b>     | <b>PUMP TIME HR:MIN</b> | <b>Bbl SLURRY</b>  | <b>Bbl MIX WATER</b> |                  |             |
|  |                 | Float Collar, Auto Fill, 9-5/8 - 8rd          |                                |                                   |   |                                  |                      |                         |                    |                      |                  |             |
| <b>MATERIALS FURNISHED BY BJ</b>   |                 |   |                                |                                   |   |                                  |                      |                         |                    |                      |                  |             |
| Fresh Water  |                 |   |                                | 0                                 | 8.34  | 0                                | 0                    | 00:00                   | 10                 |                      |                  |             |
| Fresh Water + 2lb. Red Dye   |                 |   |                                | 0                                 | 8.34  | 0                                | 0                    | 00:00                   | 15                 |                      |                  |             |
| Type III + Additives   |                 |   |                                | 686                               | 14.5  | 1.40                             | 6.81                 | 02:00                   | 171.1              | 111.20               |                  |             |
| Drilling Mud   |                 |   |                                | 0                                 | 8.4   | 0                                | 0                    | 00:00                   | 95.6               |                      |                  |             |
| Available Mix Water <u>250</u> Bbl. Available Displ. Fluid <u>300</u> Bbl. |                 |   |                                | <b>TOTAL</b>                      |   |                                  |                      |                         | 291.7              | 111.20               |                  |             |
| <b>HOLE</b>  |                 |   | <b>TBG-CSG-D.P.</b>            |                                   |   |                                  | <b>COLLAR DEPTHS</b> |                         |                    |                      |                  |             |
| <b>SIZE</b>  | <b>% EXCESS</b> | <b>DEPTH</b>                                  | <b>SIZE</b>                    | <b>WGT.</b>                       | <b>TYPE</b>                                 | <b>DEPTH</b>                     | <b>GRADE</b>         | <b>SHOE</b>             | <b>FLOAT</b>       | <b>STAGE</b>         |                  |             |
| 12.25  | 0               | 1410  | 9.625                          | 36                                | CSG   | 1410                             | J-55                 | 1410                    | 1366               | 0                    |                  |             |
| <b>LAST CASING</b>   |                 |   | <b>PKR-CMT RET-BR PL-LINER</b> |                                   |   | <b>PERF. DEPTH</b>               |                      | <b>TOP CONN</b>         |                    | <b>WELL FLUID</b>    |                  |             |
| <b>SIZE</b>  | <b>WGT</b>      | <b>TYPE</b>                                   | <b>DEPTH</b>                   | <b>BRAND &amp; TYPE</b>           |   | <b>DEPTH</b>                     | <b>TOP</b>           | <b>BTM</b>              | <b>SIZE</b>        | <b>THREAD</b>        | <b>TYPE</b>      | <b>WGT.</b> |
| 20   | 104.1           |   | 80                             | No packer                         |   | 0                                | 0                    | 0                       | 9.625              | 8RD                  | WATER BASED MU   | 8.4         |
| <b>DISPL. VOLUME</b>   |                 | <b>DISPL. FLUID</b>                           |                                | <b>CAL. PSI</b>                   | <b>CAL. MAX PSI</b>                         | <b>OP. MAX</b>                   | <b>MAX TBG PSI</b>   |                         | <b>MAX CSG PSI</b> |                      | <b>MIX WATER</b> |             |
| <b>VOLUME</b>  | <b>UOM</b>      | <b>TYPE</b>                                   | <b>WGT.</b>                    | <b>BUMP PLUG</b>                  | <b>TO REV.</b>                              | <b>SQ. PSI</b>                   | <b>RATED</b>         | <b>Operator</b>         | <b>RATED</b>       | <b>Operator</b>      |                  |             |
| 105.6  | BBLS            | Fresh Water                                   | 8.34                           | 433                               | 0   | 0                                | 0                    | 0                       | 2816               | 1000                 | Rig              |             |
|  |                 | Drilling Mud                                  | 8.4                            |                                   |   |                                  |                      |                         |                    |                      |                  |             |

EXPLANATION: TROUBLE SETTING TOOL, RUNNING CSG, ETC. PRIOR TO CEMENTING: None

| PRESSURE/RATE DETAIL   |                         |  |                                  |                          |                        | EXPLANATION   |                                      |
|--|-------------------------|--|----------------------------------|--------------------------|------------------------|---|--------------------------------------|
| TIME<br>HR:MIN.  | PRESSURE - PSI          |  | RATE<br>BPM                      | Bbl. FLUID<br>PUMPED     | FLUID<br>TYPE          | SAFETY MEETING: BJ CREW <input checked="" type="checkbox"/> CO. REP. <input checked="" type="checkbox"/>            |                                      |
|  | PIPE                    | ANNULUS  |                                  |                          |                        | TEST LINES 3669 PSI   |                                      |
|  |                         |  |                                  |                          |                        | CIRCULATING WELL - RIG <input checked="" type="checkbox"/> BJ <input type="checkbox"/>                              |                                      |
| 08:35  | 0                       | 0  | 0                                | 0                        | N/A                    | Pre-rig up safety meeting   |                                      |
| 09:45  | 0                       | 0  | 0                                | 0                        | N/A                    | Pre-job safety meeting  |                                      |
| 09:55  | 1630                    | 0  | 0                                | 0                        | WATER                  | Low pressure test   |                                      |
| 09:56  | 3669                    | 0  | 0                                | 0                        | WATER                  | High pressure test  |                                      |
| 09:58  | 180                     | 0  | 6                                | 15                       | WATER                  | Dyed water spacer   |                                      |
| 10:06  | 139                     | 0  | 5.1                              | 170                      | CEMENT                 | Batch-up, weigh, & pump 686 sx of Type III + 0.08 lbs/sk Static Free + 1% CaCl + 0.15 lbs/sk Cello Flake @ 14.5 ppg |                                      |
| 11:02  | 0                       | 0  | 0                                | 0                        | N/A                    | Drop plug   |                                      |
| 11:09  | 246                     | 0  | 5                                | 40                       | MUD                    | Displace - first 10 freshwater, remainder mud   |                                      |
| 11:19  | 405                     | 0  | 6.2                              | 30                       | MUD                    | Rate change   |                                      |
| 11:25  | 489                     | 0  | 5                                | 36                       | MUD                    | Rate change   |                                      |
| 11:34  | 494                     | 0  | 5                                | 106                      | MUD                    | Bump plug   |                                      |
| 11:34  | 1193                    | 0  | 0                                | 0                        | N/A                    | Plug down @ 106 bbls  |                                      |
| 11:38  | 0                       | 0  | 0                                | 0                        | N/A                    | Pre-rig down safety meeting   |                                      |
| <b>BUMPED PLUG</b>   | <b>PSI TO BUMP PLUG</b> | <b>TEST FLOAT EQUIP.</b>   | <b>BBL.CMT RETURNS/ REVERSED</b> | <b>TOTAL BBL. PUMPED</b> | <b>PSI LEFT ON CSG</b> | <b>SPOT TOP OUT CEMENT</b>  | <b>SERVICE SUPERVISOR SIGNATURE:</b> |
| <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | 494                     | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N | 75                               | 291                      | 0                      | <input checked="" type="checkbox"/> Y <input type="checkbox"/> N  |                                      |



# BJ Services Company



FIELD RECEIPT NO. 1001731056

|   |  |                                      |  |  |  |                        |                                       |                        |   |   |                                  |  |   |  |  |
|---|--|--------------------------------------|--|--|--|------------------------|---------------------------------------|------------------------|---|---|----------------------------------|--|---|--|--|
| <b>CUSTOMER</b><br>Carrizo Oil & Gas                                  |  |                                      |  |  | <b>CREDIT APPROVAL NO.</b><br>A10011303682   |                        | <b>PURCHASE ORDER NO.</b>             |                        | <b>CUSTOMER NUMBER</b><br>20015134 - 00250300 |   | <b>INVOICE NUMBER</b><br>1713847 |  |   |  |  |
| <b>MAIL STREET OR BOX NUMBER</b><br>1000 Louisiana Street Suite 1699  |  |                                      |  |  | <b>CITY</b><br>Houston   |                        | <b>STATE</b><br>Texas                 |                        | <b>ZIP CODE</b><br>77002                      |   |                                  |  |   |  |  |
| <b>DATE WORK MO. DAY YEAR</b><br>COMPLETED 12 09 2010                 |  |                                      |  |  | <b>BJ SERVICES REPRESENTATIVE</b><br>RYAN SULLIVAN   |                        | <b>WELL API NO:</b><br>05123323180000 |                        | <b>WELL TYPE :</b><br>New Well                |   |                                  |  |   |  |  |
| <b>BJ SERVICES DISTRICT</b><br>Brighton                               |  |                                      |  |  | <b>JOB DEPTH (ft)</b><br>1,410   |                        | <b>WELL CLASS :</b><br>Gas            |                        |   |   |                                  |  |   |  |  |
| <b>WELL NAME AND NUMBER</b><br>STATE #36-24-9-61                      |  |                                      |  |  | <b>TD WELL DEPTH (ft)</b><br>1,410   |                        | <b>GAS USED ON JOB :</b><br>No Gas    |                        |   |   |                                  |  |   |  |  |
| <b>WELL LOCATION :</b><br>36-9N-61W                                   |  |                                      |  |  | <b>COUNTY/PARISH</b><br>Weld   |                        | <b>STATE</b><br>Colorado              |                        | <b>JOB TYPE CODE :</b><br>Surface             |   |                                  |  |   |  |  |
| <b>PRODUCT CODE</b>   |  | <b>DESCRIPTION</b>                   |  |  |  | <b>UNIT OF MEASURE</b> | <b>QUANTITY</b>                       | <b>LIST PRICE UNIT</b> | <b>GROSS AMOUNT</b>                           | <b>% DISC.</b>  | <b>NET AMOUNT</b>                |  |   |  |  |
| 100112  |  | Calcium Chloride                     |  |  |  | lbs                    | 645                                   | 1.220                  | 786.90  | 50%   | 393.45                           |  |   |  |  |
| 100295  |  | Cello Flake                          |  |  |  | lbs                    | 104                                   | 4.850                  | 504.40  | 50%   | 252.20                           |  |   |  |  |
| 488019  |  | FP-6L                                |  |  |  | gals                   | 4                                     | 99.250                 | 397.00  | 50%   | 198.50                           |  |   |  |  |
| 499632  |  | Granulated Sugar                     |  |  |  | lbs                    | 100                                   | 3.490                  | 349.00  | 50%   | 174.50                           |  |   |  |  |
| 499680  |  | Static Free                          |  |  |  | lbs                    | 55                                    | 38.700                 | 2,128.50                                      | 50%   | 1,064.25                         |  |   |  |  |
| 499703  |  | Type III Cement                      |  |  |  | sacks                  | 686                                   | 29.600                 | 20,305.60                                     | 50%   | 10,152.80                        |  |   |  |  |
|   |  | SUB-TOTAL FOR Product Material       |  |  |  |                        |                                       |                        | 24,471.40                                     | 50%   | 12,235.70                        |  |   |  |  |
| A152  |  | Personnel Per Diem Chrg - Cement Svc |  |  |  | ea                     | 1                                     | 161.500                | 161.50  | 0%  | 161.50                           |  |   |  |  |
| M100  |  | Bulk Materials Service Charge        |  |  |  | cu ft                  | 710                                   | 4.170                  | 2,960.70                                      | 50%   | 1,480.35                         |  |   |  |  |
|   |  | SUB-TOTAL FOR Service Charges        |  |  |  |                        |                                       |                        | 3,122.20                                      | 47.41%  | 1,641.85                         |  |   |  |  |
| <b>ARRIVE MO. DAY YEAR TIME</b><br><b>LOCATION :</b> 12 09 2010 08:10 |  |                                      |  |  | <b>SERVICE ORDER: I AUTHORIZE WORK TO BEGIN PER SERVICE INSTRUCTIONS IN ACCORDANCE WITH THE TERMS AND CONDITIONS PRINTED ON THE LAST PAGE OF THIS FORM AND REPRESENT THAT I HAVE AUTHORITY TO ACCEPT AND SIGN THIS ORDER.</b><br><br><div style="text-align: center; border-top: 1px solid black; margin-top: 10px;">CUSTOMER AUTHORIZED AGENT</div> |                        |                                       |                        |   | <b>SERVICE RECEIPT: I CERTIFY THAT THE MATERIALS AND SERVICES LISTED WERE RECEIVED AND ALL SERVICES PERFORMED IN A WORKMANLIKE MANNER.</b><br><br><div style="text-align: center; border-top: 1px solid black; margin-top: 10px;">CUSTOMER AUTHORIZED AGENT</div> |                                  |  |   |  |  |
| <b>CUSTOMER REP.</b><br>Jack Calame                                   |  |                                      |  |  |  |                        |                                       |                        |   |   |                                  |  | X |  |  |
| <b>SEE LAST PAGE FOR GENERAL TERMS AND CONDITIONS</b>                 |  |                                      |  |  |  |                        |                                       |                        |   |   |                                  |  | X |  |  |

# BJ Services Company



FIELD RECEIPT NO. 1001731056

|  |  |  |  |  |   |                        |                                       |                        |   |  |                                  |  |
|--|--|--|--|--|---|------------------------|---------------------------------------|------------------------|---|--|----------------------------------|--|
| <b>CUSTOMER</b><br>Carrizo Oil & Gas                           |  |  |  |  | <b>CREDIT APPROVAL NO.</b><br>A10011303682  |                        | <b>PURCHASE ORDER NO.</b>             |                        | <b>CUSTOMER NUMBER</b><br>20015134 - 00250300 |  | <b>INVOICE NUMBER</b><br>1713847 |  |
| <b>MAIL INVOICE TO</b><br>1000 Louisiana Street Suite 1699     |  |  |  |  | <b>CITY</b><br>Houston  |                        | <b>STATE</b><br>Texas                 |                        | <b>ZIP CODE</b><br>77002                      |  |                                  |  |
| <b>DATE WORK COMPLETED</b><br>MO. 12 DAY 09 YEAR 2010          |  |  |  |  | <b>BJ SERVICES REPRESENTATIVE</b><br>RYAN SULLIVAN  |                        | <b>WELL API NO:</b><br>05123323180000 |                        | <b>WELL TYPE :</b><br>New Well                |  |                                  |  |
| <b>BJ SERVICES DISTRICT</b><br>Brighton                        |  |  |  |  | <b>JOB DEPTH (ft)</b><br>1,410  |                        | <b>WELL CLASS :</b><br>Gas            |                        |   |  |                                  |  |
| <b>WELL NAME AND NUMBER</b><br>STATE #36-24-9-61               |  |  |  |  | <b>TD WELL DEPTH (ft)</b><br>1,410  |                        | <b>GAS USED ON JOB :</b><br>No Gas    |                        |   |  |                                  |  |
| <b>WELL LOCATION :</b><br>36-9N-61W                            |  |  |  |  | <b>COUNTY/PARISH</b><br>Weld  |                        | <b>STATE</b><br>Colorado              |                        | <b>JOB TYPE CODE :</b><br>Surface             |  |                                  |  |
| <b>PRODUCT CODE</b>  |  | <b>DESCRIPTION</b>                     |  |  |   | <b>UNIT OF MEASURE</b> | <b>QUANTITY</b>                       | <b>LIST PRICE UNIT</b> | <b>GROSS AMOUNT</b>                           | <b>% DISC.</b>   | <b>NET AMOUNT</b>                |  |
| F055A  |  | Cement Pumping, 1001 - 2000 ft         |  |  |   | 4hrs                   | 1                                     | 4,050.000              | 4,050.00                                      | 50%  | 2,025.00                         |  |
| J050   |  | Cement Head                            |  |  |   | job                    | 1                                     | 635.000                | 635.00  | 50%  | 317.50                           |  |
| J225   |  | Data Acquisition, Cement, Standard     |  |  |   | job                    | 1                                     | 1,635.000              | 1,635.00                                      | 50%  | 817.50                           |  |
| J390   |  | Mileage, Heavy Vehicle                 |  |  |   | miles                  | 160                                   | 9.100                  | 1,456.00                                      | 50%  | 728.00                           |  |
| J391   |  | Mileage, Auto, Pick-Up or Treating Van |  |  |   | miles                  | 160                                   | 5.150                  | 824.00  | 50%  | 412.00                           |  |
|  |  | SUB-TOTAL FOR Equipment                |  |  |   |                        |                                       |                        | 8,600.00                                      | 50%  | 4,300.00                         |  |
| J401   |  | Bulk Delivery, Dry Products            |  |  |   | ton-mi                 | 2620                                  | 3.030                  | 7,938.60                                      | 50%  | 3,969.30                         |  |
|  |  | SUB-TOTAL FOR Freight/Delivery Charges |  |  |   |                        |                                       |                        | 7,938.60                                      | 50%  | 3,969.30                         |  |
|  |  | FIELD ESTIMATE                         |  |  |   |                        |                                       |                        | 44,132.20                                     | 49.82%   | 22,146.85                        |  |
| <b>ARRIVE LOCATION :</b><br>MO. 12 DAY 09 YEAR 2010 TIME 08:10 |  |  |  |  | <b>SERVICE ORDER: I AUTHORIZE WORK TO BEGIN PER SERVICE INSTRUCTIONS IN ACCORDANCE WITH THE TERMS AND CONDITIONS PRINTED ON THE LAST PAGE OF THIS FORM AND REPRESENT THAT I HAVE AUTHORITY TO ACCEPT AND SIGN THIS ORDER.</b><br><br><div style="text-align: center;">_____<br/>CUSTOMER AUTHORIZED AGENT</div> |                        |                                       |                        |   | <b>SERVICE RECEIPT: I CERTIFY THAT THE MATERIALS AND SERVICES LISTED WERE RECEIVED AND ALL SERVICES PERFORMED IN A WORKMANLIKE MANNER.</b><br><br><div style="text-align: center;">X<br/>CUSTOMER AUTHORIZED AGENT</div> <div style="text-align: center;">X<br/>BJ SERVICES APPROVED</div> |                                  |  |
| <b>CUSTOMER REP.</b><br>Jack Calame                            |  |  |  |  |   |                        |                                       |                        |   |  |                                  |  |
| <b>SEE LAST PAGE FOR GENERAL TERMS AND CONDITIONS</b>          |  |  |  |  |   |                        |                                       |                        |   |  |                                  |  |