The required information can be obtained from the NRCS web site at http://soildatamart.nrcs.usda.gov/ or from the COGCC web site GIS Online map page found at http://colorado.gov/cogcc. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 49: Osgood sand, 0 to 3% slope

NRCS Map Unit Name: _____

NRCS Map Unit Name: _____

13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☐ NRCS or, ☒ field observation Date of observation: 01/26/2011

List individual species: _____

Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- ☒ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- ☐ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- ☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- ☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- ☐ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- ☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- ☐ Alpine (above timberline)
- ☐ Other (describe): _____

14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: ☒ No ☐ Yes Was a Rule 901.e. Sensitive Areas Determination performed: ☒ No ☐ Yes

Distance (in feet) to nearest surface water: 11088 , water well: 2376 , depth to ground water: 36

Is the location in a riparian area: ☒ No ☐ Yes Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes

Is the location within a Rule 317B Surface Water Suppl Area buffer zone:

☒ No ☐ 0-300 ft. zone ☐ 301-500 ft. zone ☐ 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: ☐ No ☐ Yes

15. Comments:

Distance to nearest water well is 2376'. Receipt #0907245, Permit #63736, SENW Sec. 36, T4N, R63W, No static water listed. Next nearest water well is 2697'. Receipt #9066299, Permit #117093, SENW Sec. 36, T4N, R63W, Static Water: 36'. Designated Basin: Lost Creek

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Anna Walls Date: 2/14/11 Email: avwalls@marathonoil.com

Print Name: Anna Walls Title: Regulatory Compliance Rep

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ **Director of COGCC** Date: _____

CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

Attachment Check List

Att Doc Num	Name
400133203	NRCS MAP UNIT DESC
400133204	PROPOSED BMPs
400133205	ACCESS ROAD MAP
400133206	CONST. LAYOUT DRAWINGS
400133207	HYDROLOGY MAP
400133208	LOCATION DRAWING
400133209	LOCATION PICTURES
400133210	REFERENCE AREA MAP

Total Attach: 8 Files

General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)

BMP

Type	Comment

Total: 0 comment(s)