

FORM
2A

Rev
04/01

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:
400122672

Oil and Gas Location Assessment

New Location Amend Existing Location Location#: _____

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a standalone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:
421617
Expiration Date:
02/16/2014

This location assessment is included as part of a permit application.

1. CONSULTATION

- This location is included in a Comprehensive Drilling Plan. CDP # _____
- This location is in a sensitive wildlife habitat area.
- This location is in a wildlife restricted surface occupancy area.
- This location includes a Rule 306.d.(1)A.ii. variance request.

2. Operator

Operator Number: 96850
Name: WILLIAMS PRODUCTION RMT COMPANY LLC
Address: 1515 ARAPAHOE ST STE 1000
City: DENVER State: CO Zip: 80202

3. Contact Information

Name: Howard Harris
Phone: (303) 606-4086
Fax: (303) 606-8268
email: howard.harris@williams.com

4. Location Identification:

Name: Federal Number: SP 13-13
County: GARFIELD
QuarterQuarter: NWSW Section: 13 Township: 7S Range: 95W Meridian: 6 Ground Elevation: 7993

Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1680 feet FSL, from North or South section line, and 254 feet FWL, from East or West section line.
Latitude: 39.435037 Longitude: -107.954899 PDOP Reading: 2.0 Date of Measurement: 12/13/2010
Instrument Operator's Name: Michael Langhorn

5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="checkbox"/>	Drilling Pits: <input type="checkbox"/>	Wells: <input type="text" value="6"/>	Production Pits: <input type="checkbox"/>	Dehydrator Units: <input type="checkbox"/>
Condensate Tanks: <input type="checkbox"/>	Water Tanks: <input type="checkbox"/>	Separators: <input type="text" value="6"/>	Electric Motors: <input type="checkbox"/>	Multi-Well Pits: <input type="checkbox"/>
Gas or Diesel Motors: <input type="checkbox"/>	Cavity Pumps: <input type="checkbox"/>	LACT Unit: <input type="checkbox"/>	Pump Jacks: <input type="checkbox"/>	Pigging Station: <input type="checkbox"/>
Electric Generators: <input type="checkbox"/>	Gas Pipeline: <input type="text" value="1"/>	Oil Pipeline: <input type="text" value="2"/>	Water Pipeline: <input type="text" value="1"/>	Flare: <input type="text" value="1"/>
Gas Compressors: <input type="checkbox"/>	VOC Combustor: <input type="checkbox"/>	Oil Tanks: <input type="checkbox"/>	Fuel Tanks: <input type="checkbox"/>	

Other: Cuttings Trench

6. Construction:

Date planned to commence construction: 04/01/2011 Size of disturbed area during construction in acres: 9.90
 Estimated date that interim reclamation will begin: 04/01/2012 Size of location after interim reclamation in acres: 0.88
 Estimated post-construction ground elevation: 7993 Will a closed loop system be used for drilling fluids: Yes
 Will salt sections be encountered during drilling: Yes No Is H2S anticipated? Yes No
 Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes No
 Mud disposal: Offsite Onsite Method: Land Farming Land Spreading Disposal Facility
 Other: re-use, Evap & Backfill

7. Surface Owner:

Name: _____ Phone: _____
 Address: _____ Fax: _____
 Address: _____ Email: _____
 City: _____ State: _____ Zip: _____ Date of Rule 306 surface owner consultation: _____
 Surface Owner: Fee State Federal Indian
 Mineral Owner: Fee State Federal Indian
 The surface owner is: the mineral owner committed to an oil and gas lease
 is the executer of the oil and gas lease the applicant
 The right to construct the location is granted by: oil and gas lease Surface Use Agreement Right of Way
 applicant is owner
 Surface damage assurance if no agreement is in place: \$2000 \$5000 Blanket Surety ID _____

8. Reclamation Financial Assurance:

Well Surety ID: _____ Gas Facility Surety ID: _____ Waste Mgnt. Surety ID: _____

9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes No
 Distance, in feet, to nearest building: 5601, public road: 4787, above ground utilit: 4391
 , railroad: 16296, property line: 1085

10. Current Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP
 Non-Crop Land: Rangeland Timber Recreational Other (describe): _____
 Subdivided: Industrial Commercial Residential

11. Future Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP
 Non-Crop Land: Rangeland Timber Recreational Other (describe): _____
 Subdivided: Industrial Commercial Residential

12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 12 Bucklon-Inchou Loams, 25 to 50 percent slopes

NRCS Map Unit Name: _____

NRCS Map Unit Name: _____

13. Plant Community:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes No

Plant species from: NRCS or, field observation Date of observation: 10/20/2010

List individual species: Oak, Sage, Serviceberry, Juniper

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- Alpine (above timberline)
- Other (describe): _____

14. Water Resources:

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: No Yes Was a Rule 901.e. Sensitive Areas Determination performed: No Yes

Distance (in feet) to nearest surface water: 698, water well: 6164, depth to ground water: 173

Is the location in a riparian area: No Yes Was an Army Corps of Engineers Section 404 permit filed No Yes

Is the location within a Rule 317B Surface Water Suppl Area buffer zone:

No 0-300 ft. zone 301-500 ft. zone 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: No Yes

15. Comments:

This location assessment is for the SP 13-13 well pad for which we are permitting 6 wells at this time. The location reference point for this pad is the SP 424-13 well from which point all distances were measured. Reference photos will be provided at a later date. A closed mud system will be used. This location is within the 3 mile radius of Project Rulison and each well is classified as tier 2. The DOE has been notified by letter dated 1/17/2011 which is attached to this form 2A.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 01/18/2011 Email: howard.harris@williams.com

Print Name: Howard Harris Title: Sr. Regulatory Specialist

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

David S. Neslin

COGCC Approved: _____

Director of COGCC

Date: 2/17/2011

CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

GENERAL COAs

Notify the COGCC Oil and Gas Location Assessment (OGLA) Specialist for Western Colorado (Dave Kubezko; email dave.kubezko@state.co.us), the COGCC Field Inspection Supervisor for Northwest Colorado (Shaun Kellerby; email shaun.kellerby@state.co.us); and the Project Rulison COGCC mailbox (rulison.submittal@state.co.us) 48 hours prior to start of construction.

Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines.

The nearby hillside must be monitored for any day-lighting of drilling fluids throughout the drilling of the surface casing interval.

Berms or other containment devices shall be constructed in compliance with Rule 604.a.(4) around crude oil, condensate, and produced water storage tanks.

The access road will be constructed to prevent sediment migration from the access road to nearby surface water or any drainages leading to other nearby surface waters. Strategically apply fugitive dust control measures, including enforcing established speed limits on EnCana private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.

The location is in an area of high runoff/run-on potential at the proposed pad area from steep areas to the south-southeast; therefore the pad shall be constructed as quickly as possible and appropriate BMPs need to be in place both during and after well pad construction, as well as during all drilling and well completion operations. Standard stormwater BMPs must be implemented at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater runoff. Slopes with potential for runoff should be stabilized immediately following pad construction.

Operator will conduct regular inspections of equipment for leaks and equipment problems with appropriate documentation retained in the operator's office. All equipment deficiencies shall be corrected. Monitoring should end approximately 30 days after well completion and/or after production has been stabilized; however, timely inspections should continue during the production phase.

Operator will use adequately sized containment devices for all chemicals and/or hazardous materials stored or used on location.

PROJECT RULISON COAs

Comply with all DOE Office of Legacy Management requests for sampling and analysis of natural gas and other materials associated with drilling and production.

Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.

Flowback and stimulation fluids must be sent to tanks to allow the sand to settle out before the fluids can be placed into any pipeline or pit located on the well pad. The flowback and stimulation fluid tanks must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material (per Rule 604.a.(4)). Submit a secondary and tertiary containment plan via sundry notice Form 4 for the tanks to Dave Kubeczko via email (dave.kubeczko@state.co.us) and the Project Rulison COGCC mailbox (rulison.submittal@state.co.us) and obtain approval of the plan prior to flowback.

Produced water from this location may not be transported to or re-used at another location without specific written approval from COGCC and only after analysis confirms compliance with the Rulison Sampling and Analysis Plan (SAP).

Drill solids and cuttings from this location may not be transported to, disposed of or re-used at another location without specific written approval from COGCC and only after analysis confirms compliance with the Rulison Sampling and Analysis Plan (SAP).

A closed loop mud system shall be utilized to ensure containment of all materials that have been in contact with downhole strata and fluids. All cuttings and fresh make up water storage pits shall be lined to ensure containment. Contour features, french drains and other stormwater BMPs as necessary shall be employed to ensure site integrity.

No individual operator shall utilize more than one rig within one mile of the Project Rulison blast site at any given time and no individual operator shall utilize more than two rigs within a three mile radius of the site at any given time. The total number of rigs allowed by all operators within three miles of the site shall be limited to five at any given time.

Operator shall comply with all provisions of the most recent COGCC approved revision of the Rulison Sampling and Analysis Plan (SAP). In addition to the produced water sampling and analysis outlined in section 5.8 of the plan the operators shall also obtain and analyze produced water samples on wells described in the plan for constituents listed in the plan using the specified method where applicable.

The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of Table 910-1.

No portion of any pit that will be used to hold liquids shall be constructed on fill material, unless the pit and fill slope are designed and certified by a professional engineer, subject to review and approval by the director prior to construction of the pit. The construction and lining of the pit shall be supervised by a professional engineer or their agent. The entire base of the pit must be in cut.

Attachment Check List

Att Doc Num	Name
2033605	CORRESPONDENCE
400122672	FORM 2A SUBMITTED
400124643	ACCESS ROAD MAP
400124644	PROPOSED BMPs
400124645	CONST. LAYOUT DRAWINGS
400124646	OTHER
400124647	HYDROLOGY MAP
400124648	LOCATION DRAWING
400124649	LOCATION PICTURES
400124650	MULTI-WELL PLAN
400124651	NRCS MAP UNIT DESC
400124652	DRILLING PLAN
400124653	REFERENCE AREA MAP
400124654	SENSITIVE AREA DATA

Total Attach: 14 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
OGLA	Initiated/Completed OGLA Form 2A review on 01-20-11 by Dave Kubeczko; requested acknowledgement of fluid containment, spill/release BMPs, tank berming, sediment control acces road, site inspection, and Project Rulison COAs from operator on 01-20-11; received acknowledgement of COAs from operator on 01-28-10; no CDOW; passed OGLA Form 2A review on 02-10-11 by Dave Kubeczko; fluid containment, spill/release BMPs, tank berming, sediment control acces road, site inspection, and Project Rulison COAs.	1/20/2011 4:35:31 PM

Total: 1 comment(s)

BMP

<u>Type</u>	<u>Comment</u>

Total: 0 comment(s)