

FORM
2

Rev
12/05

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:
400119053
Plugging Bond Surety
20090078

APPLICATION FOR PERMIT TO:

1. Drill, Deepen, Re-enter, Recomplete and Operate

2. TYPE OF WELL

OIL GAS COALBED OTHER _____
 SINGLE ZONE MULTIPLE ZONE COMMINGLE ZONE

Refiling
Sidetrack

3. Name of Operator: PETROLEUM DEVELOPMENT CORPORATION 4. COGCC Operator Number: 69175

5. Address: 1775 SHERMAN STREET - STE 3000
 City: DENVER State: CO Zip: 80203

6. Contact Name: Liz Lindow Phone: (303)860-5800 Fax: ()
 Email: llindow@petd.com

7. Well Name: Coors Energy Well Number: 14-25H

8. Unit Name (if appl): _____ Unit Number: _____

9. Proposed Total Measured Depth: 11036

WELL LOCATION INFORMATION

10. QtrQtr: SWSW Sec: 25 Twp: 3N Rng: 64W Meridian: 6
 Latitude: 40.192660 Longitude: -104.508880

Footage at Surface: 1290 feet ^{FNL/FSL} FSL 91 feet ^{FEL/FWL} FWL

11. Field Name: Wattenberg Field Number: 90750

12. Ground Elevation: 4825 13. County: WELD

14. GPS Data:

Date of Measurement: 12/18/2010 PDOP Reading: 6.0 Instrument Operator's Name: Thomas G. Carlson

15. If well is Directional Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: ^{FNL/FSL} 1295 ^{FEL/FWL} FSL 862 ^{FEL/FWL} FWL Bottom Hole: ^{FNL/FSL} 1320 ^{FEL/FWL} FSL 501 ^{FEL/FWL} FEL
 Sec: 25 Twp: 3N Rng: 64W Sec: 25 Twp: 3N Rng: 64W

16. Is location in a high density area? (Rule 603b)? Yes No

17. Distance to the nearest building, public road, above ground utility or railroad: 635 ft

18. Distance to nearest property line: 91 ft 19. Distance to nearest well permitted/completed in the same formation: 343 ft

20. LEASE, SPACING AND POOLING INFORMATION

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
Niobrara	NBRR	407-87	320	GWA

21. Mineral Ownership: Fee State Federal Indian Lease #: _____

22. Surface Ownership: Fee State Federal Indian

23. Is the Surface Owner also the Mineral Owner? Yes No Surface Surety ID#: 19990086

23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease? Yes No

23b. If 23 is No Surface Owners Agreement Attached or \$25,000 Blanket Surface Bon \$2,000 Surface Bond \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):
 Township 3 North, Range 64 West, 6th P.M. Section 25: NE/4NE/4, NW/4NW/4, SE/4NW/4, S/2 (and lands in other sections)

25. Distance to Nearest Mineral Lease Line: 501 ft 26. Total Acres in Lease: 2889

DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated? Yes No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling? Yes No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling? Yes No

30. If questions 28 or 29 are yes, is this location in a sensitive area (Rule 901.e)? Yes No

31. Mud disposal: Offsite Onsite **If 28, 29, or 30 are "Yes" a pit permit may be required.**

Method: Land Farming Land Spreading Disposal Facility Other: Closed loop.

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	12+1/4	9+5/8	36	0	670	335	670	0
1ST	8+3/4	7	26	0	6,539	809	6,539	600
1ST LINER	6+1/8	4+1/2	11.6	0	11,036			

32. BOP Equipment Type: Annular Preventer Double Ram Rotating Head None

33. Comments Conductor casing will not be used. Operator requests approval of a Rule 318Aa, Rule 318Ac, and Rule 603a exception location: Wellhead is to be located outside of a GWA drilling window and will be located more than 50' from an existing well location and located closer than 150' from the nearest property line. Waiver attached.

34. Location ID: _____

35. Is this application in a Comprehensive Drilling Plan ? Yes No

36. Is this application part of submitted Oil and Gas Location Assessment ? Yes No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Liz Lindow

Title: Permit Representative Date: 2/4/2011 Email: llindow@petd.com

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: David S. Neslin Director of COGCC Date: 3/1/2011

API NUMBER
05 123 33038 00

Permit Number: _____ Expiration Date: 2/28/2013

CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

Note surface casing setting depth change from 400' to 670'. Increase cement coverage accordingly and cement to surface.

- 1) Provide 24 hr notice of MIRU to Colby Horton at 970-370-0040 or colby.horton@state.co.us.
- 2) Set surface casing per Rule 317d, cement to surface. Setting surface casing less than the approved depth is a permit violation unless prior written approval is obtained from the COGCC.
- 3) If completed, provide cement coverage from the intermediate casing shoe to a minimum of 200' above Niobrara. Verify cement with a cement bond log.
- 4) Comply with Rule 321. Run and submit Directional Survey from TD to base of surface casing. Ensure that the wellbore complies with setback requirements in commission orders or rules prior to producing the well.

-Operator must meet the water well testing requirements as per Rule 318A.e.(4)

Attachment Check List

Att Doc Num	Name
1726405	SURFACE CASING CHECK
400119053	FORM 2 SUBMITTED
400124209	WELL LOCATION PLAT
400124211	TOPO MAP
400124212	EXCEPTION LOC WAIVERS
400124213	EXCEPTION LOC WAIVERS
400126497	EXCEPTION LOC REQUEST
400126498	30 DAY NOTICE LETTER
400126502	PROPOSED SPACING UNIT
400130778	DEVIATED DRILLING PLAN

Total Attach: 10 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	-----Returning distance to nearest well to original value---- from L. Lindow: "I submitted a sundry a couple of weeks ago for the Coors Energy 25PD well to be removed completely as we have decided to not drill that well."	2/8/2011 2:47:04 PM
Permit	----Current planned Bottom Hole for Coors Energy #25PD, API 123-32180 is 1324' FSL and 2580 FWL total depth 7241-- Roughly 20' away---This interpretation/accuracy may be subject to change.	2/7/2011 7:05:07 PM
Permit	--Surface Owner (Coors) and offset surface owner (Waste Management Corp) waivers attached-wellhead closer than 150' to property line 603.a.2, not in drilling window 318A.a, and well greater than 50' from existing wellhead-318A.c(2) exceptions granted.	2/7/2011 5:46:03 PM

Total: 3 comment(s)

BMP

<u>Type</u>	<u>Comment</u>

Total: 0 comment(s)