

**FORM  
2A**  
Rev  
04/01

State of Colorado  
Oil and Gas Conservation Commission  
1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:  
400125408

## Oil and Gas Location Assessment

☐ New Location ☒ Amend Existing Location Location#: 334600

Submit original plus one copy. This form is to be submitted to the COGCC prior to any ground disturbance activity associated with oil and gas development operations. This Assessment may be approved as a standalone application or submitted as an informational report accompanying an Application for Permit-To-Drill, Form 2. Approval of this Assessment will allow for the construction of the below specified location; however, it does not supersede any land use rules applied by the local land use authority. This form may serve as notice to land owners and other interested parties, please see the COGCC web site at <http://colorado.gov/cogcc/> for all accompanying information pertinent to this Oil and Gas Location Assessment.

Location ID:

**334600**

Expiration Date:

**03/10/2014**

☒ This location assessment is included as part of a permit application.

### 1. CONSULTATION

- ☐ This location is included in a Comprehensive Drilling Plan. CDP # \_\_\_\_\_
- ☒ This location is in a sensitive wildlife habitat area.
- ☐ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

### 2. Operator

Operator Number: 96850  
Name: WILLIAMS PRODUCTION RMT COMPANY LLC  
Address: 1515 ARAPAHOE ST STE 1000  
City: DENVER State: CO Zip: 80202

### 3. Contact Information

Name: Greg Davis  
Phone: (303) 606-4071  
Fax: (303) 629-8268  
email: Greg.J.Davis@Williams.com

### 4. Location Identification:

Name: Bosely Number: SG 41-27  
County: GARFIELD  
QuarterQuarter: NENE Section: 27 Township: 7S Range: 96W Meridian: 6 Ground Elevation: 5085  
Define a single point as a location reference for the facility location. This point should be used as the point of measurement in the drawings to be submitted with this application. When the location is to be used as a well site then the point shall be a well location.  
Footage at surface: 166 feet FNL, from North or South section line, and 1121 feet FEL, from East or West section line.  
Latitude: 39.415411 Longitude: -108.090995 PDOP Reading: 1.9 Date of Measurement: 11/23/2005  
Instrument Operator's Name: Bob Wood

### 5. Facilities (Indicate the number of each type of oil and gas facility planned on location):

Special Purpose Pits: <input type="text"/>	Drilling Pits: <input type="text"/>	Wells: <input type="text" value="7"/>	Production Pits: <input type="text"/>	Dehydrator Units: <input type="text"/>
Condensate Tanks: <input type="text" value="2"/>	Water Tanks: <input type="text" value="2"/>	Separators: <input type="text" value="7"/>	Electric Motors: <input type="text"/>	Multi-Well Pits: <input type="text"/>
Gas or Diesel Motors: <input type="text"/>	Cavity Pumps: <input type="text"/>	LACT Unit: <input type="text"/>	Pump Jacks: <input type="text"/>	Pigging Station: <input type="text"/>
Electric Generators: <input type="text"/>	Gas Pipeline: <input type="text" value="1"/>	Oil Pipeline: <input type="text"/>	Water Pipeline: <input type="text"/>	Flare: <input type="text" value="1"/>
Gas Compressors: <input type="text"/>	VOC Combustor: <input type="text"/>	Oil Tanks: <input type="text"/>	Fuel Tanks: <input type="text"/>	

Other: Cuttings Trench

6. Construction:

Date planned to commence construction: 09/01/2011 Size of disturbed area during construction in acres: 1.90  
Estimated date that interim reclamation will begin: 03/15/2012 Size of location after interim reclamation in acres: 1.00  
Estimated post-construction ground elevation: 5085 Will a closed loop system be used for drilling fluids: Yes ☒  
Will salt sections be encountered during drilling: Yes ☐ No ☒ Is H2S anticipated? Yes ☐ No ☒  
Will salt (>15,000 ppm TDS Cl) or oil based muds be used: Yes ☐ No ☒  
Mud disposal: Offsite ☐ Onsite ☒ Method: Land Farming ☐ Land Spreading ☐ Disposal Facility ☐  
Other: Re-use and evaporation

7. Surface Owner:

Name: \_\_\_\_\_ Phone: \_\_\_\_\_  
Address: \_\_\_\_\_ Fax: \_\_\_\_\_  
Address: \_\_\_\_\_ Email: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ Date of Rule 306 surface owner consultation: 07/20/2005  
Surface Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian  
Mineral Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian  
The surface owner is: ☒ the mineral owner ☐ committed to an oil and gas lease  
☐ is the executer of the oil and gas lease ☐ the applicant  
The right to construct the location is granted by: ☒ oil and gas lease ☐ Surface Use Agreement ☐ Right of Way  
☐ applicant is owner  
Surface damage assurance if no agreement is in place: ☐ \$2000 ☐ \$5000 ☐ Blanket Surety ID \_\_\_\_\_

8. Reclamation Financial Assurance:

☒ Well Surety ID: 20030107 ☐ Gas Facility Surety ID: \_\_\_\_\_ ☐ Waste Mgmt. Surety ID: \_\_\_\_\_

9. Cultural:

Is the location in a high density area (Rule 603.b.): Yes ☐ No ☒  
Distance, in feet, to nearest building: 1480 , public road: 312 , above ground utilit: 227  
 , railroad: 1260 , property line: 266

10. Current Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP  
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): \_\_\_\_\_  
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

11. Future Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP  
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): \_\_\_\_\_  
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

12. Soils:

List all soil map units that occur within the proposed location. Attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.gov/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 4 - Arvada Loam 6 to 20% slopes

NRCS Map Unit Name: \_\_\_\_\_

NRCS Map Unit Name: \_\_\_\_\_

**13. Plant Community:**

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☐ NRCS or, ☒ field observation Date of observation: 10/26/2010

List individual species: Cheatgrass, Wheatgrass and Sage

Check all plant communities that exist in the disturbed area.

- ☒ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)  
☒ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)  
☒ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)  
☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)  
☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)  
☐ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)  
☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)  
☐ Alpine (above timberline)  
☒ Other (describe): Existing Well Pad

**14. Water Resources:**

Rule 901.e. may require a sensitive area determination be performed. If this determination is performed the data is to be submitted with the Form 2A.

Is this a sensitive area: ☒ No ☐ Yes Was a Rule 901.e. Sensitive Areas Determination performed: ☒ No ☐ Yes

Distance (in feet) to nearest surface water: 1029, water well: 1402, depth to ground water: 77

Is the location in a riparian area: ☒ No ☐ Yes Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes

Is the location within a Rule 317B Surface Water Supply Area buffer zone:

☒ No ☐ 0-300 ft. zone ☐ 301-500 ft. zone ☐ 501-2640 ft. zone

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: ☐ No ☐ Yes

**15. Comments:**

A Sensitive Area Determination has not yet been performed for this location however one will be performed. Regardless of the result of the Sensitive Area Determination, Williams will employ the following BMP's to support protection of surface and ground water. Williams will ensure 110% secondary containment for any volume of fluids contained at well site during drilling and completion operations. Williams will implement best management practices to contain any unintentional release of fluids. Either a lined drilling pit or closed loop system will be implemented.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 01/28/2011 Email: Greg.J.Davis@Williams.com

Print Name: Greg Davis Title: Supervisor Permits

**IMPORTANT: SOME DATA FIELDS HAVE BEEN MODIFIED.**

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_

*David S. Neslin*

Director of COGCC

Date: 3/11/2011

**CONDITIONS OF APPROVAL, IF ANY:**

**All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.**

**GENERAL SITE COAs:**

Notify COGCC Oil and Gas Location Assessment (OGLA) Specialist for Western Colorado (Dave Kubeczko; email dave.kubeczko@state.co.us; phone 970-309-2514) 48 hours prior to start of construction.

Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines.

Reserve pit, or any other pit used to contain/hold fluids, if constructed, must be lined or a closed loop system (as indicated on the Form 2A Permit application by operator in Section 6. Construction) must be implemented during drilling.

Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.

Flowback and stimulation fluids must be sent to tanks to allow the sand to settle out before the fluids can be placed into any pipeline or pit located on the well pad. The flowback and stimulation fluid tanks must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material (per Rule 604.a.(4)).

Notify the COGCC Oil and Gas Location Assessment (OGLA) Specialist for Western Colorado (Dave Kubeczko; email dave.kubeczko@state.co.us) and the COGCC Field Inspection Supervisor for Northwest Colorado (Shaun Kellerby; email shaun.kellerby@state.co.us) 48 hours prior to start of fracing operations.

Berms or other containment devices shall be constructed in compliance with Rule 603.e.(12) around crude oil, condensate, and produced water storage tanks.

The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.

### Attachment Check List

Att Doc Num	Name
2033626	CORRESPONDENCE
400125408	FORM 2A SUBMITTED
400125456	LOCATION DRAWING
400125457	HYDROLOGY MAP
400125458	ACCESS ROAD MAP
400125459	REFERENCE AREA MAP
400125460	NRCS MAP UNIT DESC
400125461	CONST. LAYOUT DRAWINGS
400125462	PROPOSED BMPs
400125469	SURFACE AGRMT/SURETY
400125871	OTHER
400126709	LOCATION PICTURES
400128679	MULTI-WELL PLAN

Total Attach: 13 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
DOW	The BMPs as submitted by the operator are applicable to the site.  by Michael Warren on Friday, March 11, 2011 at 9:50 A.M.	3/11/2011 9:48:54 AM
OGLA	Initiated/Completed OGLA Form 2A review on 02-07-11 by Dave Kubeczko; requested acknowledgement of fluid containment, spill/release BMPs, lined pits/closed loop, flowback to tanks, tank berming, and cuttings low moisture content COAs from operator on 02-07-11; received acknowledgement of COAs from operator on 02-07-10; passed by CDOW on 03-11-11 with operator submitted BMPs (with permit application) acceptable; passed OGLA Form 2A review on 03-11-11 by Dave Kubeczko; fluid containment, spill/release BMPs, monitoring hillside, lined pits/closed loop, flowback to tanks, tank berming, and cuttings low moisture content COAs.	2/7/2011 1:29:29 PM
Permit	GPS location changed to 39.415411 lat and -108.090995 lon with e-mail concurrence of Greg J. Davis of Williams. dhs	2/1/2011 10:26:41 AM

Total: 3 comment(s)

### BMP

<u>Type</u>	<u>Comment</u>

Total: 0 comment(s)