


PROPOSED PAD LAYOUT
TEBO 32-1H

SECTION 32, TOWNSHIP 4 SOUTH, RANGE 64 WEST OF THE 6TH PRINCIPAL MERIDIAN




TEBO 32-1H PAD







Top of pad elevation: 5863.0'
Cut slope ratio: 1.50
Fill slope ratio: 1.50
Cut Swell Factor: 1.00
Fill Shrink Factor: 1.00

Pad Earthwork Volumes

Total cut: 10,159 C.Y.
Total fill: 7,659 C.Y.
Balance Export: 2,500 C.Y. (Topsoil)
Area: 4.9 Acres





PROPOSED PAD CROSS SECTIONS TEBO 32-1H
SECTION 32, TOWNSHIP 4 SOUTH, RANGE 64 WEST OF THE 6TH PRINCIPAL MERIDIAN



Horizontal Scale 20
Vertical Scale 5



PROPOSED RIG LAYOUT TEBO 32-1H

SECTION 32, TOWNSHIP 4 SOUTH, RANGE 64 WEST OF THE 6TH PRINCIPAL MERIDIAN




PROPOSED PRODUCTION FACILITY TEBO 32-1H

SECTION 32, TOWNSHIP 4 SOUTH, RANGE 64 WEST OF THE 6TH PRINCIPAL MERIDIAN



LOCATION DRAWING TEBO 32-1H

SECTION 32, TOWNSHIP 4 SOUTH, RANGE 64 WEST OF THE 6TH PRINCIPAL MERIDIAN



IMPROVEMENTS

1. 2 TRACK ROAD: 175'± SE

DISTANCE TO NEAREST:

BUILDING:	4400'± NE
PUBLIC ROAD:	3920'± E
ABOVE GRND UTILITY:	3940'± E
RAILROAD:	5280'+
PROP. LINE:	263'± N