

BISON OIL WELL CEMENTING, INC.



1738 Wynkoop St., Ste. 102
Denver, Colorado 80202
Phone: 303-296-3010
Fax: 303-298-8143
E-mail: bisonoil1@qwestoffice.net

REF. INVOICE # 9571
LOCATION WCR 49448
FOREMAN Calvin Reimers

TREATMENT REPORT

DATE	WELL NAME	SECTION	TWP	RGE	COUNTY	FORMATION
1-7-11	DINNER PC G 01-22	1	4N	6SW	Weld	

CHARGE TO <u>Noble</u>	OWNER
MAILING ADDRESS	OPERATOR <u>Noble</u>
CITY	CONTRACTOR <u>Ensign Rig 126</u>
STATE ZIP CODE	DISTANCE TO LOCATION
TIME ARRIVED ON LOCATION <u>2:10 am</u>	TIME LEFT LOCATION <u>7:00 am</u>

WELL DATA			PRESSURE LIMITATIONS		
HOLE SIZE <u>12 1/4</u>	TUBING SIZE	PERFORATIONS		THEORETICAL	INSTRUCTED
TOTAL DEPTH <u>706</u>	TUBING DEPTH	SHOTS/FT	SURFACE PIPE ANNULUS LONG		
PBTD <u>656.39</u>	TUBING WEIGHT	OPEN HOLE	STRING		
CASING SIZE <u>8 5/8</u>	TUBING CONDITION		TUBING		
CASING DEPTH <u>699.65</u>		TREATMENT VIA	TYPE OF TREATMENT		TREATMENT RATE
CASING WEIGHT <u>2416</u>	PACKER DEPTH		<input checked="" type="checkbox"/> SURFACE PIPE	BREAKDOWN BPM	
CASING CONDITION <u>Good</u>			<input type="checkbox"/> PRODUCTION CASING	INITIAL BPM	
			<input type="checkbox"/> SQUEEZE CEMENT	FINAL BPM	
			<input type="checkbox"/> ACID BREAKDOWN	MINIMUM BPM	
			<input type="checkbox"/> ACID STIMULATION	MAXIMUM BPM	
			<input type="checkbox"/> ACID SPOTTING	AVERAGE BPM	
			<input type="checkbox"/> MISC PUMP		
			<input type="checkbox"/> OTHER	HYD HHP = RATE X PRESSURE X 40.8	

PRESSURE SUMMARY			
BREAKDOWN or CIRCULATING psi	AVERAGE psi		
FINAL DISPLACEMENT psi	ISIP psi		
ANNULUS psi	5 MIN SIP psi		
MAXIMUM psi	15 MIN SIP psi		
MINIMUM psi			

INSTRUCTIONS PRIOR TO JOB Rig up, Safety meeting, Per Company Man, Cick 40 bbls H₂O with KCL & Dye x 10 in 2 1/2" 10 bbls, Mixrampell Dye is seen then pump tub only at 15.2 lbs 1.27 yield, Drop plug, Displace 41.8 bbls H₂O, Bump plug at no more than 150 Psi over Lift Psi, Wait 5 min then bleed off Psi, Wash up, Rig down, H₂O Tested good, We have 700 sacks cement, 26 oz Dye, 14 QTS KCL,

JOB SUMMARY

DESCRIPTION OF JOB EVENTS Safety meeting 4:47 am, Cick 5:15 am, Cement 5:29 am to 5:40 am

Drop plug 5:46 am, Displace 5:47 am

10 bbls 150 Psi 5:50 am 7.0 bbls/min

20 bbls 220 Psi 5:52 am 7.0 bbls/min

30 bbls 300 Psi 5:54 am 7.0 bbls/min

40 bbls 280 Psi 5:59 am 1.0 bbls/min

41.8 bbls 280 Psi 6:04 am 1.0 bbls/min

Bump Plug 410 Psi at 6:04 am

USED 10% Excess = 253 sacks, 57.22 bbls Slurry

Left with 447 sacks cement 16 oz Dye, 10 QTS KCL

5 bbls Slurry To The P.T

Logan Foster
AUTHORIZATION TO PROCEED

WSS
TITLE

1-7-11
DATE

Customers hereby acknowledges and specifically agrees to the terms and conditions on this work order, including, without limitation, the provisions on the reverse side hereof which include the release and indemnity