

# Map Unit Description

Weld County, Colorado, Northern Part

40 Nunn loam, 0 to 6 percent slopes

## Setting

Elevation: 4500 to 6700 feet  
Mean annual precipitation: 12 to 18 inches  
Mean annual air temperature: 46 to 54 degrees F  
Frost-free period: 115 to 180 days

## Composition

Nunn and similar soils: 85 percent  
Minor components: 15 percent

## Description of Nunn

### Setting

Landform: Stream terraces, plains  
Down-slope shape: Linear  
Across-slope shape: Linear  
Parent material: Calcareous loamy alluvium

### Properties and Qualities

Slope: 0 to 6 percent  
Drainage class: Well drained  
Capacity of the most limiting layer to transmit water (Ksat): Moderately low or moderately high (0.06 to 0.20 in/hr)  
Frequency of flooding: None  
Frequency of ponding: None  
Calcium carbonate maximum: 15 percent  
Gypsum maximum: 0 percent  
Available water capacity: Moderate (about 9.0 inches)

### Interpretive Groups

Land capability (non irrigated): 4c  
Ecological site: Loamy Plains (R067BY002CO)

### Typical Profile

0 to 7 inches: loam  
7 to 23 inches: clay loam  
23 to 60 inches: clay loam  
60 to 64 inches: sandy clay loam

## Minor Components

### Manzanola

Percent of map unit: 8 percent

### Avar

Percent of map unit: 7 percent

# Rangeland Productivity and Plant Composition

Weld County, Colorado, Northern Part

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/Ac</i>	<i>Lb/Ac</i>	<i>Lb/Ac</i>		<i>Pct</i>
40:						
Nunn	Loamy Plains	1,800	1,400	1,000	Western wheatgrass	30
					Green needlegrass	10
					Fourwing saltbush	5
					Other perennial grasses	4
					Other perennial forbs	3
					Other shrubs	3
					Indian ricegrass	1
					Rabbitbrush	1
					Sand dropseed	1

# Map Unit Description

Weld County, Colorado, Northern Part

## 44 Olney fine sandy loam, 0 to 6 percent slopes

### Setting

Elevation: 3500 to 5800 feet  
Mean annual precipitation: 11 to 15 inches  
Mean annual air temperature: 46 to 54 degrees F  
Frost-free period: 125 to 175 days

### Composition

Olney and similar soils: 85 percent  
Minor components: 15 percent

### Description of Olney

#### Setting

Landform: Plains  
Down-slope shape: Linear  
Across-slope shape: Linear  
Parent material: Calcareous loamy alluvium

#### Properties and Qualities

Slope: 0 to 6 percent  
Drainage class: Well drained  
Capacity of the most limiting layer to transmit water (Ksat): Moderately high or high (0.57 to 2.00 in/hr)  
Frequency of flooding: None  
Frequency of ponding: None  
Calcium carbonate maximum: 15 percent  
Gypsum maximum: 0 percent  
Available water capacity: Moderate (about 8.1 inches)

#### Interpretive Groups

Land capability (non irrigated): 4c  
Ecological site: Loamy Plains (R067BY002CO)

#### Typical Profile

0 to 6 inches: fine sandy loam  
6 to 18 inches: sandy clay loam  
18 to 60 inches: sandy loam  
60 to 64 inches: sandy loam

### Minor Components

#### Stoneham

Percent of map unit: 9 percent

#### Ascalon

Percent of map unit: 6 percent

# Rangeland Productivity and Plant Composition

Weld County, Colorado, Northern Part

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/Ac	Lb/Ac	Lb/Ac	Pct	
44:						
Olney	Loamy Plains	1,800	1,500	1,000	Needlegrass	10
					Prairie sandreed	10
					Sand dropseed	10
					Little bluestem	5
					Sideoats grama	5