

REFERENCE INFORMATION



Co-ordinate (NE) Reference: Well Bury Crandell 8-2-23, True North
 Vertical (TVD) Reference: WELL @ 5125.0ft (Original Well Elev)
 Section (VS) Reference: Slot - (0.0N, 0.0E)
 Measured Depth Reference: WELL @ 5125.0ft (Original Well Elev)
 Calculation Method:

WELL DETAILS: Bury Crandell 8-2-23

| | | | | | | |
|-------|-------|------------|---------------|------------|----------------------------------|------|
| +N/-S | +E/-W | Northing | Ground Level: | 5113.0 | Longitude | Slot |
| 0.0 | 0.0 | 1258328.74 | Easting | 3149804.58 | 40° 2' 28.536 N 04° 57' 53.820 W | |

SECTION DETAILS

| Sec | MD | Inc | Azi | TVD | +N/-S | +E/-W | DLeg | TFace | VSec | Target |
|-----|--------|-------|--------|--------|--------|-------|------|--------|--------|----------------------|
| 1 | 0.0 | 0.00 | 0.00 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.0 | |
| 2 | 1140.0 | 0.00 | 0.00 | 1140.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.0 | |
| 3 | 1658.9 | 10.38 | 103.79 | 1656.1 | -11.2 | 45.5 | 2.00 | 103.79 | 46.9 | |
| 4 | 6820.2 | 10.38 | 103.79 | 6732.9 | -232.9 | 948.4 | 0.00 | 0.00 | 976.6 | |
| 5 | 7339.1 | 0.00 | 0.00 | 7249.0 | -244.0 | 994.0 | 2.00 | 180.00 | 1023.5 | |
| 6 | 8539.1 | 0.00 | 0.00 | 8449.0 | -244.0 | 994.0 | 0.00 | 0.00 | 1023.5 | Bury Crandell 8-2-23 |



FORMATION TOP DETAILS

| TVDPath | MDPath | Formation |
|---------|--------|-----------|
| 4725.0 | 4778.9 | Sussex |
| 5275.0 | 5338.0 | Shannon |
| 7463.0 | 7553.1 | Niobrara |
| 7857.0 | 7947.1 | Codell |
| 8299.0 | 8389.1 | J Sand |
| 8350.0 | 8440.1 | A Marker |

CASING DETAILS

| TVD | MD | Name | Size |
|--------|--------|------------|-------|
| 1090.0 | 1090.0 | Surface | 8.625 |
| 8449.0 | 8539.1 | Production | 4.500 |

EnCana Corporation

Planning Report - Geographic

| | | | |
|------------------|----------------------|-------------------------------------|--------------------------------------|
| Database: | EDM | Local Co-ordinate Reference: | Well Bury Crandell 8-2-23 |
| Company: | DJ/Paradox/WTX | TVD Reference: | WELL @ 5125.0ft (Original Well Elev) |
| Project: | Wattenberg | MD Reference: | WELL @ 5125.0ft (Original Well Elev) |
| Site: | New Drills | North Reference: | True |
| Well: | Bury Crandell 8-2-23 | Survey Calculation Method: | Minimum Curvature |
| Wellbore: | Wellbore #1 | | |
| Design: | Bury Crandell 8-2-23 | | |

| | | | |
|----------------------------|---------------------------|----------------------|----------------|
| Project Wattenberg, | | | |
| Map System: | US State Plane 1983 | System Datum: | Mean Sea Level |
| Geo Datum: | North American Datum 1983 | | |
| Map Zone: | Colorado Northern Zone | | |

| | | | |
|------------------------------|----------|--------------------------|-----------------|
| Site New Drills | | | |
| Site Position: | | Northing: | 1,252,450.66ft |
| From: | Lat/Long | Easting: | 3,120,627.66ft |
| Position Uncertainty: | ft | Slot Radius: | in |
| | | Latitude: | 40° 1' 32.016 N |
| | | Longitude: | 105° 4' 9.336 W |
| | | Grid Convergence: | 0.28 ° |

| | | | |
|----------------------------------|--------------|-------------|----------------------------|
| Well Bury Crandell 8-2-23 | | | |
| Well Position | +N/-S | 5,701.9 ft | Northing: |
| | +E/-W | 29,211.9 ft | 1,258,328.74 ft |
| | | | Latitude: |
| | | | 40° 2' 28.536 N |
| | | | Longitude: |
| | | | 104° 57' 53.820 W |
| Position Uncertainty | | ft | Wellhead Elevation: |
| | | | ft |
| | | | Ground Level: |
| | | | 5,113.0ft |

| | | | | | |
|-----------------------------|-------------------|--------------------|------------------------|----------------------|----------------------------|
| Wellbore Wellbore #1 | | | | | |
| Magnetics | Model Name | Sample Date | Declination (°) | Dip Angle (°) | Field Strength (nT) |
| | IGRF200510 | 12/31/2009 | 9.10 | 66.78 | 53,091 |

| | | | | |
|------------------------------------|------------------------------|-------------------|----------------------|----------------------|
| Design Bury Crandell 8-2-23 | | | | |
| Audit Notes: | | | | |
| Version: | Phase: | PROTOTYPE | Tie On Depth: | 0.0 |
| Vertical Section: | Depth From (TVD) (ft) | +N/-S (ft) | +E/-W (ft) | Direction (°) |
| | 0.0 | 0.0 | 0.0 | 103.79 |

| Plan Sections | | | | | | | | | | |
|----------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|----------------------|---------------------|---------|---------------------|
| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Dogleg Rate (°/100ft) | Build Rate (°/100ft) | Turn Rate (°/100ft) | TFO (°) | Target |
| 0.0 | 0.00 | 0.00 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1,140.0 | 0.00 | 0.00 | 1,140.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1,658.9 | 10.38 | 103.79 | 1,656.1 | -11.2 | 45.5 | 2.00 | 2.00 | 0.00 | 103.79 | |
| 6,820.2 | 10.38 | 103.79 | 6,732.9 | -232.9 | 948.4 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 7,339.1 | 0.00 | 0.00 | 7,249.0 | -244.0 | 994.0 | 2.00 | -2.00 | 0.00 | 180.00 | |
| 8,539.1 | 0.00 | 0.00 | 8,449.0 | -244.0 | 994.0 | 0.00 | 0.00 | 0.00 | 0.00 | Bury Crandell 8-2-2 |

EnCana Corporation

Planning Report - Geographic

| | | | |
|------------------|----------------------|-------------------------------------|--------------------------------------|
| Database: | EDM | Local Co-ordinate Reference: | Well Bury Crandell 8-2-23 |
| Company: | DJ/Paradox/WTX | TVD Reference: | WELL @ 5125.0ft (Original Well Elev) |
| Project: | Wattenberg | MD Reference: | WELL @ 5125.0ft (Original Well Elev) |
| Site: | New Drills | North Reference: | True |
| Well: | Bury Crandell 8-2-23 | Survey Calculation Method: | Minimum Curvature |
| Wellbore: | Wellbore #1 | | |
| Design: | Bury Crandell 8-2-23 | | |

| Planned Survey | | | | | | | | | | |
|--|-----------------|-------------|---------------------|------------|------------|-------------------|------------------|-----------------|-------------------|--|
| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Map Northing (ft) | Map Easting (ft) | Latitude | Longitude | |
| 0.0 | 0.00 | 0.00 | 0.0 | 0.0 | 0.0 | 1,258,328.74 | 3,149,804.58 | 40° 2' 28.536 N | 104° 57' 53.820 W | |
| 1,090.0 | 0.00 | 0.00 | 1,090.0 | 0.0 | 0.0 | 1,258,328.74 | 3,149,804.58 | 40° 2' 28.536 N | 104° 57' 53.820 W | |
| Surface | | | | | | | | | | |
| 1,140.0 | 0.00 | 0.00 | 1,140.0 | 0.0 | 0.0 | 1,258,328.74 | 3,149,804.58 | 40° 2' 28.536 N | 104° 57' 53.820 W | |
| 1,658.9 | 10.38 | 103.79 | 1,656.1 | -11.2 | 45.5 | 1,258,317.84 | 3,149,850.16 | 40° 2' 28.425 N | 104° 57' 53.235 W | |
| 4,778.9 | 10.38 | 103.79 | 4,725.0 | -145.2 | 591.3 | 1,258,187.13 | 3,150,396.77 | 40° 2' 27.101 N | 104° 57' 46.217 W | |
| Sussex | | | | | | | | | | |
| 5,338.0 | 10.38 | 103.79 | 5,275.0 | -169.2 | 689.1 | 1,258,163.71 | 3,150,494.73 | 40° 2' 26.864 N | 104° 57' 44.959 W | |
| Shannon | | | | | | | | | | |
| 6,820.2 | 10.38 | 103.79 | 6,732.9 | -232.9 | 948.4 | 1,258,101.61 | 3,150,754.41 | 40° 2' 26.234 N | 104° 57' 41.625 W | |
| 7,339.1 | 0.00 | 0.00 | 7,249.0 | -244.0 | 994.0 | 1,258,090.71 | 3,150,799.99 | 40° 2' 26.124 N | 104° 57' 41.040 W | |
| 7,553.1 | 0.00 | 0.00 | 7,463.0 | -244.0 | 994.0 | 1,258,090.71 | 3,150,799.99 | 40° 2' 26.124 N | 104° 57' 41.040 W | |
| Niobrara | | | | | | | | | | |
| 7,947.1 | 0.00 | 0.00 | 7,857.0 | -244.0 | 994.0 | 1,258,090.71 | 3,150,799.99 | 40° 2' 26.124 N | 104° 57' 41.040 W | |
| Codell | | | | | | | | | | |
| 8,389.1 | 0.00 | 0.00 | 8,299.0 | -244.0 | 994.0 | 1,258,090.71 | 3,150,799.99 | 40° 2' 26.124 N | 104° 57' 41.040 W | |
| J Sand | | | | | | | | | | |
| 8,440.1 | 0.00 | 0.00 | 8,350.0 | -244.0 | 994.0 | 1,258,090.71 | 3,150,799.99 | 40° 2' 26.124 N | 104° 57' 41.040 W | |
| A Marker | | | | | | | | | | |
| 8,539.1 | 0.00 | 0.00 | 8,449.0 | -244.0 | 994.0 | 1,258,090.71 | 3,150,799.99 | 40° 2' 26.124 N | 104° 57' 41.040 W | |
| Production - Bury Crandell 8-2-23 | | | | | | | | | | |

| Design Targets | | | | | | | | | | |
|---|---------------|--------------|----------|------------|------------|---------------|--------------|-----------------|-------------------|--|
| Target Name | Dip Angle (°) | Dip Dir. (°) | TVD (ft) | +N/-S (ft) | +E/-W (ft) | Northing (ft) | Easting (ft) | Latitude | Longitude | |
| Bury Crandell 8-2-23 - hit/miss target - Shape - Point | 0.00 | 0.00 | 8,449.0 | -244.0 | 994.0 | 1,258,090.71 | 3,150,799.99 | 40° 2' 26.124 N | 104° 57' 41.040 W | |

| Casing Points | | | | | | |
|---------------------|---------------------|------------|----------------------|--------------------|--|--|
| Measured Depth (ft) | Vertical Depth (ft) | Name | Casing Diameter (in) | Hole Diameter (in) | | |
| 1,090.0 | 1,090.0 | Surface | 8.625 | 12.250 | | |
| 8,539.1 | 8,449.0 | Production | 4.500 | 7.785 | | |

| Formations | | | | | | |
|---------------------|---------------------|----------|-----------|---------|-------------------|--|
| Measured Depth (ft) | Vertical Depth (ft) | Name | Lithology | Dip (°) | Dip Direction (°) | |
| 4,778.9 | 4,725.0 | Sussex | | 0.00 | | |
| 5,338.0 | 5,275.0 | Shannon | | 0.00 | | |
| 7,553.1 | 7,463.0 | Niobrara | | 0.00 | | |
| 7,947.1 | 7,857.0 | Codell | | 0.00 | | |
| 8,389.1 | 8,299.0 | J Sand | | 0.00 | | |
| 8,440.1 | 8,350.0 | A Marker | | 0.00 | | |

EnCana Corporation
Planning Report - Geographic

| | | | |
|------------------|----------------------|-------------------------------------|--------------------------------------|
| Database: | EDM | Local Co-ordinate Reference: | Well Bury Crandell 8-2-23 |
| Company: | DJ/Paradox/WTX | TVD Reference: | WELL @ 5125.0ft (Original Well Elev) |
| Project: | Wattenberg | MD Reference: | WELL @ 5125.0ft (Original Well Elev) |
| Site: | New Drills | North Reference: | True |
| Well: | Bury Crandell 8-2-23 | Survey Calculation Method: | Minimum Curvature |
| Wellbore: | Wellbore #1 | | |
| Design: | Bury Crandell 8-2-23 | | |