


Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver Colorado 80203 (303) 894-2100 Fax (303) 894-2109

# WELL ABANDONMENT REPORT

Submit original plus one copy. This form is to be submitted as an intent whenever a plugging is planned on a borehole. The approved intent shall be valid for twelve months after the approval date after that period a new intent will be required. After the plugging is complete, this form and one copy shall again be submitted as a subsequent report of the work as actually completed.



COGCC Operator Number: 100185		Contact Name & Telephone	
Name of Operator: EnCana Oil & Gas (USA) Inc.		Jevin Croteau	
Address: 370 - 17th Street, Suite 1700		No: 720-876-5339	
City: Denver State: CO Zip: 80202		Fax: 720-876-5339	
API Number 05-113-06137-00		Tel:	
Well Name: Andy's Mesa		Well Number: #48	
Location (Qtr, Sec, Twp, Rng, Meridian): S44NW, Sec. 27, T44N, R14W, NMPM			
County: San Miguel		Federal, Indian or State Lease Number: C-10832	
Field Name: Andy's Mesa		Field Number: 2500	

☒ Notice of Intent to Abandon ☐ Subsequent Report of Abandonment

Only Complete the Following Background Information for Intent to Abandon

Latitude: \_\_\_\_\_ Longitude: \_\_\_\_\_

GPS Data: \_\_\_\_\_

Date of Measurement: \_\_\_\_\_ PDOP Reading: \_\_\_\_\_ Instrument Operator's Name: \_\_\_\_\_

Reason for Abandonment: ☐ Dry ☒ Production Sub-economic ☐ Mechanical Problems ☐ Other

Casing to be Pulled: ☐ Yes ☒ No Top of Casing Cement: \_\_\_\_\_

Fish in Hole: ☐ Yes ☒ No If yes, explain details below \_\_\_\_\_

Wellbore has Un cemented Casing Leaks: ☐ Yes ☒ No If yes, explain details below \_\_\_\_\_

Details: \_\_\_\_\_

## Current and Previously Abandoned Zones

Formation	Perforations - Top	Perforations - Bottom	Date Abandoned	Method of Isolation (None, Squeezed, BP, Cement, etc.)	Plug Depth
Cutler	6837'	7125'	10/28/04	CIBP - NO CIBP	6828'
Cutler	7212'	7228'	10/20/04	CIBP	7190'
Cutler	7868'	8792'	10/19/04	CIBP	7828'
Honaker Trail	8834'	8900'	10/14/04	CIBP	8810'

## Casing History

String	Size of Hole	Size of Casing	Weight per ft	Setting Depth	Sacks Cement	Cement Bottom	Cement Top
Surface	12-1/4"	9-5/8"	36#	4645'	580sx	2845'-4645'	Surface
Production	8-5/8"	5-1/2"	17#	9232'	1780sx	9232'	4645'-4150'

## Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 6500' with 20 sacks cmt on top. CIBP #2: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.

Set \_\_\_\_\_ ft. to \_\_\_\_\_ ft. in \_\_\_\_\_ Casing ☐ Open Hole ☐ Annulus

Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. in \_\_\_\_\_ Casing ☐ Open Hole ☐ Annulus

Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. in \_\_\_\_\_ Casing ☐ Open Hole ☐ Annulus

Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. in \_\_\_\_\_ Casing ☐ Open Hole ☐ Annulus

Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. in \_\_\_\_\_ Casing ☐ Open Hole ☐ Annulus

Perforate and squeeze at 2875' ft. with 100 sacks Leave at least 100 ft. in casing

Perforate and squeeze at 150' ft. with 40 sacks Leave at least 100 ft. in casing

Perforate and squeeze at 2895' ft. with 2895' ft. to 2795' ft. Leave at least 100 ft. in casing

Set 42' sacks half in, half out surface casing from 2895' ft. to 2795' ft.

Set 6' sacks at surface

Cut four feet below ground level, weld on plate

Set N/A sacks in rat hole

Dry-Hole Marker: ☒ Yes ☐ No

Set N/A sacks in mouse hole

Plugging date: \_\_\_\_\_

\*Cementing Contractor: \_\_\_\_\_

## Additional Plugging Information for Subsequent Report Only

Casing Recovered: \_\_\_\_\_ ft. of \_\_\_\_\_ in casing

\*Wireline Contractor: \_\_\_\_\_

Type of Cement and Additives Used: \_\_\_\_\_

\*Attach job summaries. \_\_\_\_\_

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Jevin Crobeau Email: jevin.croteau@encana.com

Signed: \_\_\_\_\_ Title: \_\_\_\_\_ Regulatory Analyst Date: 2/8/10

OGCC Approved: \_\_\_\_\_ Title: PE Date: 2-16-10

CONDITIONS OF APPROVAL, IF ANY: SUBMIT GPS MEASUREMENTS WITH SUBSEQUENT REPORT OF ABANDONMENT