

REFERENCE INFORMATION


Co-ordinate (NE) Reference: Well Norris 2-4-32, True North
Vertical (TVD) Reference: WELL @ 4844.0ft (Original Well Elev)
Section (VS) Reference: Slot - (0.0N, 0.0E)
Measured Depth Reference: WELL @ 4844.0ft (Original Well Elev)
Calculation Method:

WELL DETAILS: Norris 2-4-32

+N/-S	+E/-W	Northing	Ground Level:	Easting	Latitude	Longitude	Slot
0.0	0.0	1308955.82	4831.0	3257028.32	40° 10' 40.152 N	04° 34' 48.468 W	

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	800.0	0.00	0.00	800.0	0.0	0.0	0.00	0.00	0.0	
3	1559.3	15.19	1.76	1550.4	100.0	3.1	2.00	1.76	100.0	
4	6012.9	15.19	1.76	5848.6	1266.1	38.8	0.00	0.00	1266.7	
5	6772.2	0.00	0.00	6599.0	1366.1	41.9	2.00	180.00	1366.7	
6	7822.2	0.00	0.00	7649.0	1366.1	41.9	0.00	0.00	1366.7	Norris 2-4-32



FORMATION TOP DETAILS

TVDPath	MDPath	Formation
5254.0	5396.9	Sussex
6834.0	7007.2	Niobrara
7059.0	7232.2	Codell
7499.0	7672.2	J Sand
7589.0	7762.2	A Marker

CASING DETAILS

TVD	MD	Name	Size
750.0	750.0	Surface	8.625
7649.0	7822.2	Production	4.500

EnCana Corporation

Planning Report - Geographic

Database:	EDM	Local Co-ordinate Reference:	Well Norris 2-4-32
Company:	DJ/Paradox/WTX	TVD Reference:	WELL @ 4844.0ft (Original Well Elev)
Project:	Wattenberg	MD Reference:	WELL @ 4844.0ft (Original Well Elev)
Site:	New Drills	North Reference:	True
Well:	Norris 2-4-32	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Project	Wattenberg,		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Northern Zone		

Site		New Drills				
Site Position:		Northing:	1,278,589.08ft	Latitude:	40° 5' 49.848 N	
From:	Lat/Long	Easting:	3,130,247.44ft	Longitude:	105° 2' 3.912 W	
Position Uncertainty:		ft	Slot Radius:	in	Grid Convergence:	0.30 °

Well	Norris 2-4-32					
Well Position	+N-S	29,050.0 ft	Northing:	1,308,955.82 ft	Latitude:	40° 10' 40.152 N
	+E-W	127,089.3 ft	Easting:	3,257,028.32 ft	Longitude:	104° 34' 48.468 W
Position Uncertainty		ft	Wellhead Elevation:	ft	Ground Level:	4,831.0 ft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF200510	12/31/2009	8.90	66.96	53,207

Design	Design #1				
Audit Notes:					
Version:	Phase:	PROTOTYPE		Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0.0	0.0	0.0	1.76	

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
800.0	0.00	0.00	800.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,559.3	15.19	1.76	1,550.4	100.0	3.1	2.00	2.00	0.00	1.76	
6,012.9	15.19	1.76	5,848.6	1,266.1	38.8	0.00	0.00	0.00	0.00	
6,772.2	0.00	0.00	6,599.0	1,366.1	41.9	2.00	-2.00	0.00	180.00	
7,822.2	0.00	0.00	7,649.0	1,366.1	41.9	0.00	0.00	0.00	0.00	Norris 2-4-32

EnCana Corporation

Planning Report - Geographic

Database:	EDM	Local Co-ordinate Reference:	Well Norris 2-4-32
Company:	DJ/Paradox/WTX	TVD Reference:	WELL @ 4844.0ft (Original Well Elev)
Project:	Wattenberg	MD Reference:	WELL @ 4844.0ft (Original Well Elev)
Site:	New Drills	North Reference:	True
Well:	Norris 2-4-32	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (ft)	Map Easting (ft)	Latitude	Longitude
0.0	0.00	0.00	0.0	0.0	0.0	1,308,955.82	3,257,028.32	40° 10' 40.152 N	104° 34' 48.468 W
750.0	0.00	0.00	750.0	0.0	0.0	1,308,955.82	3,257,028.32	40° 10' 40.152 N	104° 34' 48.468 W
Surface									
800.0	0.00	0.00	800.0	0.0	0.0	1,308,955.82	3,257,028.32	40° 10' 40.152 N	104° 34' 48.468 W
1,559.3	15.19	1.76	1,550.4	100.0	3.1	1,309,055.84	3,257,030.35	40° 10' 41.140 N	104° 34' 48.428 W
5,396.9	15.19	1.76	5,254.0	1,104.8	33.9	1,310,060.89	3,257,050.75	40° 10' 51.070 N	104° 34' 48.031 W
Sussex									
6,012.9	15.19	1.76	5,848.6	1,266.1	38.8	1,310,222.23	3,257,054.03	40° 10' 52.664 N	104° 34' 47.968 W
6,772.2	0.00	0.00	6,599.0	1,366.1	41.9	1,310,322.25	3,257,056.06	40° 10' 53.652 N	104° 34' 47.928 W
7,007.2	0.00	0.00	6,834.0	1,366.1	41.9	1,310,322.25	3,257,056.06	40° 10' 53.652 N	104° 34' 47.928 W
Niobrara									
7,232.2	0.00	0.00	7,059.0	1,366.1	41.9	1,310,322.25	3,257,056.06	40° 10' 53.652 N	104° 34' 47.928 W
Codell									
7,672.2	0.00	0.00	7,499.0	1,366.1	41.9	1,310,322.25	3,257,056.06	40° 10' 53.652 N	104° 34' 47.928 W
J Sand									
7,762.2	0.00	0.00	7,589.0	1,366.1	41.9	1,310,322.25	3,257,056.06	40° 10' 53.652 N	104° 34' 47.928 W
A Marker									
7,822.2	0.00	0.00	7,649.0	1,366.1	41.9	1,310,322.25	3,257,056.06	40° 10' 53.652 N	104° 34' 47.928 W
Production - Norris 2-4-32									

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude
- hit/miss target									
- Shape									
Norris 2-4-32	0.00	0.00	7,649.0	1,366.1	41.9	1,310,322.25	3,257,056.06	40° 10' 53.652 N	104° 34' 47.928 W
- plan hits target									
- Point									

Casing Points					
Measured Depth (ft)	Vertical Depth (ft)	Name	Casing Diameter (in)	Hole Diameter (in)	
750.0	750.0	Surface	8.625	12.250	
7,822.2	7,649.0	Production	4.500	7.785	

Formations						
Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)	
5,396.9	5,254.0	Sussex		0.00		
7,007.2	6,834.0	Niobrara		0.00		
7,232.2	7,059.0	Codell		0.00		
7,672.2	7,499.0	J Sand		0.00		
7,762.2	7,589.0	A Marker		0.00		