



FIELD TICKET & TREATMENT REPORT
CEMENT

TICKET NUMBER 30739
LOCATION Oaklands
FOREMAN Fuzzy

DATE		CUSTOMER #	WELL NAME & NUMBER		SECTION	TOWNSHIP	RANGE	COUNTY
4-12-11		9160	mahalo #1		29	10	55w	Lincoln Col
CUSTOMER					TRUCK #			
Weir King - Fullerton					463			
MAILING ADDRESS					DRIVER			
					434			
					Damow m.			
					Tim W.			
CITY					HOLE DEPTH			
					330'			
STATE					CASING SIZE & WEIGHT			
					8 5/8 23#			
ZIP CODE								

JOB TYPE <u>Surf Ace</u>	HOLE SIZE <u>12 1/4</u>	HOLE DEPTH <u>330</u>	CASING SIZE & WEIGHT _____
CASING DEPTH <u>330'</u>	DRILL PIPE _____	TUBING _____	OTHER _____
SLURRY WEIGHT <u>15.2</u>	SLURRY VOL <u>1.34</u>	WATER gal/sk <u>6.5</u>	CEMENT LEFT in CASING <u>15'</u>
DISPLACEMENT <u>20.0</u>	DISPLACEMENT PSI _____	MIX PSI _____	RATE _____
REMARKS: <u>505 ft meeting on Murphy #25</u>	<u>85 lb swedge</u>		
	<u>1 1/4" x 10.5 ft</u>		

RY WEIGHT 15.2 SECURE 10 RATE 10
ACEMENT 20.0 DISPLACEMENT PSI 10 MIX PSI 10
RKS: 50% weather on Murphy #25 8518 sledge
my 2505Ks class 3701c 2902 14x 10.5x1
Displace 20 BAH water station @ 200x
cement did calculate

Thanks Fuzz & crew

[illegible]

Bayin 3737

AUTHORIZTION

TITLE

DATE 4/12/11

AUTHORIZATION James J. Smith TITLE Owner

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



CONSOLIDATED
Oil Well Services, LLC

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

TICKET NUMBER 28001
LOCATION Oakley, KS
FOREMAN Walt Dinkel

FIELD TICKET & TREATMENT REPORT

CEMENT

Colorado

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
4-26-11	9160	Mahalo #1	29	10 ^s	55 ^w	Lincoln
CUSTOMER Warpking - Fullerton			TRUCK #	DRIVER	TRUCK #	DRIVER
MAILING ADDRESS			456-T118	Chad Smith		
CITY			566	Damen Miller		
STATE						
ZIP CODE						

JOB TYPE Prod - O HOLE SIZE 7 7/8 HOLE DEPTH 7800' CASING SIZE & WEIGHT 5 1/2 - 17 #
CASING DEPTH 7589' DRILL PIPE TUBING OTHER P.C. 4645'
SLURRY WEIGHT SLURRY VOL WATER gal/sk CEMENT LEFT in CASING 42
DISPLACEMENT 178 BBL DISPLACEMENT PSI 1400 # MIX PSI RATE 7 BPM
REMARKS: Safety Meeting, Run Float Equipment P-Cent-1-3-5-11-13-15-16
Cent on 68"-70", Basket on 2" + 68", Port Collar on 68", run 100 Jts, Circ
Casing on bottom, Circ 1 Hr, Pump 10 SKS in R.H., 10 SKS in M.H.,
Pumped 10 BBL H₂O, 500 gal Mud Flush, 10 BBL H₂O, mixed 190 SKS
Class H, 10% Salt, 5# Kolseal, 2% Alcl, 1/4# Flo-Sol
Clear Pump + Lines, released Plug + Displaced 178 BBL H₂O @ 1400 #
Max. Landed Plug @ 1900#, released Pressure, Float Held

Thank You
Walt & crew

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401P	1	PUMP CHARGE	4050 ⁰⁰	4050 ⁰⁰
5406	100	MILEAGE	5 ⁰⁰	500 ⁰⁰
1115A	210 SKS	Class H Cement	22 ⁰⁰	4620 ⁰⁰
1111	998 #	Salt	42	41916
1110A	1050 #	Kolseal	53	55650
1118B	394 #	Bentomite	24	9456
1144G	500 gal	Mud Flush	100	500 ⁰⁰
5407A	9.87	Tan Mileage Delivery	158	155946
4159	1	AFU Float shoe	413 ⁰⁰	413 ⁰⁰
4454	1	Latch down Plug assay	303 ⁰⁰	303 ⁰⁰
4136	7	Turbo-Centralizers	72 ⁰⁰	504 ⁰⁰
4130	2	Centralizers	58 ⁰⁰	116 ⁰⁰
4104	2	Baskets	276 ⁰⁰	552 ⁰⁰
4285	1	Port Collar	2075 ⁰⁰	2075 ⁰⁰
				1705463
				240987
				Loss 15% Disc
				16,2626
				2,4395
				13,8232
				693.10
				14496.43

Revin 3737

AUTHORIZATION

Gary Smith

TITLE

cc sep

SALES TAX
ESTIMATED
TOTAL

DATE 4/20/11

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



FIELD TICKET & TREATMENT REPORT CEMENT

TICKET NUMBER 28007
LOCATION Oakley KS
FOREMAN Walt Dunkel

DATE	CUSTOMER #	WELL NAME & NUMBER		SECTION	TOWNSHIP	RANGE	COUNTY
5-4-11	9160	Mahalo #1		29	105	55W	Lincoln
CUSTOMER Weepking - Follerton							
MAILING ADDRESS							
CITY		STATE	ZIP CODE				

JOB TYPE	Part Collar-O	HOLE SIZE	7 7/8	HOLE DEPTH		CASING SIZE & WEIGHT	5 1/2" 17#
CASING DEPTH		DRILL PIPE		TUBING	2 7/8 - 4645'	OTHER	P.C. 4645'
SLURRY WEIGHT		SLURRY VOL		WATER gal/sk		CEMENT LEFT in CASING	
DISPLACEMENT		DISPLACEMENT PSI		MIX PSI		RATE	

REMARKS: Safety Meeting, Test casing to 1500# Held
Open Tool + mixed 200 SKs 6940ppw, 6% Gel, 5# Kolseal, 2% CC, 1/4# Flo-Sol.
Displaced 2.6 BBL H₂O @ 1200# max,
Shut Tool + Tested to 1500 psi, Held, ran 3 Jts, reverse circ
Clean,
Haul circ Thru Job-

Thank You

Walt + crew

[illegible]

Ravin 3737

AUTHORIZTION

TITLE

DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.