

Koepsell, Arthur

From: Erin K. Mathews [Erin.Mathews@LRA-INC.com]
Sent: Tuesday, August 09, 2011 12:43 PM
To: Koepsell, Arthur
Cc: Kent R. Moore (krmtaurus@msn.com); James Jensen
Subject: RE: Larsen Farms Directional #3 Form 2A # 400184156, St. James Operating

Arthur,

We understand, and expected the COA based on our conversation for the Larson Farms Directional #1 and Larson Farms Directional #2.

Thanks,
Erin

Erin Mathews, PE
Project Engineer

LAMP, RYNEARSON & ASSOCIATES, INC.
4715 Innovation Drive
Fort Collins, Colorado 80525
Phone (970) 226-0342
Fax (970) 226-0879
Email Erin.Mathews@LRA-INC.com
Website www.LRA-inc.com

From: Koepsell, Arthur [<mailto:Arthur.Koepsell@state.co.us>]
Sent: Tuesday, August 09, 2011 9:04 AM
To: Erin K. Mathews
Subject: Larsen Farms Directional #3 Form 2A # 400184156, St. James Operating

Erin,

The COGCC is reviewing the Form 2A (#400184156) for the Larsen Farms Directional #3 location, located in the NESW Sec 24 T6N R64W Weld county, Colorado. The COGCC requests the following changes regarding the data submitted on or attached to the Form 2A prior to passing the Oil and Gas Location Assessment (OGLA).

1. COAS: Due to the proximity of Crow Creek water features the following COA will apply to the Larsen Farms Directional #3 location:
 - Operator must implement site-specific best management practices in accordance with good engineering practices, including, but not limited to, construction of a berm or diversion dike, site grading, or other comparable measures, sufficient to protect Crow Creek to the north and west of the proposed location as shown on the attached hydrology map from a release of drilling, completion, produced fluids, and chemical products.

If you have any questions or concerns please feel free to contact me.

Thanks,

Arthur

Arthur W. Koepsell, P.G.
Oil & Gas Location Assessment Specialist
Southern Area

Oil and Gas Location Assessment
Colorado Oil and Gas Conservation Commission
1120 Lincoln St. Suite 801
Denver Colorado 80203
Phone (303) 894-2100 ext. 5148