

FORM
6Rev
12/05

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Date Received:

10/12/2010

Document Number:

2592044

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 92950

Contact Name: DANIEL BENEDICT

Name of Operator: VAUGHEY & VAUGHEY

Phone: (720) 351-4000

Address: 1840 CAPITOL TOWERS

Fax: (720) 351-4200

City: JACKSON State: MS Zip: 39201-

Email: DBENEDICT@MEPCO.US.COM

For "Intent" 24 hour notice required,

Name: HORTON, COLBY

Tel: (970) 467-2517

COGCC contact:

Email: colby.horton@state.co.us

API Number 05-075-07160-00

Well Name: MYRTLE N SQUIRE

Well Number: 1

Location: QtrQtr: SWNW Section: 5 Township: 11N Range: 52W Meridian: 6

County: LOGAN

Federal, Indian or State Lease Number:

Field Name: PEETZ WEST

Field Number: 68300

☐ Notice of Intent to Abandon☒ Subsequent Report of Abandonment

Only Complete the Following Background Information for Intent to Abandon

Latitude: 40.957120

Longitude: -103.209100

GPS Data:

Data of Measurement: 01/15/2010

PDOP Reading: 2.6

GPS Instrument Operator's Name: TIM LEIBERT

Reason for Abandonment: ☐ Dry ☐ Production for Sub-economic ☐ Mechanical Problems☐ OtherCasing to be pulled: ☐ Yes ☐ No Top of Casing Cement:Fish in Hole: ☐ Yes ☐ No If yes, explain details belowWellbore has Uncemented Casing leaks: ☐ Yes ☐ No If yes, explain details below

Details:

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth

Total: 0 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bot	Cement Top	Status
SURF	14+3/4	10+3/4	32.75	215	75	152	0	

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth _____ with _____ sacks cmt on top. CIPB #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIPB #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set 150 sks cmt from 5337 ft. to 4938 ft. Plug Type: OPEN HOLE Plug Tagged: ☐
Set 70 sks cmt from 1600 ft. to 1400 ft. Plug Type: OPEN HOLE Plug Tagged: ☐

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set 40 sacks half in. half out surface casing from 165 ft. to 265 ft. Plug Tagged: ☐

Set 20 sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☒ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. of _____ inch casing

Plugging Date: 06/18/2010

*Wireline Contractor: _____

*Cementing Contractor: HALLIBURTON

Type of Cement and Additives Used: CLASS "G", HR-5 ON PLUG #1, CACL ON #S 3,4

Flowline/Pipeline has been abandoned per Rule 1103 ☐ Yes ☐ No

*ATTACH JOB SUMMARY

Technical Detail/Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: DANIEL BENEDICT

Title: ENGINEER

Date: 10/7/2010

Email: DBENEDICT@MEPCO.US.COM

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: SUTPHIN, DIRK

Date: 8/15/2011

CONDITIONS OF APPROVAL, IF ANY:

Attachment Check List

Att Doc Num	Name
2592044	FORM 6 SUBSEQUENT SUBMITTED
2592045	WELLBORE DIAGRAM
2592046	CEMENT JOB SUMMARY

Total Attach: 3 Files

General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)