

FORM

6

Rev
12/05

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Date Received:

Document Number:

400197320

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 16700

Contact Name: DIANE PETERSON

Name of Operator: CHEVRON PRODUCTION COMPANY

Phone: (970) 675-3842

Address: 100 CHEVRON RD

Fax: (970) 675-3800

City: RANGELY State: CO Zip: 81648

Email: DLPE@CHEVRON.COM

For "Intent" 24 hour notice required,

Name: _____

Tel: _____

COGCC contact:

Email: _____

API Number 05-103-08736-00

Well Name: WALBRIDGE, L B

Well Number: 4X

Location: QtrQtr: NWNE Section: 1 Township: 1N Range: 102W Meridian: 6

County: RIO BLANCO

Federal, Indian or State Lease Number: 47443

Field Name: RANGELY

Field Number: 72370

☐ Notice of Intent to Abandon☒ Subsequent Report of Abandonment

Only Complete the Following Background Information for Intent to Abandon

Latitude: 40.091580

Longitude: -108.789650

GPS Data:

Data of Measurement: 01/23/2008

PDOP Reading: 3.6

GPS Instrument Operator's Name: John Floyd

Reason for Abandonment: ☐ Dry☐ Production for Sub-economic☐ Mechanical Problems☐ Other _____Casing to be pulled: ☐ Yes☐ No

Top of Casing Cement: _____

Fish in Hole: ☐ Yes☐ No

If yes, explain details below

Wellbore has Uncemented Casing leaks: ☐ Yes☐ No

If yes, explain details below

Details: _____

Current and Previously Abandoned Zones

Formation	Code	Perf. Top	Perf. Bottom	Date	Method of Isolation	Plug Depth
NIOBRARA	NBRR	2905	3077	08/12/2011	CEMENT	2905
WEBER	WEBR	5915	6338	08/11/2011	CEMENT	5865

Total: 2 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bot	Cement Top	Status
CONDUCTOR	20	16	78	30	1	30	0	VISU
SURF	12+1/4	9+5/8	36	3,027	625	3,027	0	VISU
2ND	8+3/4	7	23	6,456	870	6,456	1,180	CBL

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 5865 with 10 sacks cmt on top. CIBP #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 200 sks cmt from 5865 ft. to 6458 ft. Plug Type: CASING Plug Tagged: ☐
Set 49 sks cmt from 2905 ft. to 3027 ft. Plug Type: CASING Plug Tagged: ☒
Set 39 sks cmt from 0 ft. to 60 ft. Plug Type: ANNULUS Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Perforate and squeeze at 60 ft. with 39 sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
(Cast Iron Cement Retainer Depth)

Set _____ sacks half in. half out surface casing from _____ ft. to _____ ft. Plug Tagged: ☐

Set _____ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☒ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. of _____ inch casing Plugging Date: 08/15/2011
*Wireline Contractor: _____ *Cementing Contractor: HALLIBURTON
Type of Cement and Additives Used: CLASS G CMTN W 3% CACL2, 1.15 YIELD 15.8 PPG
Flowline/Pipeline has been abandoned per Rule 1103 ☐ Yes ☒ No *ATTACH JOB SUMMARY

Technical Detail/Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: DIANE L PETERSON
Title: REGULATORY SPECIALIST Date: _____ Email: DLPE@CHEVRON.COM

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY:

Attachment Check List

Att Doc Num	Name
400197322	CEMENT JOB SUMMARY
400197323	OPERATIONS SUMMARY

Total Attach: 2 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)